APR 2.0 1998

Mr. H. R. McLane H.R. McLANE, INC. 7210 Red Road, Suite 206 Miami, FL 33143-5321

Dear Mr. McLANE:

SUBJECT: Penngreen Weed and Feed with Atrazine

EPA Reg. No. 7413-7

Label Review

The above mentioned label submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable provide you make the following changes:

1. Change "Precautionary Statements" to the following:

Precautionary Statements
Hazards to Humans and Domestic Animals
Caution

"Harmful if swallowed. Avoid breathing dust, contact with eyes, skin or clothing. In case of contact immediately flush eyes or skin with plenty of water. Keep away from feed or food products. Wash thoroughly with soap and water after handling or using."

2. Change the "Environmental Hazards statement" to the following:

Environmental Hazards: "Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not apply atrazine

		c	ONCURRENCES			
SYMBOL ►	7505C					,
SURNAME -	MINOR, E.			r	İ	
DATE ►	Apr 20, 1998	_				

EPA Form 1320-1 (12-70)

to and and loamy sand soils where the water table (ground water is close to the surface and where these soils are very permeable, i.e., well-drain. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas bay be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters."

3. Change the "Statement of Practical Treatment" to the following:

"IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists."

4. Add directly under the "Storage and Disposal" heading the following:

"Do not contaminate water, food or feed by storage or disposal."

5. Under the "How and When to Apply" section change the heading "PRECAUTIONS:" to "USE PRECAUTIONS:"

Sincèrely yours

Jim Tompkins Product Manager (25)

Herbicide Branch

Registration Division (7505C)

PENNGICEEN®WEED & FEED with Atrazine

CONTROLS WEEDS WHILE FEEDING YOUR LAWN WITH A QUICK GREENING LONG-LASTING FERTILIZER.

For use on St. Augustine, Zoysia, Centipede and Carpetgrass Lawns Only.

20 lb. Treats 5,000 sq.ft.

KEEP OUT OF REACH OF CHILDREN CAUTION



ACTIVE INGREDIENT: Atrazine (2-chloro-4-ethylamino-6-

isopropylamino-s-triazine)

1.16% 98.84% Hazards to Humans and Domestic Animals

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes, or clothing. In case of contact immediate flush eyes or skin with plenty of water. Get medical attention if irritation persists.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wastiwaters. Not for use on or under trees, shrubs, bedding plants, flowers or garden plants. Atrazine leaches readily and accepted label rates have been found to result in contamination of water supplies by way of groundwater. Therefore, users are advised to avoid use of strazine in well drained solls, particularly in areas having high groundwater tables."

INERT INGREDIENTS: First Aid - Statements of Practical treatment

IF SWALLOWED: Call a physician or Poison Control center Immediately, Induce womiting by giving victim 1 to 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth the an unconscious or convulsing person. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists. IF ON SKIN Wash affected area with soap and water. Get medical attention if irritation persists

Not for use on turfgrass being grown for sale or other commercial use as sod, or for commercial seed production of research purposes.

NET WEIGHT 20 POUNDS (9.07 kg) EPA, REG. NO. 7413-7 EPA Est No. 59144-GA-1

Beautiful lawns begin with PENNINGTON SEED PENNGREEN ®LAWN FOODS keep them beautiful

PENNGREEN® WEED & FEED WITH ATRAZINE

GUARANTEED ANALYSIS Total Nitrogen (N) - - - - -1.6% Ammonical Nitrogen

22.7% Urea Nitrogen

0.7% Water soluble Nitrogen Available Phosphoric Acid (P205) -Soluble Potash (K,O)-

Boron (B) 0.02% Copper (Cu) 0.05% Iron (Fe) 3.00% Manganese (Mn) 0.05% Molybdenum (Mo) 0.0005% Zinc (Zn) 0.05% Primary Plant Food Sources: Ureaformakienyde, Sulfur Coated Urea, Urea, Diammonium Phose and Muriate of Polash phate and Muriate of Potash. Secondary Plant Food Sources: Fertilizer Grade Borate, Sulfates and Oxides of Copper, Sulfates and Oxides of Iron, Sulfates and Oxides of Manganese, Fertilizer Grade Molybdate, and Sulfates and Oxides of Zinc. *Part of the nitrogen in this product has been sulfur coated to provide 5.3% coated slow release nitrogen.

Chlorine (CI), not more than 4.8%



WHAT THIS PRODUCT DOES

PENNGREEN® Weed & Feed W/Atrazine u controls growing weeds such as dandelions, black medic, buckhorn, burclover, Carolina Geranium, Chickweed, pursiane, Florida betony, Florida Pusley, Rabbit-tobacco, henbit, matchweed, oxalis, red sorrel, rescuegrass, shepherds purse, wild nustard, and many others. This product also contains a high quality, slow-release ertilized This product will green your lawn na few days and will continue feeding for 3-4 months.

DIRECTIONS FOR USE t is a violation of Federal law to use this

abeling.

HOW & WHEN TO APPLY

Apply in January, February, or early March to prevent germination of crabgrass, bull paspalum, sedges (from seed), and spotted spurge. Apply anytime broadleaf weeds are growing to get control. Apply in the fall to control henbit, chickweed and other winter weeds. If complete control is not obtained, a second application may be necessary 2 months after the first.

For best results apply with a fertilizer spreader at the settings listed below. Apply to newly sprigged St. Augustine or Zoysia lawns to help prevent competition from other weeds. Apply when grass blades are dry. On hot days (above 80 degrees) water the lawn to rinse particles off the grass.

SPREADER SETTINGS WEED & FEED W/ATRAZINE SCOTT'S DROP (PFI) SCOTT'S ROTARY(C2) 5.0 CYCLONE (B1) 3.75 PENN ROTÁRÝ 6.0 PENN DROP 4.0 SEARS DROP (671.19150) 6.0 REPUBLIC ROTARY 3.0
REPUBLIC DROP 4.0
PRECAUTIONS: Do not apply under the

branches (rootzone area) of shrubs, trees. flowers, etc. Do not apply to newly seeded Zoysia, centipede, or carpetgrass lawns. Wait until they have required at least 2 mowings. Do not apply to flowers, bedding plants, omamental trees or shrubs.

NOTICE: We recommend that you keep this product (and all fertilizers) out of the reach of children. Avoid getting on concrete walks or drives, swimming pools, stucco or asbestos siding as the composition of certain fertilizer elements can cause permanent product in a manner inconsistent with its stains. Keep in a dry place.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides,

insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard

Warranty and Disclaimer Pennington guarantees this product to the extent of the purchase price, only when used according to directions.

OPTIONAL FERTILIZER STATEMENTS NITROGEN - Produces lush dark green plant growth. Essential for plants protein development. PHOSPHOROUS - Promotes root growth and development. Essential element for all living plant tissue. POTASH - Improves lawn's hardiness and disease resistance. Strengthens lawn against winter damage (Scissors pictured) Clip for Proof of Purchase(7314-7.pm5\06-09-97)

> ACCEPTED with COMMENTS In EPA Letter Dated

APR 20 1998

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

PENNINGTON ENTERPRISES, INC.

P. O. Box 290 - Madison, GA 30650