

AUG 11 1999

Ms. Kim Davis  
GRO TEC, INC.  
P.O. Box 2220  
Greeley, CO 80632-2220

Dear Ms. Davis:

SUBJECT: Revised CSF and Revised Label  
PennGreen Weed & Feed with Atrazine, EPA Reg. No. 59144-32  
Your Application Dated June 4, 1999

The amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

-Change the "Precautionary Statements" as follows:

**PRECAUTIONARY STATEMENTS**  
Hazards to Humans & Domestic Animals  
**CAUTION**

Causes Moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	MINOR. E.							
DATE ▶	Aug 11, 1999							

The revised CSF has been included in our files for this product. A stamped copy of the labeling is enclosed for your records.

Sincerely,

James Tompkins  
Product Manager (25)  
Herbicide Branch  
Registration Division (7505C)

Enclosure

# PENNGREEN WEED & FEED WITH ATRAZINE

Treats 5,000 Sq. Ft.

25-4-6

Controls Weeds While Feeding Your Lawn with a Quick Greening, Long-Lasting Fertilizer

For Use Only on St. Augustine, Zoysia, Centipede and Carpetgrass Lawns

**ACTIVE INGREDIENT:**

Atrazine (2-chloro-4-ethylamino-6-isopropylamino-s-triazine) .....	1.16%
<b>INERT INGREDIENTS</b> .....	<u>98.84%</u>
Total .....	100.00%

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

**AUG 11 1999**

Keep Out of Reach of Children  
**CAUTION**

See back panel for additional precautionary statements.

EPA Reg. No. 59144-32      EPA Est. \_\_\_\_\_

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

59144-32

Net Wt. 20 lbs. (9.07 kg)

[Back Panel]

**GUARANTEED ANALYSIS 25-4-6**

Total Nitrogen (N) .....	25%
1.6% Ammoniacal Nitrogen	
22.7% Urea Nitrogen*	
0.7% Water Insoluble Nitrogen	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ) .....	4%
Soluble Potash (K <sub>2</sub> O) .....	6%
Boron (B) .....	0.02%
Copper (Cu) .....	0.05%
Iron (Fe) .....	3.00%
Manganese (Mn) .....	0.05%
Molybdenum (Mo) .....	0.0005%
Zinc (Zn) .....	0.05%

Primary Plant Food Sources: Ureaformaldehyde, Sulfur Coated Urea, Urea, Diammonium Phosphate and Muriate of Potash.


Secondary Plant Food Sources: Fertilizer Grade Borate, Sulfates and Oxides of Copper, Sulfates and Oxides of Iron, Sulfates and Oxides of Manganese, Fertilizer Grade Molybdate, and Sulfates and Oxides of Zinc.

\*Part of the nitrogen in this product has been sulfur coated to provide 5.3% coated slow release nitrogen.

Chlorine (Cl), not more than 4.8%

**What This Product Does**

Penngreen Weed & Feed with Atrazine controls growing weeds such as dandelions, black medic, buckhorn, bur clover, Carolina geranium, chickweed, purslane, Florida betony, Florida pusley, rabbit-tobacco, henbit, matchweed, oxalis, red sorrel, rescuegrass, shepherdspurse, wild mustard and many others. This product also contains a high quality, slow-release fertilizer. This product will green your lawn in a few days and will continue feeding for 3-4 months.



### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply in January, February or early March to prevent germination of crabgrass, bull paspalum, sedges (from seed) and spotted spurge. To get control apply anytime broadleaf weeds are growing. Apply in the fall to control henbit, chickweed and other winter weeds. If complete control is not obtained, a second application may be necessary 2 months after the first. For best results apply with a fertilizer spreader at the settings listed below. Apply to newly sprigged St. Augustine or Zoysia lawns to help prevent competition from other weeds. Apply when grass blades are dry. On hot days (above 80°F) water the lawn to rinse particles off the grass.

#### Spreader Settings

Weed & Feed with Atrazine 25-4-6	Scotts' Drop (PF1)	Scott's Rotary (C2)	Cyclone (B1)	Sta-Green (EB84)	Ortho Rotary (4000)	Ortho Drop (3000)	Sears Drop (671.19150)	Pennington (EB84)
5,000 sq. ft.	5.0	1	3.75	6.0	3.0	4.0	6.0	6.0

Do not apply under the branches (rootzone area) of shrubs, trees, flowers, etc. Do not apply to newly seeded Zoysia, centipede or carpetgrass lawns. Wait until they have required at least 2 mowings. Do not apply to flowers, bedding plants, ornamental trees or shrubs.

We recommend that you keep this product (and all fertilizers) out of the reach of children. Avoid getting on concrete walks or drives, swimming pools and stucco or asbestos siding as the composition of certain fertilizer elements can cause permanent stains. Keep in a dry place.

#### Storage and Disposal

**Storage:** Store in original bag and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers or near herbicides, insecticides, fungicides or seeds. **Product Disposal:** To dispose of bags that contain unused product, securely wrap bag in several layers of newspaper and discard in trash. **Container Disposal:** Do not reuse empty bag. Fold empty bag and discard in trash.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

#### First Aid

**If in Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists. **If on Skin:** Wash with plenty of soap and water. Get medical attention.

#### Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Atrazine leaches readily and accepted label rates have been found to result in contamination of water supplies by way of groundwater. Therefore, users are advised to avoid use of atrazine in well-drained soils, particularly in areas having high groundwater tables. Not for use on or under trees, shrubs, bedding plants, flowers or garden plants.

U P C Symbol

#### Guarantee

Gro Tec, Inc. guarantees this product to the extent of the purchase price when used only according to label directions.

[Scissors Pictured]

Clip for Proof of Purchase

Gro Tec, Inc.  
P.O. Box 290  
Madison, GA 30650

