

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

EPA REGISTRATION

59435-1

DATE OF ISSUANCE

5-28-90

TERM OF ISSUANCE

Conditional

NAME OF PESTICIDE PRODUCT

Weather Warrior Clear Wood
Sealer and Preservative

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Heckmanburg-Duncan
1941 North Santa Fe
Oklahoma City, OK 73111

259201	161
262056	161
	18
	18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/collect all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 59435-1."
- b. In the Hazards to Humans Section change the signal word to WARNING. Only one signal word is allowed on pesticide labeling.
- c. Modify the referral statement to read:

See side panel for additional precautionary statements.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Susan Lewis

DATE

5-28-90

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

SL

Susan Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 28 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under FIFRA Reg. No.

54435-1

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: HARMFUL IF SWALLOWED OR INHALED
Causes eye damage and skin irritation. This product may cause skin sensitization. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not breathe fumes or spray mist. Remove contaminated clothing and wash after use. Protect domestic animals from spray.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS: COMBUSTIBLE Do not use or store near heat or open flame. Keep away from all other ignition sources. In case of fire, use water spray, foam, carbon dioxide or dry chemical extinguishers. Store in a cool, dry location.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is for exterior use only and is recommended for wood shingles (not asbestos or asphalt), shakes, clapboards, smooth or roughcut wood siding, decks, porches, railings, structural support timbers, flat beds, ead frames and greenhouses. This product is not recommended for wood used for ground, food, feed or potable water. Applying paints and stains often results in splashing or dripping. Cover plants, shrubs, and foliage to protect against possible injury.

FEATURES

Weather Warrior Clear Wood Sealer and Preservative is a premium quality, based on based product with silicone designed to preserve and protect all exterior types of wood. Provides long lasting protection against the elements while enriching wood grain. Easy to use, may be brushed, rolled or sprayed onto fences, siding, gables, trim and decks.

PREPARATION

Make wet before using. Surface area must be clean, free of dirt, and foreign debris. Best results will be obtained if new lumber, especially redwood and cedar, is allowed to age for several months to remove oil, finish and extractables before sealer application. Do not apply over previously stained or painted surfaces to do so may cause uneven penetration. Do not apply below 40°F. This product may be used for all above ground applications. Do not use this product where any portion of the treated wood will be below ground. May be used as a booster to pressure treated wood where the wood is to be used on the ground's surface. For best results, clean all existing weathered wood surfaces with Macklanburg-Duncan Weather Warrior Wood Restorer.

APPLICATION

Apply Weather Warrior Clear Wood Sealer and Preservative with a brush, roller or spray applicator. Allow Weather Warrior Clear Wood Sealer and Preservative to penetrate fully before applying second coat. 12-48 hours. Two coats recommended for maximum protection. Do not dilute.

On vertical surfaces, apply Weather Warrior Clear Wood Sealer and Preservative by starting at the top of the work area allowing surface to soak up material, continue working towards the bottom until entire surface is treated.

On horizontal surfaces, best results are achieved by applying several light coats, allowing ample time for sealer to penetrate between coats. Continued on Right Panel

WOOD SEALER

Clear Wood Sealer and Preservative

- Preserves - Deep penetrating formula prevents decay, mildew, mold, wood rot and sapstain.
- Protects - Enriches wood grain. Protects against sun and weather damage.

WARNING: KEEP OUT OF REACH OF CHILDREN. SEE OTHER CAUTIONS ON SIDE PANEL.

STATEMENT OF PRACTICAL TREATMENT

If SWALLOWED DO NOT INDUCE VOMITING. PROMPTLY TAKE A LARGE QUANTITY OF MILK OR WATER. DO NOT GIVE LAXATIVES. IF THESE ARE NOT AVAILABLE DRINK LARGE QUANTITIES OF WATER. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. AVOID ALL FOOD, GET MEDICAL ATTENTION IMMEDIATELY. IF ON SKIN, WASH WITH A LENTH OF SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. IF IN EYES, FLUSH WITH PLENTY OF WATER. GET MEDICAL ATTENTION IF IRRITATED. IF VICTIM IS FRESH AIR. IF NOT BREATHING ADMINISTER ARTIFICIAL RESPIRATION. PREFERABLE TO MOUTH TO MOUTH RESUSCITATION.

Macklanburg-Duncan

INGREDIENT STATEMENT

ACTIVE INGREDIENTS: Methylene Bis (2-chlorophenyl) ether 0.2%

INERT INGREDIENTS 99.8%

CONTAINS METHYLMETHYLATES

NET CONTENTS 5 GALLONS (18.92 LITERS)
WEIGHT 7.21 POUNDS/GALLON (0.6 Kg/LITER)

EPA REG. #59435-EPA EST #

BEST AVAILABLE COPY

1-19-90