US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: HEGISTMATION		1.	
MATICE OF BECTIONE (") REGISTRATION	TERM OF ISSUANCE	***************************************	
	NAME OF PESTICIOS	PRODUCT	
(") RERESISTRATION (Under the Federal Insecticade, Fungicide)			
and Rodenticide Act, as amended)			
IE AND ADDRESS OF REGISTRANT (Include #IP code)			
-	-1		001 303363
		/!	8 -
L	ı.		
TE: Changes in labeling formula differing in substance from the distance from the distance of the state of the distance of the distance of the above U.S. EPA registration numbers to the basis of information furnished by the registrant, the state of the section	to use of the label in ber.	commerce, in ac	n correspondence on
Federal Inascricide, Fungicide, and Rodenticide Act.			
copy of the labeling accepted in connection with this Registration is in no way to be construed as an indorsement			
	e de la companya de	*.	
	• • • • • • • • • • • • • • • • • • • •	·,	i
tion of the second second of the second seco	est en eg	A Company of A	
A STATE OF THE STA	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	sa kilokski kiji t	
Constitution of the consti		error († 1865) 1900 – Paris Santon 1800 – Paris Santon	st sor
			=7
	BEST AVA	ILABLE COL	
	BEST AVA	ILABLE COI	<u>"</u>

the Precautionary Statements and revise the If Swallowed section as follows:

ir SWALLOWED: Call a physician or Paison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

- c. Change "Harmful if swallowed" to "Harmful if swallowed, inhaled or absorbed through the skin "
- Since there is no established tolerance for the residue of s-fenvalerate on lettuce, you must delete that commodity from the crop listing.
- a. Add:

ENVIRONMENTAL HAZARDS

This posticide is highly toxic to fish and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

- f. Please expand the Directions for Use by identifying the type of equipment used to apply the product (1.e., 1 1/2 gal sprayer, power sprayer, etc.).
- q. Change "Active Ingredients" to the singular and align the words "Active Ingredients" and "Inert Ingredients" to the same margin.
- h. Add a street address or P.O. Box number to the address on the front panel.
- i. All products whose precautionary labeling appears on other than the front panel must been the following referral statement:

See side/back panel for additional procautionary statements.


1. Submit five (5) copies of your final printed labeling before you release the product for shipmont. Refer to the A-79 enclosure for a further description of Clnal printed labeling. BEST AVAILABLE COPY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (N7505C)

Enclosures



SPECIMEN LABEL

Get Off My Garden Ready To Use Vegetable & Ornamental Spray

Front Panel

Ready-To-Use Vegetable and Ornamental Plant Insect Killer

AC	TIVE INGREDENTS: (S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1- methylethyl)benzeneacetate		
	KEEP OUT OF REACH OF CHILDREN		
	CAUTION STATEMENT OF PRACTICAL TREATMENT		
	IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce		

Center immediately. Do not induce

vomiting because of aspiration pneumonia

hazard.

IF IN EYES:

Flush with plenty of water. Get medical

attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if

irritation persists.

Net Contents____

Manufactured For:

RUDDUCKS USA, INC. New York, NY 10016

EPA Reg. No. 59578-

EPA Est. No. 50702

SEP 30 100

595483

BEST AVAILABLE COPY

Back Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE ON THE FOLLOWING GARDEN VEGETABLES

crop	DAYS TO HARVEST	
Antichoke	<i>†</i>	
Broccoli	3	
Cabbage	3	
Carrots	<i>i</i>	
Cauliflower	3	
Collards	7	
Cucumber	3	
Dry Beans	21	
Dry Peas	.11	
Egaplant	1	
Green Peas	3	
Lettuce	1	
Melons	3	
Peppers	1	
Potatoes	1	
Pumpkins	3	
Radishes	7 DEST AVAILABLE	_
Snap Beans	BEST AVAILABLE COPY	l
Squash	3	
Sweet Corn	1	
Tomatoes	l	

FOR USE ON ORNAMENTAL PLANTS: Such as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Gladiolus, Marigold and Roses.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckthorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato dentle, Corn Earworm, Corn Rootwerm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Wesvil, Pickleworm, Potato Leafhopper, Potato

Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, and Whitefly.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to days of harvest given for each crop.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry, place. Keep container closed.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

)

)

. . . .