US ENVIRONMENTAL PROTECTION AGENCY	EP	REGISTRATI	ON NO.	DATE OF IS	8 1990
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)	TEI	59576-4	8	TUAL	0 1330
WASHINGTON, DC 20480			<u>registrat</u>		
NOTICE OF PESTICIDE: REGISTRATION		E OF PESTIC			
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)			4		
AME AND ADDRESS OF REGISTRANT (Include ZIP code	<u>-</u>				
-		7			
the survey of th		,	160	12033	356
.n * * * * * * * * * * * * * * * * * * *			18	1/2	
section of the sectio					
es Merce established					
L					
NOTE: Changes in labeling formula differing in subs	tance from the	at accepted in	connection w	outh this regis	tration must be
aubmitted to and accepted by the Registration Divisi- product always refer to the above U.S. EPA registrati	ion prior to us	•		_	
On the basis of information furnished by the registrar the Federal Insecticide, Fungicide, and Rodenticide		named pestici	de is hereby	Registered/R	eregistered und
A copy of the labeling accepted in connection with t	his Registrati	ion/Reregistre	tion is return	ed herewith.	
Registration is in no way to be construed as an indor- hear. and the environment, the Administrator, on his icide in accordance with the Act. The acceptance of Act is not to be construed as giving the registrant a by others.	s motion, may anv name in	at any time s connection wi	uspend or car th the registra	icel the regis	tration of a pest duct under this
() () ()				. •	· .
ent established a second of the second of th	<i>t</i> .				
top of the second		i, ter	· •		to the s
· · · · · · · · · · · · · · · · · · ·		y •: . 400	15 = 1.		
smorber topping the second second		, c		· · · · · ,	n ', .
Company of the contract of the	٠, .	• • •	* 137 1		
	BEST AV	AILABLE	COPY		
	_	.7			
ATTACHMENT IS APPLICABLE		11 1			

75

Le Mader 4/30/90

- d. Change "Active Ingredients" to the singular.
- e. Add a street address or P.O. Box number to the address on the label.
- f. All products where precautionary labeling appears on other than front panel must bear the following statement:

See Side/Back Panel For Additional Precautionary Statements.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

100.000%

SPECIMEN LABEL

GET OFF MY GARDEN HOSE END CONCENTRATE

Front Panel

Water Dilutable Concentrate to Control House & Garden Pests on Vegetables, Ornamentals & Outdoor Areas

ACTIVE INGREDENTS:

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-

methylethyl)benzeneacetate..... 0.425% *INERT INGREDIENTS..... 99.575%

*Contains petroleum distillate EVERCIDE® - Registered to - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Call a physician or Poison Control Center immediately. Do not induce

vomiting because of aspiration pneumonia

hazard.

IF IN EYES:

Flush with plenty of water. Get medical

attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if

irritation persists.

IF INHALED:

Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents 8 fl. oz.

Manufactured for:

RUDDUCKS U.S.A. INC. New York, NY 10016

EPA Reg. No. 59578-

EPA Est. No.

50702

ACCEPTED with COMMENTS in EPA,Letter Dated:

NOY 8 1 3

. . .

Under the Pedaral laboration, Pungicide, and Podarticide allet as amended, for the posticide suchtered under EPA Reg. No. 59578-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR GARDEN VEGETABLE PESTS: Mix Get Off My Garden Hose End Conc.in a hand-held compressed air sprayer at the rate of 1 ounce per gallon of water.

FOR USE ON THE	FOLLOWING VEGETABLES	
CROP	DAYS TO HARVEST	
Artichoke Broccoli	7 3	
Cabbage	3	
Carrots Cauliflower	3 3 7 3 7	
Collards Cucumber	7 3	4 • 1
Dry Beans Dry Peas	21 21	• • • •
Eggplant	7	•
Green Peas Lettuce	3 7	
Melons Peppers	3 7	
Potatoes		, ,
Pumpkins Radishes	7 3 7	
Snap Beans Squash	3 3	
Sweet Corn	į	
Tomatoes	1	

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid,

Armyworm, Artichoke Plume Loth, Beet Armyworm, Buckthorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Tine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, and Whitefly.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to days of harvest given for each crop.

FOR OUTDOOR PESTS: Mix Get Off My Garden Hose End Conc.in a compressed air sprayer or watering can at the rate of 16 fluid ounces per gallon of water to control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs (pillbugs), and spiders, treat a 12-13 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use 16 fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of 1 gallon per 1,000 square feet.

FOR USE ON ORNAMENTAL PLANTS: Such as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Gladiolus, Marigold and Roses.

STORAGE AND DISPOSAL

STOPAGE: Store in a cool dry, place. Keep container closed.

<u>DISPOSAL</u>: Securely wrap original container in several layers of newspaper and discard in trash.

