

**RUDDUCKS MITE AND LICE SPRAY
FOR BIRDS**

COLEPTIL
FEB 24 1997
Federal Trade
Commission
59578-8

With Aloe and Fresh Herbal Scent

**For Use on Birds to Kill Mites And Lice
Also for Use on Cage and Aviary Surfaces**

ACTIVE INGREDIENTS.

Pyrethrins	0.030%
*Piperonyl Butoxide Technical	0.300%
INERT INGREDIENTS	99.670%
Total	100.000%

*Equivalent to 0.24% (butylcarbityl)(6-propylpiperonyl) ether and 0.06% related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION
See Back Panel for Precautionary Statements**

Manufactured for

**RUDDUCKS INTERNATIONAL, INC
5760 SHIRLEY STREET #11
NAPLES, FL 34109**

EPA EST #59578-FL-1

EPA REG #59578-8

Net Contents _____

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

SHAKE WELL BEFORE USE

For Use Directly on Birds to Control Bird Mites and Lice Leave birds in cage. Remove food and water. Spray directly on birds from a distance of 12 to 18 inches. Avoid the bird's eyes and face. Lightly spray with 3 or 4 pumps. As bird dries, keep it in a warm area to prevent it from getting chills. Repeat twice a week.

For Use on Cage And Aviary Surfaces to Control Feather Mites Remove bird(s) food and water cups etc. Bird cages should be cleaned in hot water weekly. Spray cage and aviary surfaces from at least one foot using 5 or 6 pumps per cage. Spray outside of the cage bottom thoroughly as feather mites often live there.

REPEAT TREATMENT IN AVIARIES, CAGES AND ON BIRDS TWICE A WEEK

REC'D
96 DEC 20 AM 29
7/DPD1

STORAGE AND DISPOSAL

Storage Store in original container in a cool dry place (preferably locked) inaccessible to children and pets and away from heat or sunlight Protect from freezing

Disposal Do not reuse container Wrap and discard in trash

**PRECAUTIONARY STATEMENTS
Hazards To Humans and Domestic Animals
CAUTION**

Harmful if swallowed or inhaled Avoid breathing spray mist Avoid contact with skin eyes or clothing Wash skin with soap and water after using Avoid spraying food or foodstuffs Cover fish aquariums before spraying

STATEMENT OF PRACTICAL TREATMENT

If Swallowed Promptly drink one or two glasses of water and contact a physician or Poison Control Center immediately

If Inhaled. Remove victim to fresh air Apply artificial respiration if indicated Contact a physician if needed

If On Skin. Immediately remove contaminated clothing and wash affected area with plenty of water Contact a physician if irritation persists Wash clothing prior to reuse

If In Eyes: Immediately flush eyes with plenty of water Contact a physician if irritation persists

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.