PM 12- COLOR TO A 1

23 MAR 1992

Ms. Jackie DiMaggio Valent U.S.A. Corporation 1333 N. Calif. Blvd. Walnut Creek, CA. 94596-8025

Dear Ms. DiMaggio:

Subject: Select 2 EC Herbicide

EPA Registration No. 59639-3

Re: Adding Tank Mix restrictions and limitations

Your Submission Dated March 11, 1992

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide Rodenticide act, as amended is acceptable. Please submit five (5) copies of your final printed labels incorporating this amendment. A stamped copy of labeling is enclosed for your records.

Sincerely

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (H-7505C)

Enclosure

CONCURRENCES									
SYMBOL	H-75052				4444 M 4444444444444				
SURNAME	Makes		•	}	1				
DATE	3/28/92								
OFFICIAL SU E CORY									

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

SELECT 2 EC Herbicide 59639-3 March 11, 1992

COPY A

Avoid contact with skin.

COPY B


Get medical attention if irritation persists.

COPY C

Always read and follow the restrictions and limitations for all products whether used alone or in a tank mix. The most restrictive labeling of any product used applies in tank mixtures, including all crop rotational and other crop restrictions.

Tank mixes of SELECT 2 EC Herbicide and broadleaf herbicides may result in reduced grass control. If grass regrowth occurs an additional application of SELECT 2 EC Herbicide may be necessary.

Do not tank mix with SCEPTER® Herbicide.







2 EC HERBICIDE

Active Ingredient *Clethodim . . . U.S. Pat. No. 4,440,566

KEEP OUT OF REACH OF CHILDREN WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTI.VIARY STATEMENTS PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

IMPORTANT INFORMATION. READ BEFORE USING PRODUTT.

LIMITE" ./ARRANTY: 1. Valent U.S.A. Corporation warrants to at this prod-LIMBITE ". ANALYMITY: I. Valent U.S.A. Corporation warrants batting product conforms to the chemical description of the label and is reasonably
its for use under average conditions when used strictly in accordance
with the directions on the labeling. Valent does not make nor authorizeany agent or representative to make, any other warranty, guarantee or
representation, express or implied, concerning this product. Specifically,
NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IS MADE.

 Crinical and unforeseeable factors beyond Valents control prevent it from eliminating all risks in connection with the use of this produc—uch risks include, but are not limited to, damage to plants and crops to which product is applied, lack of complete control over the handling and appli-cation of this product, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit under average conditions for the uses stated on the labeling and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Valent under 1 above) resulting from handling, storage, and use of the product 3 Precautions stated on the labeling should be followed to avoid hazard-

ous exposure to the product


Manufactured for

Valent U.S.A. Corporation € 1992

Walnut Creek CA 94596-8025 Form 317-B Made in US A EPA Reg No 59639-3 EPA Est 239-MO-1

12





MENTS IALS

on clothing. Wear goggles, n, long-legged pants, shoes Avoid breathing vapors or rater after handling Remove

itely with fresh water for 15 frink and telephone for med-iss directed to do so by med-obtained, then take person dical emergency treatment nty of soap and water If in-

ion - call + 800-457-2022 or it petroleum solvent, and an

are surface water is present itermark Donotapplywhere/ re weather conditions favor

dinon target injury to the en-

osta, Fresno, Glenn Madera, nd Tehama count is

ductin a manner inconsistent

READ ENTIRE LABEL AND PAMPHLET. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas, or vicinity where there may be drift

Do not enter treated areas without protective clothing until sprays have:

Certain states may require more restrictive reentry intervall, consult your State Department of Agriculture for further information. Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or on areas about to be treated

GFNERAL INFORMATION

Do not apply this produ. t through any type of irrigation system. Do not apply by air.

SELECT* is a selective postemergence herbicide for control of annual and perennial grasses in soybeans and cotton SELECT does not control sedges or broadleaf weeds

Do not allow SELECT to come in contact with desirable grass crops such as corn, rice, sorghum, small grains, or turf, as these and other grass crops will be injured or killed

Minor leaf spotting may occur on soybeans and cotton under certain environmental conditions. New foliage is not affected.

Control Symptoms

Treated grass weeds show a reduction in vigor and growth. Early chlorosis/necrosis of younger plant tiss le is followed by a progressive collapse of the remaining foliage. Symptoms will generally be observed. in 7 to 14 days depending on grass species treated and environmental conditions

IMPORTANT IN LIMITED WARR

uct conforms to fit for use unde with the directic any agent or re representation NO IMPLIED W PARTICULAR PL 2 Critical and L rom eliminating risks include, bi product is apple cation of this p crops Such rist average conditi label directions all risks and lia resulting from h 3 Precautions's ous exposure to

Manufactured f

Valent U.S.A Walnut Creek C Form 317-B Ma EPA Reg No 59 EPA Est 239-MI



ing grasses according to to grass plants stressed r to grass plants exceednsatisfactory control Dp

oplement limited rainfall, after an irrigation (within of SELECT will generally iss iveeds than a single aly growing grass 2 to 3

within 7 days after appli-DO NOT APPLY SELECT itrol may be reduced

essential to ensure comi maximum of 40 gals of reflect a minimum of 20 it use flood nozzles

yers utilizing hand guns, concentrate according et vegetation, while not

	SEFECTION TO Re Vaged			
Desired Spray Vol. Gal.	SELECT Fl. Oz.	Oil Conc. Fl. Oz.		
3	2	4		
25	16	32		
50	32	64		
100	64	128		

Addition of Cros Oil Concentrate

For ground application, add a non-phytotoxic crop oil concentrate (petroleum based) containing at least 15% emulsifier, at a rate of 1 qt per acre to the finished spray volume.

Annual and perennial grass weed control for collon and soybeans

Region A

Washington, Oregon, Idaho, Montana, Wyoming, North Dakota, South Dakota, Nebraska, Kansas, Minnerota, Iowa, Missouri, Arkansas, Louisiana, Wisconsin, Illinois, Tennessee, Mississippi, Indiana, Kentucky, Ohio, Georgia, Florida, Alabama, South Carolina, North Carolina, Virginia, West Virginia, Maryland, Delaware, Pennsylvania, New Jersey, New York Connecticut, Massachusetts, Vermont, New Hampshire, Maine, 64hode, Island, Michigan, Washington D.C., Oklahoma and Texas East of Interstate, 35


Region B

Arizona, California, Colorado, Nevada, New Mexico, Utah, Oklahoma and Texas West of Interstate 35

JOI CO fit for with t any a 'epre! 10 15 PARTI 2 Crit from e TSRS III produ-Cation Crops averas abelic att rist resulti 3 Prec ous ex

IMPO LIMIT

Manufi Valen Walnut Form 3 EPA Re EPA For



A STANSON

·

. For a state C(X) , which is a production of C(X) , which is a simple of C(X)

• . •

A 100 A 100 A 100

 $(\mathbf{r}_{i})^{2} = (\mathbf{r}_{i})^{2} + (\mathbf{r$

4.30 (1.30)

pri set a la company April 1985

2.00

