

RESIDENTIAL AREAS CROPS LISTED ON LABEL SWAMPS AND WOODLAND (By Air or Ground)
Gnat, Stable Fly (Gog Fly), House Fly - Consult appropriate list and Game Agency before applying this product. It is not necessary to wind farm buildings. Make applications during peak of infestation and repeat as necessary. Spray up to 100 ft. into air above infestation stream or forest. This rate of application will also control flies on application to water. **White Fly** - Infestation of crop producing areas as follows:
AIRCRAFT East - Apply 0.8 to 4.0 lbs. per acre mixed with water. Apply 2 to 8 qts. of diluted spray per acre. **West** - Apply 1 lb. to 4 lb. per acre mixed with water. Apply 2 to 8 qts. of diluted spray per acre. **MIST OR COLD FOG** - Use 0.2 to 0.5 lbs. per 100 sq. ft. water. Calibrate equipment and rate of travel and output to apply 0.1 to 0.25 lb. of product per acre.

RESIDENTIAL AREAS, CROPS LISTED ON LABEL, SWAMPS, WOODLAND, AND LIVESTOCK PASTURES, INCLUDING DAIRY CATTLE (By Air or Ground) Adult Mosquitoes Consult your State Fish and Game Agency before applying this product. Make applications during peak of infestation and repeat as necessary. See required information for use limitations near harvest. Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and store lines may be treated. Direct application to water is prohibited. This rate of application will kill shrimp. Do not apply to waters where important shrimp producing areas. **AIRCRAFT East** Apply 0.6 to 1.6 lb. oz. per acre diluted with water. Apply 2 to 8 qts. of diluted spray per acre. **WEST** Apply 16 to 40 oz. per acre diluted with water. Apply 2 to 8 qts. of diluted spray per acre. **MIST OR COLD FOG** Use 3 to 5 qts. per 100 gals. water. Calibrate equipment (rate of travel and output) to apply 0.1 lb. technical material per acre. Do not make more than one application every 10 days to pasture or other areas where lactating dairy animals are being held.

FOR REDUCTION OF LIVESTOCK PESTS IN CORRALS, HOLDING PENS, FEEDLOTS AND RANGELANDS CONTAINING DAIRY AND BEEF CATTLE, HOGS, SHEEP, HORSES (By Air or Ground): Gnat, Stable Fly (Dog Fly), House Fly, Mesquite, Horn Fly (Central and North Central U.S.) — AERIAL APPLICATION. Apply 4 fl. oz. diluted with 8 fl. oz. of water (total of 12 fl. oz.) per acre (0.25 lb. technical w/led per acre). **GROUND APPLICATION.** Use 5 pts. per 100 gals. water. Apply with a mist blower or similar equipment as a space treatment. Calibrate equipment (rate of travel and output) to apply 0.25 lb. technical naled per acre (approximately 5 gals. of diluted spray).

OUTSIDE DWELLINGS AND IN LAWNS Clover Mites, Roaches, Earwigs, Leafhoppers Use 1 fl oz in 3 gals. water. Apply to turf and to soil surfaces around flowers, shrubs and trees for general pest cleanup.

RANGELAND (By Air or Ground): Grasshoppers, Range Caterpillars 1 to 4 qt per acre. Young Grasshoppers - 1 qt per acre. Armyworms 1 qt per acre. Beetles 1 to 5 qt. water per acre. Apply when grasses have completed Regrowth period. Aerials may be present during treatment. Do not graze livestock during a control treatment.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

PROHIBITIONS

Do not contaminate water by connection of hoses and pipe to drinking water main or drinking fountain.
Open dumping is prohibited.

STORAGE

Store in cool, dry place.
Keep pesticide in original container.
Do not put contents of container on food or feed.
Not for use on or against humans or domestic animals.
Do not store diluted solution.

for help with the following questions. The answers are given at the end of the chapter.

PESTICIDE DISPOSAL

[illegible]

CONTAINER DISPOSAL

CONTAINER DISPOSAL
Triple rise for a year in the cost of container disposal, and dispose of your waste properly. The National Bureau of Recycling (NBR) states that the cost of container disposal has risen by 30% in the last year.

IMPORTANT INFORMATION READ BEFORE USING PRODUCT

[illegible]

2. Critical and important information that is necessary for the protection of persons using all uses in connection with the use of the product, such as: (a) instructions for proper use, storage, handling, disposal, and proper use of the product; (b) instructions for the use of the product; (c) instructions for the use of the product; and (d) instructions for the use of the product.

Valent U.S.A. Corporation © 1997
Walnut Creek, CA 94596-9025
R Form 106 G, 4-9-96, U.S.A.
EPA Reg. No. 52633-15

BEST AVAILABLE COPY

343

COPY A

Grape Leaf Skeletonizer