

RTHENE **Specialty** Concentrate

(INSECTICIDE)

NOTIFICATION EN PR NOTICE 86-4

Active Ingredient "Acephate (O,S-Dimethyl acetylphosphora By Wr.

KEEP OUT OF REACH OF CHILDREN CAUTION

*ORTHENE®, Acephate U.S. Pat. No. 3,716,600

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET WEIGHT

Manufactured for Valent U.S.A. Corporation 5 1989 Walnut Creek CA 94596-8025 Product 5478 Made in U.S.A. R form 268-B EPA Reg. No. 59639-30-AA EPA Est. 239-04-1

PRECAUTIONARY STATEMENTS HAZARDS TO HI MANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust, sprays, or vapors. Wash thoroughly with soap and water after handling. Remove and launder contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed drink 1 or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible contact a physician, Poison Control Center, or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest emergency treatment center. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. If inhaled, remove person from exposure area. For skin contact, wash skin with plenty of soap and water.

Note to Physicians: Emergency Information - call (415) 233-3737. Acephate is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine is antidotal. 2-PAM may also be used in conjunction with atropine but should not be used alone.

WORKER SAFETY
USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE
CLOTHING AND EQUIPMENT DURING MIXING/LOADING,
REPAIR AND CLEANING OF MIXING, LOADING AND APPLICATION EQUIPMENT, AND DISPOSAL OF THE PESTICIDE
AND [greas for which a reentry interval has been established]
EARLY REFUTRY INTO TREATED AREAS: chemical-resistant gloves, long sleeved shirt, long legged pants, shoes and socks. If overhead exposure is likely such as during flagging, wear a hood or wide brimmed hat. WORK SAFETY: Always wash hands, face and arms with soap and water before smoking, eating, drinking or toileting. AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving jab. Do not wear contaminated clothing. Personal and protective clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds. Applications may adversely affect birds in treatment areas. Do not apply directly to water or wetlands except under forest canopy. Cover or soil-incorporate spills. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds it bees are visiting the treatment area.



PRTHENE opecialty pacentrate

(SECTICIDE)

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-8

DATE APR 2 4 1990

baredient Daybate (O,S-Dimethyl acetylphosphora	y Wt.
making (O,5-Dimethyl acetylphosphara	97%
tendients	3%
matenEn, Acephate U.S. Pat. No. 3,716,600	

POUT OF REACH OF CHILDREN

SIDE PANEL FOR ADDITIONAL PARTIONARY STATEMENTS.

MESA. Corporation 3989. Mac CA 94596 8025 Made in U.S.A. Mac Spe39 30 AA EPA Est. 239 0A.1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistant with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

DIRECTIONS

Do not apply this product through any type of irrigation system.

PASTURES, RANGELAND AND WASTELAND: Grasshoppers, Mormon Crickets and Black Grass Bugs — Apply 0.094 to 0.125 lb, active ingredient per acre in 1 qt, water by air. An approved drift retardant additive may be added to aid in controlling drift and reducing evaporation. Use the higher rate of ORTHENE in thicker vegetation or on larger insects. Do not apply when lactating dairy cattle are present. Do not pasture or feed treated hoy to lactating dairy cattle within 21 days after application. Do not remove hay from treated area within 21 days after application. Remove meat animals from treated areas at least 1 day before slaughter if they were present at application or grazed treated areas within 21 days after application. Do not make more than 1 application per season.

FOREST USES

To be used by or under supervision of personnel involved in state or federal control programs.

For Some Foliage Protection Against Gypsy Moth Larvae in Infested Forests — Apply with aircraft equipment using .52 lb, to .77 lb, (0.5 to 0.75 lb, active) in ½ gal, of water per acre. Apply after foliage expansion and insect hatch have begun. Use the low rate for suppression of light to moderate populations. Use the high rure for heavy populations and where extended residual control is desired Prepare solution in mixing tank with good agitation prior to filling aircraft.

Aerial Applications for Suppression of Larval Populations of Douglas Fir Tussock Moth — Apply .77 lb. (0.75 lb. active) in 1 gal. of water per aggs.

Aerial (Helicopter) Application for Suppression of Larval Populations of Western Sprace Budword & Apply .52 lb. (0.5 lb. active) in 1 gal. water par acre.

Aerial Application for Suppression of Larval Populations of Spruce Budworm - Apply 52 % (0.5 lb active) in 1/4 to 1/2 gal. water per acre

Do not apply under conditions invalving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered until for sale, use or consumption.

STORAGE AN

PROHIBITIONS

Do not contaminate water, food cleaning of equipment.

Open dumping is prohibited.

STORAGE

Keep pesticide in original contain Do not put concentrate or dilute Store in cool, dry place. Protect from excessive heat, Do not contaminate food or food Do not store or transport near te

Do not store or transport near te for help with any spill, leak, f material, call day or night (415 PESTICIDE DISPOSAL

Wastes resulting from the use of of on site or at an approved wa CONTAINER DISPOSAL

Completely empty liner by sha bottom to loosen clinging partic cation equipment. Do not reuse a sanitary landfill or by incinera local authorities. If drum is contain dispose of in the same manner.

IMPORTANT INFORMATION, REA LIMITED WARRANTY: 1. Valent U this product conforms to the chemi is reasonably fit for use under strictly in accordance with the dis does not make nor authorizes of make, any other warranty, guard or implied, concerning this prod WARRANTY OF MERCHANTABI PARTICULAR PURPOSE IS MAI Critical and unforeseeable for prevent it from eliminating all ri of this product. Such risks include, to plants and crops to which prod control over the handling and a damage caused by drift to other even though the product is reas ditions for the uses stated on the directions are followed. Buyer and all risks and liability (except the above) resulting from handling, st. 3. Precautions stated on the la avoid hazardous exposure to the

ORTHENE® - Reg TM of Chacephate insecticide.