

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

NOV 1 2000

Ms. Cheryl D. Miller Valent USA Corporation 1333 N. California Blvd. Suite 600 Walnut Creek, CA 94596 OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Subject:

Revision of First Aid Statements

Orthene PCO Formula II EPA Reg. No. 59639-31

Your Application of April 20, 2000

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), is acceptable, provided that you:

Submit one copy of your final printed label incorporating the following corrections before you release the product for shipment.

1. Add the statement cited below to the "If swallowed" first aid section.

Do not give anything by mouth to an unconscious person.

2. Revise the "If on skin" wording to read: "If on skin or clothing."

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely,

Marilyn A. Mautz

Biologist

Insecticide-Rodenticide Branch Registration Division (7504C)

Many A Ment

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV

1 2000

Under the Federal Investicide, Fungicide, and Redemicide Act as amended, for the pesticide registered under EPA Reg. No. 59639-3/

ORTHENE® PCO Formula II (INSECTICIDE)

For Use Only By Professional Applicators


Active Ingredient	By Wt.
Acephate (O,S-Dimethyl acetylphosphoramidothioate)	97.4%
Other Ingredients	<u>2.6</u> %
Total	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

NET WEIGHT 14 OUNCES (10/1.4 Ounce Packets)



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust, sprays, or vapors. Wash thoroughly with soap and water after handling. Remove and launder contaminated clothing before reuse. Do not allow children or pets to come into contact with treated surfaces until sprays have dried.

FIRST AID

If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Emergency Information - call 1-800-892-0099.

NOTE TO PHYSICIANS

Acephate is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition appear, atropine is antidotal. 2-PAM is also antidotal and may be adminstered in conjunction with atropine but should not be used alone.

WORKER SAFETY:

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR, AND CLEANING OF MIXING, LOADING AND APPLICATION EQUIPMENT, AND DISPOSAL OF THE PESTICIDE: chemical-resistant gloves, long-sleeved shirt, long legged pants, shoes and socks.

WORK SAFETY: Always wash hands, face and arms with soap and water before smoking, eating, drinking, or toileting. AFTER WORK: Before removing gloves, wash them with soap and water. •Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal and protective clothing worn during work must be laundered separately from household articles. Store protective clothing separately from protective clothing. Clean or launder protective clothing after each use.

ENVIRONMENTAL HAZARDS:

This product is toxic to birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Cover or soil-incorporate spills. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

GENERAL INFORMATION

Use ORTHENE PCO Formula II for residual pest control in the areas listed by application as a 0.75% or 1.0% spray. Use the 0.75% rate for control of light infestations on nonporous surfaces and the 1.0% spray to quickly reduce heavy infestations. Activity of porous surfaces may be limited. Repeat treatment as needed.

Not for use in feed processing areas in feed handling establishments.

DIRECTIONS


Apply within Residential Buildings including Homes and Apartments; and within Industrial, Institutional, and Commercial Buildings including Restaurants, Warehouses, Stores, Hospitals, Hotels, Manufacturing Plants and Ships. Apply as an outdoor treatment for control of ants, including imported fire ants and other listed pests.

Desired Concentration Wt./Wt.	Grams Product in 1 Gal. Water	Ounces Product in 1 Gal. Water	No. of Packets in 1 Gal. Water
1/2%	19.5	0.7	1/2
3/4%	29.3	1.0	3/4
1%	39.0	1.4	1

Cockroaches, Ants, Crickets and Firebrats: Apply as a coarse, low pressure spot spray, crack and crevice spray or with a paint brush to localized areas where these pests are found or normally occur including corners of rooms and closets; around television sets and radios; along and behind baseboards; around and under sinks, dishwashers, washing machines, refrigerators, stoves and cabinets; areas where plumbing enters or leaves the room; or other areas inhabited by these pests.

NOTE: A period of 3 to 7 days may be necessary for ORTHENE PCO Formula II to reach its maximum effect on cockroaches.

Earwigs, Pillbugs and Sowbugs: Apply as a coarse, low pressure spot spray to areas around doors and windows, storage areas, baseboards and other areas where these pests may enter or be found.



Pantry Pests - Exposed Stages (Confused Flour Beetle, Indian Meal Moth, and Trogoderma): Apply ORTHENE PCO Formula II at 1.0% as a spot application to pantry and cupboard shelves where food containers suspected of being infested are stored. Prior to spraying, remove all foodstuffs, shelving paper and utensils. Do not replace the food packages until the surface has dried. Replace shelving paper. Infested food packages should be destroyed.

Wasps: Apply ORTHENE PCO Formula II as a spot application at 0.5% to 1.0% to the nest, nest entrance, and surrounding areas where the wasps alight. Wasps are generally less active early and late in the day, so it is advisable that nests should be treated during these times.

Perimeter Treatment: To control Cockroaches, Ants (including Imported Fire Ants), Pillbugs, and Earwigs, apply ORTHENE PCO Formula II at 0.5% to 1.0% to a band of soil 6 to 10 feet adjacent to the structure, also to a height of 2 to 3 feet on the foundation where pests may be active or may find entrance. Also, apply as a residual spray or with a paint brush to surfaces of buildings, window frames, shutters, entry ways, screens, eaves, patios, garages, carports, around garbage areas and other areas where these pests congregate. NOTE: When making Perimeter Treatments, only foraging ants will be controlled.

Ants (Including Imported Fire Ants) in Mounds within a treated perimeter or other non-crop areas - In order to control a mound or nest, a drench treatment is necessary. For mound drench treatment, dissolve one (1) packet (1.4 oz.) of ORTHENE PCO Formula II in nine (9) gals. of water. Apply one (1) gal. of mix to each mound by sprinkling the mound until it is wet and treat a four (4) foot diameter circle around the mound.

For best results, apply ORTHENE PCO Formula II in the early morning or late afternoon when ants are most active. Mound drench applications made under prolonged hot and dry conditions may be ineffective due to the location of ants deep within the nest.

NOTE: Grass in treated areas may be injured. DO NOT treat a mound more than once per season.

For Application as Spot Treatment - Spot treatments may be applied at moderate pressures (up to 35 psi) using a coarse fan tip. For spot treatments, no individual spot will exceed two (2) square feet. Mix ORTHENE PCO Formula II according to dilution chart. Apply as a SPOT TREATMENT using coarse fan spray to areas inhabited by cockroaches. Treat areas such as baseboards, under and behind refrigerators, stoves, dishwashing and other equipment, as well as in storage areas, closets, sinks, cabinets, around windows, doors and water pipes. Spot treatment should also include underside of drawers, shelves and other sites where cockroaches frequent or travel.

Food Handling Establishments: For use in Federally Inspected Meat and Poultry Plants and places other than private residences in which exposed food is held, processed, prepared or served.

Food Areas - Application Limited to Spot and/or Crack and Crevice Treatment Only: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Spray concentration shall be limited to a maximum of 1.0% active ingredient. Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin-stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where labeled insects hide. Care should be taken to avoid depositing this product onto exposed surfaces or introducing the material into the air. Avoid contamination of flood or food processing surfaces. Applications of This Product In the Food Areas of Food Handling Establishments, Other than as a Spot and/or Crack and Crevice Treatment are not Permitted.***

Non-Food Areas - Includes garbage rooms, lavatories, floor drains (to sewer entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage). Spray concentration shall be limited to a maximum of 1.0% active ingredient. Apply to baseboa(d areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Serving Areas - Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held: Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed). Do not allow spray or mist to contact food, foodstuffs or water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if exposed to contamination by the application of this product. Do not allow children or pets to come into contact with treated surfaces until sprays has dried.

Avoid contamination of food or food processing surfaces.

Caution. Do not apply directly to carpet as staining may occur. Do not treat unpainted masonry floors in poorly ventilated areas such as garages or basements, especially where moisture or high humidity exists since persistent odor could develop.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container.

Do not put concentrate or dilute into food or drink containers.

Store in cool, dry place.

Protect from excessive heat.

Do not store or transport near feed or food.


For help with any spill, leak, fire or exposure involving this material, call day or night 1-800-892-0099.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

After insuring that both used packets and outer containers are empty, crush and dispose of in trash container.



DISCLAIMER, CONDITIONS OF SALE, LIMITED WARRANTY AND LIMITATION OF LIABILITY

IMPORTANT: Read the entire Label including this Disclaimer, Limited Warranty and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened product within 15 days of purchase.

RISKS OF USING THIS PRODUCT

It is impossible to eliminate all risks associated with the use of this product. Such risks include, but are not limited to, injury to plants and crops to which this product is applied, lack of control of the target pests or weeds, resistance, injury caused by drift, and injury to rotational crops caused by carryover in the soil. Such risks of crop injury, non-performance or other unintended consequences are unavoidable and may result because of such factors as weather, soil conditions, moisture conditions, irrigation practices, presence of other materials, cultural practices or the manner of use or application, all of which are factors beyond the control of Valent. All such risks shall be assumed by the Buyer. Valent shall not be responsible for losses or damages resulting from use of this product in any manner not set forth on the label. User assumes all risks associated with the use of this product in any manner or under conditions not specifically directed or approved on the label.

LIMITED WARRANTY

- . . •

Valent warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the label, under average use conditions, when used strictly in accordance with the label and subject to the Risks of Using This Product described above.

DISCLAIMER OF ALL OTHER WARRANTIES
VALENT MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER
EXPRESS OR IMPLIED WARRANTY. No agent or representative of Valent or Seller is authorized to make or create any other express or implied warranty.

LIMITATION OF LIABILITY
In no event shall Valent or Seller be liable for any incidental, consequential, indirect or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE MAXIMUM LIABILITY OF VALENT OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR, AT THE ELECTION OF VALENT OR SELLER, THE REPLACEMENT OF THIS PRODUCT.

NO AMENDMENTS

Valent and Seller offer this product, and Buyer and User accept it, subject to the foregoing Disclaimer, Conditions of Sale, Limited Warranty and Limitation of Liability, which may not be modified by any oral or written agreement.

PROMPT NOTICE OF CLAIM

Valent must have prompt notice as soon as Buyer or User has reason to believe they may have a claim (not to exceed twenty-one days from date of application) so that an immediate inspection of the affected property and growing crops can be made. Unless Buyer and Users shall promptly notify Valent of any claims, they shall be barred from obtaining any remedy.

TANK MIXES

NOTICE: Tank mixing or use of this product with any other product which is not specifically and expressly authorized by the label shall be the exclusive risk of user, applicator and/or application advisor.

Read and follow the entire label of each product to be used in the tank mix with this product.

Copyright² 2000 by Valent U.S.A. Corporation

ORTHENE[§] - Reg. TM of OMS Investments, Inc.

Manufactured for: Valent U.S.A. Corporation P.O. Box 8025 Walnut Creek CA 94596-8025

Made in U.S.A.

000420 - ORPCO3.PND

EPA Reg. No. 59639-31 EPA Est. No. 39578-TX-01

