
ORTHENR 90 S RPA Reg. No. 59639-33 Submitted: March 16, 1990

COPY A.

Adults Larvae


Eggs/Dead Hatch



COPY B

Adults/Larvae: Moths are controlled when they come in direct contact with spray particles during application. Moth kill is most likely to occur when application is made late in the evenings during periods of peak activity.

Eggs: When spray particles come in direct contact with eggs, hatching larvae may be controlled as they consume and emerge from their egg casing.



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes eye irritation. Avoid contact with eyes, skin and clothing. Avoid breathing dust or spray mist. Wash hands thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed drink I or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible contact a physician, Poison Control Center, or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest emergency treatment center. In cose of eye contact, wash eyes with fresh water for 15 minutes. If irritation continues, see a doctor. For skin contact, wash skin with plenty of soap and water. If inholed, remove person from exposure area.

Note to Physicians: Emergency Information — call 800-457-2022. Acephate is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine is antidotal. 2-PAM may also be used in conjunction with atropine but should not be used alone.

WORKER SAFETY

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIX'NG/LOADING, APPLICATION, REPAIR, AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE, AND Jareas for which a reentry interval has been established EARLY REENTRY INTO TREATED AREAS: chemical-resistant gloves, long sleeved shirt, long legged pants, shoes, and socks. If overhead exposure is likely, such as during flagging, wear a hood or wide brimmed hat. WORK SAFETY: Always wash hands, face, and arms with soap and water before smoking, eating, drinking or toileting. AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal and protective clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Cover or soil-incorporate spills.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

Reentry into treated areas is prohibited for 24 hours after the end of application unless the protective clothing specified elsewhere on this label is worn.

Certain states may require more rest clive reentry intervals; consult your State Department of Agricue for further informa-

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated



ORTHENE 209

(INSECTICIDE)

	Wt.
*Acephate (Q,S-Dimethyl acetylphosphoramidathioate)	90%
Inert Ingredients	10%

KEEP OUT OF REACH OF CHILDREN CAUTION SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

THIS PRODUCT MAY NOT BE REFORMULATED, REPACKAGED OR RELABELED.

NET WEIGHT 20 POUNDS

Manufactured for Valent U.S.A. Corporation • 1990 Walnut Creek CA 94596-8025 Made in U.S.A. Product 5593 R Form 256-B EPA Reg. No. 59639-33 AA

DIRECTIONS De not apply this product through any type of irrigation system.

COTION

Cross	Images	(the. to Acres) (farmylated)	Further Use Instructions	Days to Harvest
Cotton	Plantbugs (Lygus	1 lb to 5 Acres (3 2 ar per ocre) 1 lb to 4 Acres up to 1 lb to 1 Acre 0 25 to 1 lb per acres 1 lb to 2 Acres up to 1 lt to 2 Acres (2.6 AZ) 1 lb to 1 Acre (CA AZ)	Apply in water at 3 to 10 gai spray per acre by air timinima 5 gals if acre in CA AZ or 10 to 25 gals spray per acre by air unique and Apply where eggs in sectificial appear Repeat on incressory to maintain control. Lygus-Use higher rate 13 lygus adults that have migrated into perceive.	21
	Flent tres Apr + Whitelly	1 ft to 4 Acre 2 ft to 4 Acre 2 ft to 2 Acres 1 ft to 1 Acres 1 ft to 1 Acres 2 ft to 1 Brown	Bothwarm and Tabacca Budwarm Early value (Ight Interpretation of the Interpretation of the Ight Interpretation of the Ight Interpretation of Ight Interpretation	
روې هر	Brian Less	3 % Acre Acre Street Acre Acre Acre Acre Acre Acre Acre Acre	Pink Bollworm Aggle into a construction of a con	
	Pri B	It I I I S Acre FR - per ucre It I E Acre I t per pcr	ļ	

*Where dirate inguies in the higher rate wever along the situation for larger are present in whether each first in the time.

COTTON TANK MIXES

Crops	Insects	Ameunt ORTHENE 90 S + LORSBANH 4E Per Acre	Further Use Instructions	Days to Harvest
	Arm, we do not not not not not not not not not no	444 2 tr 777 2 1 r 2 cr	C if find gir tright intented tright freezed Dig in tolthe unit bir groze in freezed green	2.

Crops	Injects	Amount ORTHENE 90 S + PYDRING 2 4EC For Acre	Further Use Instructions	Days to Harvest
Carron Emcept CA AZ	T barr Budworm	2 4 7 . 2	Begin its rations when eggs in a 1 appear and rapis of reeded to making or itself	3,
		•	Angle 1 5 gall temmer and the second of the	ţ
			FPA important that makes	

COTTON !

	(EXCEPT AZ	, CA
Cress Cortor	Invacts Thrips Corron Aghid Block (Greun)	251
	ا 	!

Do not apply under conditions in that might be domaged or the cro NOTE The production of a trans-

PROHIBITIONS
Do not acid minute water tools.
Open during a prohibited
STORAGE

STOR

STORAGE

Copy per a characteristic control of a control of control of place. Protect Dainot accommended for the place of the Do not store on transport near 4 for help with any spill, leak, finight 850,4512022.

right 850.45 TC22
PESTICIDE DISPOSAL
Wastes in thing from the use of approved withe disposal facility
CONTAINER DISPOSAL
Lompletery in the assistance from the use of empty train in a sunday from ocal authorities, by burning if burned stay out of smoke

IMPORTANT INFORMATION RE

IMPORTANT INFORMATION RELIMITED WARRANTY: 1 Volent Life the chemical description on the conditions when used strictly in a does not receive her authorizes any judication. He was a strictly in a does not receive her authorizes any judication. He was a warrant with the warrant and the strictly an

OPTRAILS Reg TM of Cow 1 SEPPER FAITMALE CALE Springer will any the military