

OCT 31 1990

Valent U.S.A. Corporation
1333 North California Boulevard
Walnut Creek, CA 94596-8025

Gentlemen:

Subject: Valent Naled Technical
EPA Registration No. 59639-43
Your Amended Application Dated June 1, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comment listed below.

- Change "Animal Flea Collars" to "Dogs and Cat Flea Collars" under "Indoor Use On."

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

MAM

Marilyn A. Mautz
Acting Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (E7505C)

Enclosures

61158;Peacock;LCBI-08;KENCO;10/25/90;11/25/90;CL;VO;EK;DD;de

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

VALE
EPA
Subm

BEST A

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

CORROSIVE Causes irreversible eye damage. May be fatal if swallowed, inhaled or absorbed through the skin. May cause allergic skin reaction. Do not get in eyes, on skin, or on clothing. When handling this material wear impervious protective clothing including gloves, apron, overshoes, chemical goggles and face shield. Do not breathe vapor or spray mist. Wear a MSHA NIOSH approved pesticide respirator. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention immediately.

If swallowed, drink 1 or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible contact a physician, Poison Control Center or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest emergency treatment center.

If inhaled, remove victim to fresh air. If not breathing, give artificial respiration and get medical attention immediately. If on skin, wash with plenty of soap and water. Get medical attention immediately.

Note to Physicians: Emergency information - call 1-800-457-2022. Naled is a cholinesterase inhibitor. Measurement of blood cholinesterase activity may be useful in monitoring exposure. If signs of cholinesterase inhibition appear, atropine sulfate is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine, but should never be used alone.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of the Environmental Protection Agency.

INSTRUCTIONS FOR FORMULATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

FOR FORMULATION OF NALED INSECTICIDE PRODUCTS ONLY.

This product is intended only for use in the formulation of other naled insecticide products. Refer to the VALENT Naled Formulator's Manual for formulating directions, chemical and physical properties. Products formulated

BEST AVAILABLE COPY

Domestic, Outdoor Uses On: Dog Houses, Kennels and Dwellings (Including Campers, Hotels, Motels, Tourist Courts, Patios and Yards)

Indoor Uses On: Animal Building (For Other Than Dairy Cattle, Poultry and Pets) (Including Barns, Feeding Areas, Shelters and Stables) (Including Cattle, Goats, Hogs, Horses and Sheep); Animal Hospitals (For Pets and Other Animals); Calf Barns, Canneries, Cats, Cider Mills, Corrals, Dairy Barns (Including Milk Rooms, Equipment and Barnyards), Dogs, Dog Houses, Domestic Dwelling (Including Campers, Hotels, Motels and Tourist Courts), Drive-Ins, Factories, Feedlots, Garbage Containers, Garbage Dumps, Kennels (Dog), Livestock Feeding Areas, Loading Docks, Meat Packing Establishments, Pens, Poultry Droppings, Poultry Houses (Equipment and Yards), Poultry Packing Processing Plants, Restaurants, Warehouses and Wineries

Dry Formulations —

Terrestrial, Food Uses On: Grapes

Terrestrial, Non-Food Uses On: Roses, Residential Areas for Mosquito Control

Aquatic, Non-Food Uses On: Tidal Marshes, Swamps, for Mosquito Control

Forestry: Woodlands for Mosquito Control

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment

Open dumping is prohibited

STORAGE

Keep pesticide in original container. Do not put concentrate into food or drink containers

Store in cool, dry place out of direct sunlight

Do not store or transport near feed or food

For help with any spill, leak, fire, or exposure involving this material, call day or night 1-800-457-2022

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Do not reuse container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT INFORMATION. READ BEFORE USING PRODUCT.