

DEC 28 1995

Under the Federal inaccticido, Fungicia, and Redunidad Act. as amended, for the publisher registered under EVA Reg. No. 59639-43


# **VALENT® Naled Technical**

Active Ingredient	Ву	Wt.
* Naled	9	₩0%
nert Ingredients	1	10%
* 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate		

# KEEP OUT OF REACH OF CHILDREN DANGER

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**NET WEIGHT 3,000 POUNDS** 



2 0 4

# PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### DANGER

CORROSIVE. Causes irreversible eye damage. May be fatal if swallowed, inhaled or absorbed through the skin. May cause allergic skin reaction. Do not get in eyes, on skin, or on clothing. When handling this material wear impervious protective clothing including gloves, apron, overshoes, chemical goggles and face shield. Do not breathe vapor or spray mist. Wear a MSHA/NIOSH approved pesticide respirator. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

#### STATEMENT OF PRACTICAL TREATMENT

If in eyes:

mmediately hold eyelids open and flush with a steady, gentle stream of water for

15 minutes. Get medical attention immediately.

if swallowed:

Drink 1 or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible contact a physician, Poison Control Center or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container

to the nearest emergency treatment center.

If inhaled:

Remove victim to fresh air. If not breathing, give artificial respiration and get

medical attention immediately.

If on skin:

Wash with plenty of soap and water. Get medical attention immediately.

Note to Physicians: Emergency Information - call 1-800-892-0099. Naled is a cholinesterase inhibitor.

Measurement of blood cholinesterase activity may be useful in monitoring exposure. If signs of cholinesterase inhibition appear, atropine sulfate is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine, but should

never be used alone.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, aquatic invertebrates and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance very the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

# INSTRUCTIONS FOR FORMULATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

#### FOR FORMULATION OF NALED INSECTICIDE PRODUCTS ONLY.

This product is intended only for use in the formulation of other naled insecticide products. Products formulated using Valent Naled Technical will require registration with the Environmental Protection Agency.

Concentrate may corrode metal spray or mixing equipment. Flush all equipment thoroughly with aromatic solvent after use.

2

394

Directions for Use

Only For Formulation into insecticide Products Intended For:

(1) The Following Use(s): Liquid Formulation -

Terrestrial Food Uses On: Alfalfa (Seed Only); Almonds; Beans (Dry and Succulent); Broccoli; Brussels Sprouts; Cabbage; Cauliflower; Celery; Collards; Cotton; Eggplant; Grapefruit; Grapes; Hops; Kale; Lemons; Lettuce; Melons; Oranges; Pasture Grass; Peaches; Peas (Succulent); Peppers; Rangeland; Safflower; Spinach; Squash (Summer); Strawberries; Sugar Beets; Swiss Chard; Tangerines; Walnuts; Wide Area Treatments - Public Pest Control Programs Sponsored by Governmental Entities (Over All Food Crops).

Terrestrial, Non-Food Uses On: Animal Hospitals; Barns; Canneries; Cider Mills; Corrals; Cull Piles; Dairies; Feedlots; Food Processing Plants; Garbage Containers; Garbage Dumps; Kennels - Dog; Institutions and Other Buildings; Meat Packing Establishments; Open Air Theaters; Conifers; Deciduous Trees; Lawns; Ornamental Shrubs and Herbaceous Plants; Ornamental Turf; Ornamental Woody Shrubs; Patios; Pens; Poultry Houses - Equipment and Yards; Ramps; Refuse/Disposal Areas; Restaurants; Stables; Wide Area Treatments - Public Pest Control Programs Sponsored by Governmental Entities (in Agricultural Areas, in Feedlots, Livestock Pastures, Municipalities, Residential Areas, Woodlands); Wineries.

Aquatic, Non-Food Uses On: Wide Area Treatments - Public Pest Control Programs Sponsored by Governmental Entities (Swamps and Tidal Marshes).

Greenhouse, Non-Food Uses On: Ornamental Plants.

Forestry, Uses On: Forest and Shade Trees - Conifers and Broadleaf; Wide Area Treatments - Public Pest Control Programs Sponsored by Governmental Entities (Woodlands).

Domestic, Outdoor Uses On: Domestic Dwellings - Including Apartments, Hotels, Houses, Motels, Drive-Ins; Dwellings - Soil Surfaces Around Flowers, Shrubs and Trees; Lawns; Patios.

Indoor, Uses On: Animal Buildings - Other than for Dairy Cattle, Poultry and Pets; Animal Hospitals; Barns; Dog and Cat Flea Collars; Calf Barns; Canneries; Cider Mills; Dairies; Domestic Dwellings - Including Apartments, Hotels, Houses, Motels, Drive-Ins; Food Processing Plants; Garbage Containers; Kennels - Dog; Loading Docks; Pens; Poultry Houses - Equipment and Yards; Ramps; Refuse/Disposal Areas; Restaurants; Stables; and Wineries.

This product may be used to formulate products for specific use(s) not listed on this label if the formulator, user group, or grower has complied with U.S. EPA data submission requirements regarding the support of such use(s).

# STORAGE AND DISPOSAL

#### **PROHIBITIONS**

Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited.

#### STORAGE

Keep pesticide in original container. Do not put concentrate into food or drink containers.

Store in cool, dry place out of direct sunlight.

Do not store or transport near feed or food.

For help with any spill, leak, fire, or exposure involving this material, call day or night 1-800-892-0099. **PESTICIDE DISPOSAL** 

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsule is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### **CONTAINER DISPOSAL**

Triple rinse (or equivalent). Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay but of smoke.

### CONTAINER REUSE BY MANUFACTURER

When empty, replace bungs and drum head and return to manufacturer for refilling with VALENT Naled Technical.

4 94

## IMPORTANT INFORMATION, READ BEFORE USING PRODUCT.

LIMITED WARRANTY: 1. Valent U.S.A. Corporation wurrants that this product conforms to the chemical description on the label and is reasonably fit for use under average conditions when used strictly in accordance with the directions on the labeling. Valent does not make nor authorizes any agent or representative to make, any other warranty, guarantee or representation, express or implied, concerning this product. Specifically, NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IS MADE.

2. Critical and unforeseeable factors beyond Valent's control prevent it from eliminating all risks in connection with the use of this product. Such risks include, but are not limited to, damage to plants and crops to which product is applied, lack of complete control over the handling and application of this product, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit under average conditions for the uses stated on the labeling and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Valent under 1 above) resulting from handling, storage, and use of the product.

3. Precautions stated on the labeling should be followed to avoid hazardous exposure to the product.

4. In a addition to the limitations on liability and the exclusion of warranties, disclosures, guaranties, and representations set forth in (1) above, if this product is used for any purposes other than those uses stated in the Directions For Use under number one (1) above, which uses are supported by Valent, then Valent U.S.A. Corporation makes no warranties, guaranties, or representations concerning this product, and specifically excludes all warranties, guaranties, or representations, express or implied, including but not limited to any warranty, guarantee, or representation regarding crop damage, failed efficacy, safety, death, personal injury, or damage to other property, and Valent U.S.A. Corporation hereby expressly disclaims any liability, and Buyer and user assume all risks and liability, with respect to the same.

Copyright® 1995 by Valent U.S.A. Corporation.

Manufactured for Valent U.S.A. Corporation Walnut Creek CA 94596-8025 Form R10050B0.1950523 Made in U.S.A. EPA Reg. No. 59639-43 EPA Est. No. 5481-CA-1

)

