

STATEMENT NO. 1
Form No. 220-10
Effective January 1, 1981

COPY A

BARK BEETLES IN CONIFERS: Mix 1 qt. of oil (10 gals. of kerosene or No. 2 Fuel Oil) or 1 qt. of water to runoff to felled logs or standing trees (tree trunk to ground starting from trunk). Make one application per year to standing felled logs and standing trees between March 15 and June 15 with a hand held hydraulic sprayer.

COPY B

Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes).

COPY C

Contains Xylene

RECORDED
IN OFFICE
OF THE
SHERIFF
OF
KING COUNTY,
WASH.
ON
MAY 5, 1987

FEB - 5 1987

Under the Public Records Act
Property and Equipment
is retained, or is loaned, or
referred under L.A. 3 Rec. No.
L-361 & S-15

LIBRARY

RESTRICTED USE PESTICIDE

Toxic to humans and may be hazardous to your health. This product contains Lindane, which is highly toxic to humans and other mammals. Risks can be reduced by closely following the instructions on the label. For further information, see the Material Safety Data Sheet or elsewhere on this label.

ORTHO

Lindane

No. 200 SPRAY



Lindane
Gardens & Lawns
No. 200 Spray

FOR AGRICULTURE

SEE SIDE PAGE
PRECAUCION AL USAR EL
etiquete

NET CONTENTS 1 GALLON

DANGER CHILDREN
ALERTO
SIGUE LAS ETIQUETAS
EN LA BOTELLA. NO USE EL PRODUCTO
SIN ETIQUETA AMPLIAMENTE.

BEST AVAILABLE COPY

24
CAMELLIAS AZA
For Potted Plants
Camellia Japonica
Camellia Sasanqua
Camellia Yunnanensis
Camellia Sasanqua
Camellia Sasanqua

CAMELLIAS AZA
For Potted Plants

Camellia Japonica
Camellia Sasanqua
Camellia Yunnanensis
Camellia Sasanqua

STORAGE AND DISPOSAL

DEFINITIONS

DISPOSAL

DISPOSAL

Chemical Company

R
A
M

BEST AVAILABLE COPY

ORTHO Lindane No. 200 Spray

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DIRECTIONS

DO NOT apply to children through the skin. Do not spray on bare skin or leather clothing.

STATEMENT OF MEDICAL TREATMENT

DO NOT make person vomit unless directed by physician. Call a physician or emergency treatment center. If swallowed, wash mouth and throat areas with soap and water. If in eyes, flush with water. If on skin, wash with soap and water. If inhaled, go to first aid center. Light hydrocarbon hood available at first aid centers.

ENVIRONMENTAL HAZARDS

DO NOT contaminate surface waters or ground water. DO NOT apply to water bodies or runoff from treated areas. DO NOT contaminate surface waters or ground water.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. KEEP OUT OF REACH OF CHILDREN. DO NOT store near heat or flame. Store in a cool, dry place. Avoid breathing vapor. Avoid contact with skin and eyes. DO NOT store near incompatible materials.

RECOMMENDED USE

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH REGULATIONS.

For control of wood borers, apply 3 gals. per acre. For control of leaf miners, apply 3 gals. per acre. Weight protective suit, respirators, goggles and respirators. DO NOT contaminate surface waters or ground water. Unshaded waters.

USE DESIGNATED AMOUNT IN 100 GALS. WATER UNLESS OTHERWISE SPECIFIED.

Repeat application as needed. Aerial application of 3 gals. per acre.

DOGWOOD, RHODODENDRON, LILAC, Dogwood Borer, Rhododendron Borer, Lilac Borer. 3 gals. Make 2 to 3 applications during May for Dogwood. 3 to 4 applications during May for Rhododendron. 3 to 4 applications during May for Lilac.

ELM, BIRCH, LOCUST, Leaf Miners. 3 gals. Make 2 to 3 applications during June and in July. Soak soil around base of tree. 3 to 4 applications during June and in July. Soak soil around base of tree.

JUNIPERS, Twigs, Caterpillars. 3 gals. Make 2 to 3 applications during June and in July. Soak soil around base of tree.

MAPLE, ASPEN, POPLAR, ASH, WILLOWS, ETC. Etc., Bark Beetles, Wood Boring Beetles. 3 gals. Apply as directed. 3 to 4 applications.

Etc., Apply during summer months. 3 to 4 applications.

FINAL BARE DEFOLIATION For winter damage, apply 3 gals. per acre. For defoliation, apply 10 gals. per acre. For defoliation, apply 8 gals. per acre.

BEST AVAILABLE COPY