

Date 11-17-87

PM 15 REG # 59639-57

1/3

BEST AVAILABLE COPY



ORTHO

Lindane

No. 200 Spray

(INSECTICIDE)

RESTRICTED USE PESTICIDE

The use of this product may be hazardous to your health. This product contains lindane, which has been shown to be carcinogenic in laboratory animals. Risks can be reduced by closely following the use directions and wearing the protective clothing specified elsewhere on this label. This product is to be used only by Certified Applicators or under their direct supervision and only in accordance with the label of the Certified Applicator's certificate.

... accordance with the label... based on data...

**KEEP OUT OF REACH OF CHILDREN
DANGER-PELIGRO**
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
PRECAUCIONAL MEMARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

NET CONTENTS 1 GALLON

2/3

ORTHO Lindane No. 200 Spray

PRECAUTIONARY STATEMENTS	
HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER	Do not inhale. Do not swallow. Avoid contact with eyes. Avoid contact with skin. Wash thoroughly after use. Do not use on children or pets.
STATEMENT OF PRACTICAL TREATMENT	Do not make person vomit. Do not induce person to drink. Do not give anything to eat or drink until medical attention is obtained. Wash affected areas with soap and water.
ENVIRONMENTAL HAZARDS	Do not contaminate water, food, or feed. Do not pollute ground water. Do not discharge into drainage system.
PHYSICAL OR CHEMICAL HAZARDS	FLAMMABLE KEEP OUT OF REACH OF CHILDREN. DO NOT use in well ventilated area. Do not use near fire or flame. Do not use in confined spaces.

DIRECTIONS FOR USE
READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.
USE DESIGNATED AMOUNT IN 100 DAYS UNLESS OTHERWISE SPECIFIED.
Do not apply this product through a sprayer.
DOGWOOD RHODOENDRON LILAC - Spray foliage with 1/2 oz. per gallon of water. Repeat 7 to 10 days apart in May and early June.
ELM BIRCH LOCUST Leaf Miners - Spray foliage with 1/2 oz. per gallon of water. Repeat 7 to 10 days apart in May and early June.
JUNIPERS Twig Girdler - Spray foliage with 1/2 oz. per gallon of water. Repeat 7 to 10 days apart in May and early June.
MAPLE ASPEN POPLAR Ash Weevils - Spray foliage with 1/2 oz. per gallon of water. Repeat 7 to 10 days apart in May and early June.
Maple, Birch, Dogwood, Lilac, Juniper - Spray foliage with 1/2 oz. per gallon of water. Repeat 7 to 10 days apart in May and early June.
Maple, Birch, Dogwood, Lilac, Juniper - Spray foliage with 1/2 oz. per gallon of water. Repeat 7 to 10 days apart in May and early June.

BEST AVAILABLE COPY

Vertical text or barcode on the right side of the page.

SPARK BEETLES IN GARDENS: Apply to the ground surface of the garden and surrounding areas. Do not apply to the first 25 feet of the ground surface. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas.

SPARK NEMATODE: Apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas.

SPARK NEMATODE: Apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas.

SPARK NEMATODE: Apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas. Do not apply to the ground surface of the garden and surrounding areas.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store in a hot, humid place. Do not store in a hot, humid place. Do not store in a hot, humid place.

PESTICIDE DISPOSAL: Do not use in a hot, humid place. Do not use in a hot, humid place. Do not use in a hot, humid place. Do not use in a hot, humid place.

CONTAINER DISPOSAL: Do not use in a hot, humid place. Do not use in a hot, humid place. Do not use in a hot, humid place. Do not use in a hot, humid place.

Clevon Chemical Company

BEST AVAILABLE COPY