UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 2 0 109

300 5391982

Ms. Jackie DiMaggo Valent U.S.A. Corporation 1333 N. California Blvd. Walnut Creek, CA 94596-8025

Dear Ms. DiMaggo:

Subject: Amendment - Label Revisions

Valent Lindane No. 200 Spray EPA Registration No. 59639-57

Your Application Dated December 14, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. Replace the statement "Do not apply directly to water or wetlands (swamp, bog, marshes and potholes)." with:

"Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark."

2. The Statement of Practical Treatment should appear on the label in the order of highest toxicity. Please prioritize accordingly.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

CONCURRENCES		
SYMBOL		
BURNAME N [GA	***************************************	
DATE GADUI		
EPA Fera 1326-1 (12-70)	40.8.GP0:1989-624-485/10184	OFFICIAL FILE COPY

Lindane No. 200 Spray
EPA Reg. No. 59639-57
Submitted: December 14, 1990

COPY A

Apply 1 qt. in 10 gals. of kerosene or No. 2 fuel oil or 1 qt. in 8 gals. of water to run-off to felled logs and standing trees. Make one treatment to standing trees between March 15th and August 31st along the first 25 feet of the trunk as measured from the ground. Make one treatment to felled logs covering the entire surface per year. Apply with a hand held hydraulic sprayer.

VALENT Lindane No. 200 Spray

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

May cause irreversible eye damage and skin irritation. May be fatel if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling concentrate. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Do not use on humans or household pets. Keep children and animals away from treated Leas until spray has dried.



STATEMENT OF PRACTICAL TREATMENT

If awallowed give water or milk to drink and telephone for medical advice. DO NOT make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained then take person and product container to the nearest medical emergency treatment center or hospital. If inhaled remove victim to fresh air Apply artificial respiration if indicated if on skin remove contaminated codying and wash affected areas with soap and water in case of eye contact, immediately with fresh water for 15 minutes and see a doctor. Call a physician immediately.

Note to Physicians: Emergency Information... call 1-800-457 2022. This product contains light hydrocarbon I guid and an aspiration hazard may exist. Gastric lavage is indicated if material is taken internally.

ENVIRONMENTAL HAZARDS

This personde is toxic to hish, birds, and other will life. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated areas may be hazardous to fish in neighboring areas.
This personde is highly toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

PHYSICAL OR CHEMICAL HAZARDS

RAMMABLE REEF OUT OF REACH OF CHILDREN. Keep away from heat, open flame, sperks or hot surfaces. USE ONLY IN WELL VENTRATED AREA. Keep container closed. Clean up spills immediately. This product presents a fire hazard Liquid quickly evaporates and forms vapor (fumer) which can catch fire and burn with explicitive violence. Invisible vapor spreads easily and can be set on fire by many sources such as pilot lights, welding equipment and electrical motors and switches. Fire hazard is greater as liquid temperature rises above 15°F.

DO NOT heat this contender Replace (up or bung. Emptied conteins hazardous or explosive vapor or liquid.)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a .consistent with its labeling

READ ENTINE LABEL. USE STRICTLY IN ACCORDANCE — IN PRECAUTIONARY STATEMENTS AND BIRECTIONS, AND WITH APPLICABLE STATE AND FEBERAL REGULATIONS

Applicators must wear the following protective crothing during the application process: a lightweight protective suit or coveralls: water-resistant hat, unlined: waterproof gloves, and unlined, lightweight boots. Mixers and to ders must also wear goggles or a face shield: unlined waterproof gloves and a waterproof apron.

USE DESIGNATED AMOUNT IN 180 GALS: WATER UNLESS OTHERWISE SPECIFIED.

Repeat applications as necessary

Aerial application of Indane is prohibited

Aerial application of Indiane is prohibited

Do not apply this product through any type of irrigation system

DOGWOOD, BirdODDEROROM, LELAC Degivered Sere., Rhededondron Berer, tulac Berer—3 pts. Make 2 to 3 applications 2 to 10 days apart in May and early June

ELM, BRICH, LOCUST. Leaf Miners. - I pt. Apply when _mail miners appear in early and mid. May Fer Locust. - in early July

JAMILPERS. Tung Girdler —3 pts. Make 2 applications at 30 day intervals. No. Calif. — June and mid-July, So. Calif. — April and May

MAPLE, ASPEN, POPLAR, ASM, WILLOWS, ELM, LOCUST: Berk Beetles, Weed Bering Beetles.—3 pts. Apply in spring when buds begin to break. Repeat in 10 to 14 days.

Elms.—Apply during summer repeat in fall. Soak trunks to runoff. Do not apply to fokage.

BARK BEETLES IN CONFERS:

TAXIS, NEMLOCIL: Toxus Weevil —3 pts. Apply in May or a GREENHOUSE MURSERY PLANTS: Aphids, Thrips, Leopers, LEAS, MODODEHORMS.—Fuller Rese Weevil, Brachyrthic Spray so-i surface lightly, comparable to a light rain. Do not apply under conditions involving possible drift to feed,

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposition of dumping is prohibited.

STORAGE

Keep pesticide in original container. Do not put concentral For help with any spill, leak, fire or exposure involving this

PESTICIDE DISPOSAL

This product is toxic Improper disposel of excess pestic according to lebel instructions, contact your State Paste

CONTAINER DISPOSAL

Triple rinse (or equivalent) Do not reuse container Offer for allowed by State and local authorities

IMPORTANT INFORMATION. READ BEFORE USING PRODUC LIMITED WARRANTY: 1 Valent U.S.A. Corporation warrants conditions when used strictly in accordance with the direct quarantee or representation, express or implied, concerning PURPOSE IS MADE.

2 Critical and unforeseable factors beyond Valents control limited to, damage to plants and crops to which product is a other plants or crops. Such risks occur even though the prod-are followed. Buyer and user acknowledge and assume all!

product.
3 Precautions stated on the labeling should be followed to a

Manufactured for Valent U.S.A. Corporation © 1990 Welnut Creek CA 94596-8025 Form 120-C Product 127 Made in U.S.A EPA Reg. No. 59639-57-AA EPA Est 739 MO-t

REST AVAILABLE COPY

BEST AVAILABLE COPY

b. 200 Spray

ECAUTIONARY STATEMENTS MESTIC ANIMALS



y be fetal if availabled or obsorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles g vepers or spray mists. Wash thoroughly after handling. Do not use on humans or household pets. Keep es direct.

REATMENT

medical advice DD NOT make parson vorus unless directed to do so by medical personnel. If medical advice is the neerest medical emergency treatment center or hospital. If inhaled remove victim to fresh air. Apply seed clothing and wesh affected areas with seep and water in case of eye contact, immediately wish eyes

17-2022 This product contains light hydrocarbon liquid and an expiration hezard may exist. Gastric levege is

not apply directly to water or wedends (swamps, bogs, marshes and potholes). Drift and renoff from treated

licetion. Applications should be timed to coincide with periods of minimum bee activity, valuelly between lete

ARDS
way from hest, open flome, sperits or hot surfaces MSE DRLY IN WELL VENTILATED AREA. Keep container
fore hazard: Liquid quickly evoporates and forms vapor (fumes) which can catch fire and burn with explosive
fire by many sources such as pilot lights, welding equipment and electrical motors and switches. Fire hezard

container still contains hezardous or explosive vapor or liquid

or incomparished with its lebeling

INTO PRECAUTIONARY STATEMENTS AND ORECTIONS, AND WITH APPLICABLE STATE AND FEDERAL

ing the application process: a lightweight protective suit or coveralls, water resistant hat, unkned, waterproof bust also were googles or a face shield, unlined waterproof gloves and a waterproof apron TIMENIMISE SPECIFIED.

federative Borer, Liles Borer — 3 pts. Make 2 to 3 applications 7 to 18 days apart in May and early June numers appear in early and mid May For Locust — in early July

private No Cold - June and mid-July, So Cold - April and May

BANK BEETLES IN CONFERS: Applying rand quivel ha

TAXUS, HEMILOCK: Texes Weevil —3 pts. Apply in May e-early June to the trunks and around base of trees, sooking the bark and writing the sed surface GREENWOUSE NURSERY PLANTS: Aghids, Turing, Leopers, Lastesbers, Plant Bug, Whitely, Psythid, Leofminers, Pha Bourine, Blubratica Bootles —1 pt. CARELLIAS, AZA-LEAS, RINGOGOENBRONS—Faller Rose Weevil, Bracklythiaus, Cacumber Bootle Lorvee on Boots—1 pt. spray to saturate soil around plants in beds. For Posted Plants: State of the confidence of the state of the

STORAGE AND DISPOSAL

PROHIBITIONS

Do n it contaminate water, food or feed by storage, disposal or cleaning of equipment Deen dumains is prohibited

STORAGE

Keep pasticule is onginal container. Do not put concentrate or dilute into food or dink containers. Do not store or transport near feed or food. Fer help with any spill, lest, fire or exposure involving this material, call day or might 1-900-457-2022.

This product is touc. Improper disposed of excess pesticide, spray miniture, or missite is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Weste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rimse (or equivalent). De not reuse container Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or dispose of by other procedures allowed by State and local evenorities

IMPORTANT INFORMATION. READ BEFORE USING PRODUCT.

LIGHTED WARRANTY: 1 Valent U.S.A. Corporation werrants that this product conforms to the chemical description on the label and is reasonably lit for use under average conditions when used strictly in accordance with the directions on the labeling Valent does not make not authorizes any agent or representative to make, any other warrardy. guarantee or representation, express or implied, concerning this product. Specifically, NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IS MADE

Entical and unforeseeable factors beyond Valent's control prevent it from eliminating all risks in connect on with the use of this product. Such risks include, but are not limited to, damage to plants and crops to which product is applied, fack of complete control over the handling and application of this product, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit under average conditions for the uses stated on the labeling and even though label directions. are inflowed. Buyer and user acknowledge and assume all risks and habiting lexcept those assumed by Valent under 1 above) resulting from handling, storage, and use of the product.
3 Precautions stated on the labeling should be followed to avoid hazardous exposure to the product.

Manufactured for

Valent U.S.A. Corporation © 1990 Within Creek CA : 4595-8025 Form 120-C Product 1127 Made in U.S.A. EPA Reg. No. 59639-57-AA EPA Est. 239-MO-1



No. 2 (INSECTION)

Active Ingredient Lindane-Gamma Inert Ingredients **Contains Xylene**

KEEP OUT PRECAUCION hasta sue la et

NET COI

BEST AVAILABLE COPY

the bork and motions the said surface Beades, Webrailes through — 1 pt. CHARCIAS, AZA-objects said around plants in bads. For Putrad Plants:

trantment near feed or lead

a serigery landfill, or drapose of by other procedures

the label and is reasonably, "If for us# under everage registe or representative to make, any other werranty. NCHANTABILITY OR FITNESS FOR ANY PARTICULAR

a use of this product. Such risks include, but are not cases of this product, and damage caused by drift to used on the labeling and even stough label directions. Movel resulting from handling, storage, and use of the



RESTRICTED USE PESTICIDE

The use of this product may be hezerfous to your health. This product contains limbone, which has been determined to count numers in takerstory animals. Itists can be reduced by closely following the use directions and proceedings, and by wearing the pretective clothing specified elevators on this label.

For retard sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered to the Certified Applicators.

Lindane

No. 200 Spray

(INSECTICIDE)

Lindane-Gamma Islamer of Banzane Hexachloride inert ingrements Lindane par gal ~ 165 lbs Contains Xylene

by the Cerafied Applicators certification.

KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto kasta que la etiqueta le haya side explicada ampliamente.

NET CONTENTS 1 GALLON

with COMMUNITS in EPA Letter Dated.

JUN 2 0 1991

Under the fedor: i insucicità, Funciolà, amended, for the posterio 59639-57 istered and it life lies its.