

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 251111
--	---	--	--

Application for Pesticide - Section I

1. Company/Product Number 59639-90	2. EPA Product Manager William Jacobs	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) TRUMPET EC Insecticide	PM# 14	
5. Name and Address of Applicant (Include ZIP Code) Valent U.S.A. Corporation 1333 N. California Blvd., Ste 606 Walnut Creek, CA 94596 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below _____

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION
 Modification to warranty statement.

NOTIFICATION
 APR 24 1997

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt _____ No. per container _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Elizabeth J. Weibert	Title Labels & Regis. Specialist	Telephone No. (Include Area Code) (510) 256-2791
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Labels & Regis. Specialist	
4. Typed Name Elizabeth J. Weibert	5. Date April 16, 1997	

20/6



REDLINE COPY

TRUMPET™ EC Insecticide

Active Ingredient	By Wt.
*Naled	78%
Inert Ingredients	22%
*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	


NOTIFICATION
APR 24 1997

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS 60 GALLONS



3076

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
DANGER**

CORROSIVE. Causes irreversible eye and skin damage. May be fatal if swallowed, inhaled or absorbed through the skin. May cause allergic skin reaction. Do not get in eyes, on skin, or on clothing. When handling this material wear impervious protective clothing including gloves, apron, overshoes, chemical goggles and face shield. Do not breathe vapor or spray mist. Wear a MSHA/NIOSH approved pesticide respirator. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

**NOTIFICATION
APR 24 1997**

STATEMENT OF PRACTICAL TREATMENT

- If in eyes:** Immediately hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention immediately.
- If inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration and get medical attention immediately.
- If swallowed:** Drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Contact a physician, Poison Control Center or emergency center. Do not induce vomiting. Take person and product container to the nearest medical emergency treatment center.
- If on skin:** Wash with plenty of soap and water. Get medical attention immediately.

Note to Physician: Emergency Information - call 1-800-892-0099. Naled is a cholinesterase inhibitor. Measurement of blood cholinesterase activity may be useful in monitoring exposure. If signs of cholinesterase inhibition appear, atropine sulfate is antidotal. 2-PAM (Protopam) is also antidotal and may be used in conjunction with atropine, but should not be used alone. Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and wildlife. Do not apply directly to water except when used over water as labeled for adult mosquito, blackfly, or housefly control. For terrestrial uses, do not apply directly to water, or to intertidal areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.


PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.



4 of 6

**DISCLAIMER, CONDITIONS OF SALE,
LIMITED WARRANTY
AND LIMITATION OF LIABILITY**

IMPORTANT: Read the entire Label including this Disclaimer, Limited Warranty and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened product within 15 days of purchase.

RISKS OF USING THIS PRODUCT

It is impossible to eliminate all risks associated with the use of this product. Such risks include, but are not limited to, injury to plants and crops to which this product is applied, lack of control of the target pests or weeds, resistance, injury caused by drift, and injury to rotational crops caused by carryover in the soil. Such risks of crop injury, non-performance or other unintended consequences are unavoidable and may result because of such factors as weather, soil conditions, moisture conditions, irrigation practices, presence of other materials, cultural practices or the manner of use or application, all of which are factors beyond the control of Valent. All such risks shall be assumed by the Buyer. Valent shall not be responsible for losses or damages resulting from use of this product in any manner not set forth on the label. User assumes all risks associated with the use of this product in any manner or under conditions not specifically directed or approved on the label.

LIMITED WARRANTY

Valent warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the label, under average use conditions, when used strictly in accordance with the label and subject to the Risks of Using This Product described above.

DISCLAIMER OF ALL OTHER WARRANTIES

VALENT MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. No agent or representative of Valent or Seller is authorized to make or create any other express or implied warranty.

LIMITATION OF LIABILITY

In no event shall Valent or Seller be liable for any incidental, consequential, indirect or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE MAXIMUM LIABILITY OF VALENT OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR, AT THE ELECTION OF VALENT OR SELLER, THE REPLACEMENT OF THIS PRODUCT.**

NO AMENDMENTS

Valent and Seller offer this product, and Buyer and User accept it, subject to the foregoing Disclaimer, Conditions of Sale, Limited Warranty and Limitation of Liability, which may not be modified by any oral or written agreement.

PROMPT NOTICE OF CLAIM


Valent must have prompt notice as soon as Buyer or User has reason to believe they may have a claim (not to exceed twenty-one days from date of application) so that an immediate inspection of the affected property and growing crops can be made. Unless Buyer and Users shall promptly notify Valent of any claims, they shall be barred from obtaining any remedy.

TANK MIXES

NOTICE: Tank mixing or use of this product with any other product which is not specifically and expressly authorized by the label shall be the exclusive risk of user, applicator and/or application advisor.

Read and follow the entire label of each product to be used in the tank mix with this product.

TRUMPET EC Insecticide is a special formulation for use undiluted to be applied for the control of mosquitoes, houseflies and certain other nuisance insects. If crystallization occurs, warm at 70°F until crystals disappear.



DIRECTIONS

ADULT MOSQUITO CONTROL in Residential Areas, Municipalities, Tidal Marshes, Swamps, Woodlands, Agricultural Areas (applied as wide-area public pest control programs sponsored by governmental entities), Livestock Pastures, Feedlots and Pastures including Dairy Cattle: It is not necessary to avoid farm buildings, dairy barns, feed or forage areas. Not for use on trees being grown for sale or other commercial use, or for commercial seed production, or for the production of timber or wood products, or for research purposes, (unless applied as wide-area public pest control programs sponsored by governmental entities). Use in agricultural areas should be in a manner as to ensure that residues do not exceed the established federal tolerance for the active ingredient in or on raw agricultural commodities resulting from use for area pest control. Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, swamps, residential areas, municipalities, woodlands, pastures, farm buildings and feed lots may be treated.

ULTRA LOW VOLUME (ULV) AIR APPLICATION: Apply 0.6 to 1.2 fl. oz. of undiluted product per acre. This is equivalent to 0.05 to 0.1 lb. active per acre, (one gallon treats 213 to 106 acres). Use the 1.2 oz. rate where heavy vegetation exists, i.e., woodlands, etc. Aircraft should be equipped with a corrosion resistant spray system. Large droplets may damage certain automobile finishes. Flat fan nozzles should be positioned 45° forward and only on aircraft flying 100 mph or faster. Aircraft flying at slower speeds should be equipped with atomizing nozzles. No more than 5% of the droplets should be larger than 80 microns. Spray during periods when wind is 10 mph or less and when thermal activity is low.

GROUND ULV CONCENTRATE APPLICATION: Apply TRUMPET EC Insecticide undiluted at the rate of 0.75 fl. oz. per minute at 5 mph; 1.5 fl. oz. per minute at 10 mph; and 2.2 fl. oz. per minute at 15 mph, applying a 300 ft. swath. These flow rates are equivalent to 0.02 lb. active per acre. **CAUTION: - SPECIAL INSTRUCTION:** This application can be made only under the following conditions: 1. Application can be made only by appropriately licensed and certified personnel with public agencies or private contractors operating in conjunction with or under contract with such government agencies. 2. Application in calm air conditions is to be avoided. 3. Application is not to be made in the immediate vicinity of pedestrians. 4. Vehicles used to apply TRUMPET EC Insecticide must be air conditioned or equipped with automatic speed control flow device.

BLACKFLIES, HOUSEFLIES, GNATS, CERTAIN OTHER NUISANCE INSECTS - SMALL FLYING MOTHS, CRANE FLIES, MIDGES, ADULT STABLE FLIES (Dog Flies) in Residential Areas, Municipalities, Woodlands, Livestock Pastures, Feed Lots and Pastures including dairy cattle. It is not necessary to avoid farm buildings, dairy barns, feed or forage areas. Not for use on trees being grown for sale or other commercial use, or for commercial seed production, or for the production of timber or wood products, or for research purposes, (unless applied as wide-area public pest control programs sponsored by governmental entities).

AIR ULV CONCENTRATE APPLICATION: Apply 1.2 to 1.8 fl. oz. of undiluted product per acre, (one gallon treats 106 to 71 acres). Use the 1.8 fl. oz. rate where heavy vegetation exists, i.e. woodlands, etc.


HORN FLIES (Range Cattle): AIR APPLICATION: Apply 2.5 to 5 fl. oz. TRUMPET EC Insecticide undiluted per acre (one gallon treats 51 to 26 acres). Use higher rate for heavier fly populations.

SUPPRESSION OF DEER FLIES: AIR APPLICATION: Apply 1.25 to 2.5 fl. oz. TRUMPET EC Insecticide undiluted per acre (one gallon treats 102 to 51 acres). Use higher rate in denser vegetation.

Note: Concentrate may corrode metal spray or mixing equipment. Flush all equipment thoroughly with water after use.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

**STORAGE AND DISPOSAL
PROHIBITIONS**



6 of 6

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.
Open dumping is prohibited.

STORAGE

Keep pesticides in original container.

Do not put concentrate or dilute into food or drink containers.

For help with any spill, leak, fire or exposure involving this material, call day or night 1-800-892-0099.

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Do not reuse container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Dispose of in a sanitary landfill or by other procedures allowed by State and local authorities.

~~IMPORTANT INFORMATION. READ BEFORE USING PRODUCT.~~

~~LIMITED WARRANTY: 1. Valent U.S.A. Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for use under average conditions when used strictly in accordance with the directions on the labeling. Valent does not make nor authorizes any agent or representative to make, any other warranty, guarantee or representation, express or implied, concerning this product. Specifically, NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IS MADE.~~

~~2. Critical and unforeseeable factors beyond Valent's control prevent it from eliminating all risks in connection with use of this product. Such risks include, but are not limited to, damage to plants and crops to which product is applied, lack of complete control over the handling and application of this product, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit under average conditions for the uses stated on the labeling and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Valent under 1 above) resulting from handling, storage, and use of the product.~~

~~3. Precautions stated on the labeling should be followed to avoid hazardous exposure to the product.~~

Copyright© 1997 by Valent U.S.A. Corporation

Manufactured for:
Valent U.S.A. Corporation
Walnut Creek, CA 94596-8025
Made in U.S.A.
Form R10400C0.0970411
EPA Reg. No. 59639-90
EPA Est. 5481-CA-1

