

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

NOTIFICATION

AUG 1 5 2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Linda Obrestad Valent U.S.A. Corporation 1600 Riviera Ave., Suite 200 Walnut Creek, CA 94596-8025

Subject:

Notification to add restriction "not for use in CA" for thrips

EPA Registration No. 59639-157

Primary Brand Name: Arena 0.25 G Insecticide

Submission Date: August 13, 2013

Dear Ms. Obrestad:

The Agency is in receipt of your Application for Pesticide Notification under PRN 98-10 dated and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

Gene Benbow Wildlife Biologist Insecticide-Rodenticide Branch Registration Division (7505P)

Blanco and to test	· · · · · · · · · · · · · · · · · · ·		.)		00 4	
SEPA	United States Environmental Protection Agency Washington, DC 20460 Form Approve JMB No. 207 Registration Amendmental Amendmental Protection Agency Vashington, DC 20460			tion				
	Applica	tion for Pe	esticide - Sec	ction				
1. Company/Product Number -59639=180		I .	2. EPA Product Manager Ms. Venus Eagle		3. [. Proposed Classification		
4. Company/Product (Nat V-10135 Technical F	· ·		PM# 1					Hoderiotod
Valent U.S.A. Col 1600 Riviera Ave Walnut Creek, C.	, Suite 200	1	6. Expedited Re (b)(i), my product to: EPA Reg. No.	is simi				
CHECK II	inis is a new address		Product Name on - II				c c	
Notification - Expl	tional page(s) if necessary. (For sec	tion I and Secti	Agency le "Me Too" Other - Ex	Applicat	low.	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	CC (
		Section	on - III			-		
1. Material This Product Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes ✓ No	Y N If "Yes"	o No. per		2. Type of	Metal Plastic Glass Paper	Specify)	
3. Location of Net Conter	Container	Retail Containe			ation of Lab		ions	
6. Manner in Which Labe	Lith Pap	nograph per glued nciled	Othe	er				
		Sectio						
	ete items directly below for identifica		al to be contacted	, if nece	ssary, to pro			
		Title Regulatory			-	elephone No. (Include Area Code) 925-256-2791		
•	atements I have made on this form a any knowlinglly false or misleading :					•	6. Date Applic Received (Starn)	
2. Signature Sinda	Olivestad	3. Title Regulato	ry Analyst					
4. Typed Name Linda Obrestad		5. Date	August 13,	2013				

1600 Riviera Ave. Suite 200 P. O. Box 8025 Walnut Creek, CA 94596-8025



August 13, 2013

Arena® 0.25 G Insecticide EPA Reg. No. 59639-157 NOTIFICATION

Ms. Venus Eagle (PM 1)
Insecticide-Rodenticide Branch
Registration Division (7505P)
Document Processing Desk (NOTIF)
U.S. Environmental Protection Agency
Room S4900 - One Potomac Yard
2777 S. Crystal Drive
Arlington, Virginia 22202

Dear Ms. Eagle:

Valent U.S.A. Corporation is respectfully submitting this label Notification to inform the agency of a change to our product label for *Arena* (EPA Reg. No. 59639-157) as follows:

Addition of state restriction on Thrips (page 8) "Not in California"

Enclosed are the following documents to support this Notification submission:

Pesticide Application (Form 8570-1)

Certification Statement consistent with the provisions of PR-Notice 98-10

One (1) copy of proposed label with redline addition

One (1) copy of proposed label clean

If you should have any questions please contact me at 925-256-2791 or email: linda.obrestad@valent.com or Julie Schlekau at 202-872-0955, or email: julie.schlekau@valent.com

Sincerely,

Linda Obrestad

Regulatory Analyst

Registration and Regulatory Affairs

Linda Olirestad

Enclosures



GROUP 4A INSECTICIDE

NOTIFICATION - REDLINE COPY

ARENA® 0.25 G

INSECTICIDE

FOR SYSTEMIC INSECT CONTROL IN TURFGRASS, SOD FARMS, LANDSCAPE ORNAMENTALS, INTERIOR PLANTSCAPES AND NONBEARING FRUITS AND NUTS (IN LANDSCAPES).

Active Ingredient	By wt.
*Clothianidin	0.25%
Other Ingredients	99.75%
Total	100.00%

^{*(}E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

EPA Reg. No. 59639-157 EPA Est. No. ____

Manufactured for: **Valent U.S.A. Corporation** P.O. Box 8025 Walnut Creek CA 94596-8025 www.valent.com

Net Contents:

NOTIFICATION

AUG 1 5 2013

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling.

	FIRST AID
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed:	
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-892-0099 for emergency medical treatment information.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some of the materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemicalresistance category selection chart.

Applicators and other handlers must wear: long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If there are no instructions for washables available, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply where runoff is likely to occur. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

This product is toxic to bees exposed to direct treatment or residues on blooming crops. Do not apply during bloom or when bees are present.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Do not apply this product in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, socks and shoes, chemical-resistant gloves made of any water proof material.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in the box apply to use of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPA applies when this product is used to produce agricultural plants on farms, forests, nurseries and commercial greenhouses.

Keep children and pets off treated area until the dust has settled.

DISCLAIMER, RISKS OF USING THIS PRODUCT, LIMITED WARRANTY AND LIMITATION OF LIABILITY

IMPORTANT: Read the entire Label including this Disclaimer, Risks of Using this Product, Limited Warranty, and Limitation of Liability before using this product. If the terms are not acceptable THEN DO NOT USE THE PRODUCT; rather, return the unopened product within 15 days of purchase for a refund of the purchase price.

RISKS OF USING THIS PRODUCT

The Buyer and User (referred to collectively herein as "Buyer") of this product should be aware that there are inherent unintended risks associated with the use of this product which are impossible to eliminate. These risks include, but are not limited to, injury to plants and crops to which this product is applied, lack of control of the target pests or weeds, resistance of the target pest or weeds to this product, injury caused by drift, and injury to rotational crops caused by carryover in the soil. Such risks of crop injury, non-performance, resistance or other unintended consequences are unavoidable and may result because of such factors as weather, soil conditions, disease, moisture conditions, irrigation practices, condition of the crop at the time of application, presence of other materials either applied in the tank mix with this product or prior to application of this product, cultural practices or the manner of use or application, (or a combination of such factors) all of which are factors beyond the control of Valent. The Buyer should be aware that these inherent unintended risks may reduce the harvested yield of the crop in all or a portion of the treated acreage, or otherwise affect the crop such that additional care, treatment and expense are required to take the crop to harvest. If the Buyer chooses not to accept these risks, THEN THIS PRODUCT SHOULD NOT BE APPLIED. By applying this product Buyer acknowledges and accepts these inherent unintended risks AND TO THE FULLEST EXTENT ALLOWED BY LAW, AGREES THAT ALL SUCH RISKS ASSOCIATED WITH THE APPLICATION AND USE ARE ASSUMED BY THE BUYER.

Valent shall not be responsible for losses or damages (including, but not limited to, loss of yield, increased expenses of farming the crop or such incidental, consequential or special damages that may be claimed) resulting from use of this product in any manner not set forth on the label. Buyer assumes all risks associated with the use of this product in any manner or under conditions not specifically directed or approved on the label.

LIMITED WARRANTY

Valent warrants only that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the label, under average use conditions, when used strictly in accordance with the label and subject to the Risks of Using This Product as described above. To the extent consistent with applicable law AND AS SET FORTH ABOVE, VALENT MAKES NO OTHER WARRANTIES, EITHER EXPRESSED OR IMPLIED. No agent or representative of Valent or Seller is authorized to make or create any other express or implied warranty.

LIMITATION OF LIABILITY

To the fullest extent allowed by law, Valent or Seller is not liable for any incidental, consequential, indirect or special damages resulting from the use or handling of this product. The limitation includes, but is not limited to, loss of yield on all or any portion of the treated acreage, increased care, treatment or other expenses required to take the crop to harvest, increased finance charges or altered finance ratings, emotional or mental distress and/or exemplary damages. TO THE FULLEST EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE BUYER, AND THE EXCLUSIVE MAXIMUM LIABILITY OF VALENT OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR, AT THE ELECTION OF VALENT OR SELLER, THE REPLACEMENT OF THE PRODUCT.

PROMPT NOTICE OF CLAIM

To the extent consistent with applicable law allowing such requirements Valent must be provided notice as soon as Buyer has reason to believe it may have a claim, but in no event later than twenty-one days from date of planting, or twenty-one days from the date of application, whichever is latter, so that an immediate inspection of the affected property and growing crops can be made.

To the extent consistent with applicable law if Buyer does not notify Valent of any claims, in such period, it shall be barred from obtaining any remedy.

NO AMENDMENTS

Valent and Seller offer this product, and Buyer accepts it, subject to the foregoing **Disclaimer**, **Risks of Using This Product**, **Limited Warranty and Limitation of Liability**, which may not be modified by any oral or written agreement.

TANK MIXES

NOTICE: Tank mixing or use of this product with any other product which is not specifically and expressly authorized by the label shall be the exclusive risk of user, applicator and/or application advisor, to the extent allowed by applicable law. Read and follow the entire label of each product to be used in the tank mix with this product.

RESISTANCE MANAGEMENT

Arena® 0.25 G Insecticide contains a Group 4A insecticide. Insect biotypes with acquired resistance to Group 4A insecticides may eventually dominate the insect population if Group 4A insecticides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by *Arena* 0.25 G or other Group 4A.

To delay insecticide resistance consider:

- Avoiding the consecutive use of *Arena* 0.25 G or other Group 4A insecticides that have a similar target site of action on the same insect species.
- Using tank mixtures or premixes with insecticides from a different target site of action Group as long as the involved products are all registered for the same use and have different sites of action.
- Basing insecticide use on a comprehensive Integrated Pest Management (IPM) program.
- Monitoring treated insect populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors and/or manufacturer for insecticide resistance management or IPM recommendations for the specific site and resistant pest problems.
- For further information or to report a suspected resistance, you may contact Valent U.S.A. Corporation at 800-682-5368.

INFORMATION

Arena 0.25 G is a broad spectrum insecticide, for control of listed insects infesting turfgrass, sod farms, landscape ornamentals, interior plantscapes and non-bearing fruit trees (including apple and pear) and nut trees (in landscapes). When applied as directed, Arena 0.25 G provides excellent and long residual insect control.

RESTRICTIONS

- Do not use a foliar application of clothianidin (*Arena* 0.25 G) following a soil application of clothianidin.
- Do not apply more than a total of 160 lbs of *Arena* 0.25 G (0.4 lb ai/A) per acre per season.
- If the maximum season limit of clothianidin as mentioned above has been applied and pest populations require additional treatments, use another registered pesticide that is not in the neonicotinoid class of chemistry.

PLANT TOLERANCE

Neither the manufacturer nor the seller has determined whether or not *Arena* 0.25 G can be used safely on all cultivars of plants listed on the label. *Arena* 0.25 G has been tested on many cultivars with no phytotoxicity observed at label rates. Since all plant species and their varieties and cultivars have not been tested for tolerance, it is

recommended that a small number of plants be treated to make certain that no phytotoxicity occurs, prior to any large scale application to plants. The end user assumes all risks arising from application of *Arena* 0.25 G in a manner inconsistent with its labeling. *Arena* 0.25G can be blended just prior to application or co-applied with other crop management tools. However, all plant species and their varieties and cultivars have not been tested with possible blended or co-applied combinations or sequential pesticide treatments. The user must conduct a small scale compatibility and phytotoxicity trial under local conditions to ensure compatibility prior to any large-scale use.

COMMERCIAL AND RESIDENTIAL LANDSCAPE USES

Arena 0.25 G is for use on landscape ornamentals, interior plantscapes and non-bearing fruit trees (including apple and pear) and nut trees (in landscapes).

Arena 0.25 G should be applied when threshold populations are observed. Do not wait until large insect populations have been established.

Apply to established plants. For control of pests on established plants, irrigate the treated area thoroughly.

Choose lower rates for light infestations and/or smaller plants and higher rates for heavy infestations and/or larger plants.

Application Methods:

Arena 0.25 G is a systemic and soil active insecticide when applied to the soil.

Residential Landscapes and In-ground Plants: For flower beds, broadcast *Arena* 0.25 G evenly over the top of plants. For treatment of individual shrubs or trees, broadcast *Arena* 0.25 G evenly on soil around base of plant within 18 inches of the trunk. Pull back mulch prior to application if mulch is more than 1 inch thick. Irrigate after application with enough water to dissolve granules and move product into root zone.

RESTRICTIONS

• Do not apply more than a total of 160 lbs *Arena* 0.25 G (0.4 lb active ingredient clothianidin) per acre per season.

Pests Controlled by *Arena* 0.25 G in Landscapes Ornamentals, Interior Plantscapes and Non-bearing Fruit Trees (Including Apple and Pear) and Nut Trees (in Landscapes)

Adelgids including Hemlock Woolly

Fungus Gnats (larvae)

Glassy-Winged Sharpshooter

Lacebugs including Azalea

Leaf Beetles Leafhoppers

Leafminers including

Boxwood Serpentine

Mealybugs including

Citrus

Long-tailed

Madeira

Obscure Pink Hibiscus

Root

Psyllids including Asian Citrus
Root Weevils (larvae and adult)

including Black Vine Roundheaded Borers

Scales (soft)

*Thrips including

Chilli

Western Flower (suppression)

Whiteflies including

Giant

Greenhouse

Silverleaf

Sweetpotato

White Grubs including

Oriental Beetle

^{*}Not for use in California

SOIL APPLICATION TO INTERIORSCAPES, LANDSCAPES, NON-BEARING FRUIT AND NUT TREES

For systemic insect control on ornamental plants grown in-ground and outdoor landscapes (commercial, industrial, recreational and residential)

Crops	Arena 0.25 G Rates	Special Instructions
Ornamental plants Including Shrubs Bedding Plants Flowering Plants Foliage Plants Ground Covers Evergreens Ornamental Trees Non-bearing Fruit Trees Non-bearing Nut Trees Non-bearing Vines	Shrubs 0.5 to 1.0 lb/ft of height 5 to 10 lbs per 10 cumulative ft of height Trees 0.5 to 1.0 lb/inch of trunk diameter of breast height (DBH) For multi-stem trees, base rate on cumulative inches of diameter of all stems at breast height.	Only apply to moist soil media. Do not apply to dry or saturated soil. Do not apply to saturated or frozen soil, or when plants are not actively taking up water from soil. Heavy rainfall or inadequate irrigation immediately following application may decrease performance. For optimal control, apply early in the shrub or tree's annual growing cycle.
	Broadcast Application in Herbaceous Flower Beds and Ground Covers Apply 3.6 lbs/1,000 sq ft of bed	Broadcast application may not be effective in trees and shrubs.

Arena 0.25 G is a systemic insecticide and must move to the area of the plant where the target pest is feeding. Control of pests may be delayed following an application for one or more weeks as Arena 0.25 G moves to the feeding site. Factors such as plant size, soil type and water demands will impact the time between application and obvious insect control.

- Do not apply more than a total of 160 lbs Arena 0.25 G (0.4 lb ai/A) per acre per season.
- Non-bearing fruit and nut trees in landscapes are only for ornamental use.
- Do not harvest fruit and nuts from treated trees within one year of application.
- This product may be blended just prior to application or co-applied with other compatible insecticides.

TURFGRASS

Arena 0.25 G can be used as directed on grass grown in industrial, commercial and residential landscapes such as, airports, athletic fields, cemeteries, commercial sod farms, golf courses, home lawns, parks and playgrounds.

Arena 0.25 G has sufficient residual activity to provide high levels of control when applications are made proceeding or during the egg laying activity of the target pests. The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Follow applications with sufficient irrigation or rainfall to move the active ingredient through the thatch.

Arena 0.25 G can be applied to turf at 80 to 160 lbs per acre. The rate is dependent on the target pest(s), their stage of development and the desired of control. Multiple applications can be made but do not exceed the maximum amount per year (160 lbs/A). Consult your local State Agricultural Experiment Station, State Extension Turf Specialists or other turf experts for specific information concerning the timing of application(s). When targeting multiple pests, make application to earliest egg lay or adult flight. The high end of the rate range may be needed if extended control of secondary pests are desired.

Apply *Arena* 0.25 G as a broadcast application to turfgrass for control of targeted pests. Use a calibrated spreader to uniformly broadcast *Arena* 0.25 G over the treatment area. Do not mow turfgrass until after irrigation or rainfall has occurred to allow for the uptake and distribution of *Arena* 0.25 G in soil and turfgrass

APPLICATON ON TURGRASS					
PESTS	ARENA 0.25 G APPLICATION RATES	TIMING INSTRUCTIONS			
Annual Bluegrass Weevil (larval stages) Bill Bugs Black Turfgrass Ataenius (larval stages) Phyllophaga spp. (May or June Beetle) Spittlebug White Grubs including Asiatic Garden Beetle European Chafer Green June Beetle Japanese Beetle Northern Masked Chafer Oriental Beetle Southern Masked Chafer	80 to 160 lbs/A (0.2 to 0.4 lb ai/A)	Preventative applications: Make applications through peak egg hatch of target species. Use the upper end of the rate range if application is made 60 days or more prior to peak adult flight and/or egg lay. Applications: For applications after egg hatch or when obvious turf damage has occurred use the upper end of the rate range.			
Armyworms Chinch Bugs Crane Fly including American European Cutworms Nuisance Ants Sod webworms	120 to 160 lbs/A (0.3 to 0.4 lb ai/A)	Cranefly: Apply in the spring, when larvae are mature but prior to pupation or in the fall prior to egg hatch. Other pests: Apply when pest first appear.			
Mole Crickets (suppression)	160 lbs/A (0.4 lb ai/A)	Time application to peak egg lay or early instars.			
Do not apply more than a to per season.	otal of 160 lbs of <i>Arena</i>	0.25 G (0.4 lb ai/A) per acre			

15/15

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Do not contaminate water, food or feed by storage and disposal.

Store in a dry place away from excessive heat.

Do not store near food or feed.

Store in original container only.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty the bag into granular application equipment. Then dispose of the empty bag by depositing in a sanitary landfill, or by other procedures allowed by state and local ordinances.

©2013 Valent U.S.A. Corporation.

Arena is a registered trademark of Sumitomo Chemical Company, Ltd.

Manufactured for: Valent U.S.A. Corporation P.O. Box 8025 Walnut Creek CA 94596-8025

Made in U.S.A.

EPA Reg. No. 59639-157 EPA Est. No.

059639-00157.20130815.ARENA 0.25G.NOTIF.r