Jacket



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Sally Christopher Valent USA Corporation 1600 Riviera Dr Suite 200 Walut Creek, CA 94596

JUN 1 0 2011

Product Name:

METLOCK Fungicide

EPA Reg. No.:

59639-171

Subject:

Application for Pesticide Notification (PRN 98-10)

Submission date:

May 4th, 2011

EPA Decision Number:

449220

Dear Ms Christopher:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The Agency acknowledges the alternate brand name of "METLOCK Fungicide."

The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have questions concerning this letter, please contact Dominic Schuler at (703) 347-0260 or via email at schuler.dominic@epa.gov

Sincerely,

Mary L. Waller

Product Manager 21


Fungicide Branch

Registration Division (7504P)

Mary L. Walle

Please read instruction	\$ ON [ever:	re before comple	ting for	m.			Form Ap	proved	I. OMB No.	2070-00	60. Approval e	XDires 2-28-9
\$EPA		En	vironmenta	nited S Prongton,	tecti	•	jency		✓	Registra Amend Other		OPP Identifi	er Number
				Appl	icatio	on for	Pestici	de - Sec	tion	1			
1. Company/Product N 59639-171	umber						2. EPA Mary \	Product Man Naller	ager			Proposed Classif	Sestricted
4. Company/Product (f V10116 3.7 FS Ft		ide					PM# 21) wastucted
5. Name and Address Valent USA Corp Walnut Creek, Ca	. 160	00 F			200,		(b)(i), n to:		is sim	ilar or iden	tical in c	h FIFRA Section an	
Check	îf this	is e	new address				Produ	ct Name					
						Se	ction -						
Amendment - E	n resp	onse	to Agency letter	dated .			_ [_] _ []	Final printe Agency lett "Me Too" / Other - Exp	ter dat Applica	etion.	e tó		
Explanation: Use ac Application for alternati (METLOCK is the trad	ive bra	nd na	ame of METLOCK	™ FUN	GICDE		Section II.)						
						Se	ction - I	II .					
1. Material This Produc	rt Will	Be P	ackaged in:										
Child-Resistant Packag Yes No * Certification mus			t Packaging Yes No Yes" t Packaging wgt.	No. 1	per siner	It "Y	Yes No es" age wgt	ackaging No. per		2. Type of	Metal Plastic Glass Paper		
be submitted		O. iji	i ockağıng myı.	COM		1	allo is Re	1	•) O(1101 /	Specify)	
3. Location of Net Cont ✓ Lebel	ł	nform		4. Size	s(s) Re	tail Cont	ainer IQt		5. Lo	cation of Lat ☐ On Labe		ons	
6. Manner in Which La	bel is /	Affix	ed to Product	7	Lithog Paper Stenc	raph glued led		Othe	ř <u> </u>			· · · · · · · · · · · · · · · · · · ·	-
						Sec	ction - l'	V					
1. Contact Point /Com	plete i	tems	directly below f	or iden	tificatio	n of ind	ividual to b	e contected,	if nec	essary, to pr	ocess this	s application.)	
Name Sue-Chi Shen						Title Projec	t Manager	,		•	Telephor 214-784	ne No. (Include -5536	Area Code)
I certify that the I acknowledge th both under applic	at any	/ kno	s I have made on wlinglly false or	this fo	rtifica rm and ling sta	all attac	chments the	ereto are trui vishable by fi	o, accu ne or i	urate and comprisonmen	mplete; t or	6. Date Appli Received	
2. Signature	07		[[C			3. Title Proje	ect Manager					(((((((((((((((((((
4. Typed Name	<u></u>	_				5. Date	<u> </u>			<u> </u>			
Sue-Chi Shen							4-	29		20 /		, . , , . ,	τιὶτι`

April 29, 2011



Active Ingredient: Metconazole

Notification: Alternate Brand Name

Ms. Mary L. Waller
Product manage (21)
Fungicide Branch
Registration Division (7505P)
Document Processing Desk
U.S. Environmental Protection Agency
Room S4900 - One Potomac Yard
2777 S. Crystal Drive
Arlington, Virginia 22202

Dear Ms. Waller,

Valent U.S.A. Corporation is applying for an alternate brand name for our registered product V-10116 3.7 FS Fungicide. The product name is:

METLOCK™ Fungicide, EPA Reg. No. 59639-171

Pleased find enclosed the following documents:

- One (1) redline copy of the label
- One (1) clean copy of the label
- EPA Form 8570-1
- Certification of 98-10

If you need any further information, you can contact me at sally.christopher@valent.com or by phone at (925) 256-2710.

Sincerely,

Sally S. Christopher
Regulatory Analyst

Registrations and Regulatory Affairs

Valent U.S. A. Corporation

cc: Ms. Tracy Keigwin enclosures



GROUP FUNGICIDE

METLOCK™ Fungicide

A FUNGICIDE SEED TREATMENT PRODUCT PROVIDING SYSTEMIC SEED AND SEEDLING PROTECTION

Active Ingredient	By Wt.
Metconazole*	40%
Other Ingredients	<u>60%</u>
Total	· · · · · · · · · · · · · · · · · · ·

*5-[(4-chlorophenyl)methyl]-2,2-dimetyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

METLOCK™ Fungicide contains 3.7 lbs metconazole per gallon.


KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE NEXT PAGE FOR PRECAUTIONARY STATEMENTS AND FIRST AID

NET CONTENTS

EPA Reg. No. 59639-171 EPA Est. No. NOTIFICATION
JUN 1 0 2011



FIRST AID					
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. 				
	 Have a person sip a glass of water if able to swallow. 				
	Do not induce vomiting unless told to do so by a poison control center or doctor.				
	Do not give anything to an unconscious person.				
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 				
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 				
	Call a poison control center or doctor for treatment advice.				
	NOTE TO PHYSICIAN				

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **800-892-0099** for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Treatment is supportive and symptomatic.

Harmful if swallowed. Causes mild eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof material, socks and shoes.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the stoilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

((::::

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, mammals, fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposing of equipment washwater or rinsate.

This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

Metconazole may impact surface water quality through runoff of rain water. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall-runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the **restricted entry** interval (REI) of 12 hours.

Exception: Once the seeds are planted in soil, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area without restriction if there will be no worker contact with the soil subsurface or treated seed. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: long-sleeved shirt and long pants; chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, or Viton; shoes plus socks.

DISCLAIMER, RISKS OF USING THIS PRODUCT, LIMITED WARRANTY AND LIMITATION OF LIABILITY

IMPORTANT: Read the entire Label including this Disclaimer, Risks of Using this Product, Limited Warranty, and Limitation of Liability before using this product. If the terms are not acceptable THEN DO NOT USE THE PRODUCT; rather, return the unopened product within 15 days of purchase for a refund of the purchase price.

RISKS OF USING THIS PRODUCT

The Buyer and User (referred to collectively herein as "Buyer") of this product should be aware that there are inherent unintended risks associated with the use of this product which are impossible to eliminate. These risks include, but are not limited to, injury to plants and crops to which this product is applied, lack of control of the target pests or weeds, resistance of the target pest or weeds to this product. Such risks of crop injury, non-performance, resistance or other unintended consequences are unavoidable and may result because of such factors as weather, soil conditions, disease, moisture conditions, irrigation practices, condition of the crop at the time of application, presence of other materials either applied in the tank mix with this product or prior to application of this product, cultural practices or the manner of use or application, (or a combination of such factors) all of which are factors beyond the control of Valent. The Buyer should be aware that these inherent unintended risks may reduce the harvested yield of the crop in all or a portion of the treated acreage, or otherwise affect the crop such that additional care, treatment and expense are required to take the crop to harvest. If the Buyer chooses not to accept these risks, THEN DO NOT APPLY PRODUCT. By applying this product Buyer acknowledges and accepts these inherent unintended risks AND AGREES THAT TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, RISKS ASSOCIATED WITH THE APPLICATION AND USE ARE ASSUMED BY THE BUYER.

To the extent consistent with applicable law, Valent shall not be responsible for losses or damages (including, but not limited to, loss of yield, increased expenses of farming the crop or such incidental, consequential or special damages that may be claimed) resulting from use of this product in any manner not set forth on the label. To the extent consistent with applicable law, Buyer assumes all risks associated with the use of this product in any manner or under conditions not specifically directed or approved on the label.

LIMITED WARRANTY

Valent warrants only that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the label, under average use conditions, when used strictly in accordance with the label and subject to the Risks of Using This Product as described above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, EXCEPT AS SET FORTH ABOVE, VALENT MAKES NO OTHER WARRANTIES, EITHER EXPRESSED OR IMPLIED. No agent or representative of Valent or Seller is authorized to make or create any other express or implied warranty.

LIMITATION OF LIABILITY

To the extent consistent with applicable law, Valent or Seller shall not be liable for any incidental, consequential, indirect or special damages resulting from the use or handling of this product. The limitation includes, but is not limited to, loss of yield on all or any portion of the treated acreage, increased care, treatment or other expenses required to take the crop to harvest, increased finance charges or altered finance ratings, emotional or mental distress and/or exemplary damages. TO THE FULLEST EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE BUYER, AND THE EXCLUSIVE MAXIMUM LIABILITY OF VALENT OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR, AT THE ELECTION OF VALENT OR SELLER, THE REPLACEMENT OF THE PRODUCT.

PROMPT NOTICE OF CLAIM

To the extent consistent with applicable law, Valent must be provided notice as soon as Buyer has reason to believe it may have a claim, but in no event later than twenty-one days from date of planting, or twenty-one days from the date of application, whichever is latter, so that an immediate inspection of the affected property and growing crops can be made.

To the extent consistent with applicable law, if Buyer does not notify Valent of any claims, in such period, it shall be barred from obtaining any remedy.

NO AMENDMENTS

Valent and Seller offer this product, and Buyer accepts it, subject to the foregoing Disclaimer, Risks of Using This Product, Limited Warranty and Limitation of Liability, which may not be modified by any oral or written agreement.

APPLICATION INSTRUCTIONS

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

RESTRICTIONS

METLOCK Fungicide must be used only in accordance with use instructions on this label utilizing mechanical, slurry, or mist-type seed treating equipment, provided that the equipment can be calibrated to accurately and uniformly apply the product to seed. This product is for both commercial and on-farm application. Do not apply this product in hopper-box or planter-box at planting time. Always mix product thoroughly before use.

As stated by regulations specified in 40 CFR 153.155, all seed treated with *METLOCK* Fungicide must be colored with an EPA-approved dye or colorant to visually distinguish seed is treated with a pesticide. It is mandatory that such dye or colorant be added into the slurry mixture containing *METLOCK* Fungicide, prior to application. This regulation is necessary to prevent treated seed from accidental use as a food for man or feed for animals.

Seed Quality and Storage of Treated Seed

Seed treatments applied to low vigor or poor quality seed or to mechanically damaged seed may result in loss of seed germination or reduced seedling vigor. To verify seed safety, treat a small portion of seed with the desired slurry mixture (*METLOCK* Fungicide alone or in combination with other commercial seed treatment products) prior to treatment of an entire seed lot. Utilize standard seed germination methodologies to determine and verify seed safety. Proper storage conditions of treated seed are recommended. Due to seed quality and seed storage conditions beyond the control of Valent U.S.A. Corporation, no claims are made to guarantee the germination of carry-over treated seed.

Seed Bag Label Requirement of Treated Seed

The Federal Seed Act requires that bags containing treated seed be labeled or tagged with the following information:

- This seed has been treated with *METLOCK* Fungicide containing metconazole.
- Do not use for feed, food or oil processing.
- Store away from feeds and other foodstuffs.
- Wear long sleeved shirt, long pants and waterproof gloves when handling treated seed.
- Dispose of all excess treated seed. Left over treated seed may be double-sown around the headland or buried away from water sources in accordance with local requirements.
 Do not contaminate water bodies when disposing of planting equipment washwaters.
- Dispose of seed packaging in accordance with local requirements.
- Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds spilled during loading.
- No plant back restriction for Barley, Canola, Corn (including field, sweet and pop) Oat, Peanut, Rye, Soybean, Sugar Beet, Triticale and Wheat. A 30-day plant back interval for brassica leafy vegetables and leafy vegetables. A 120-day plant back interval for all other crops.

USE INFORMATION

METLOCK Fungicide is a systemic fungicide formulated for seed treatment use to provide protection against seed-borne and soil-borne diseases, enhancing plant health and plant stand establishment of seed/seedlings. The active ingredient in METLOCK Fungicide is metconazole, a broad-spectrum triazole fungicide that works by inhibiting demethylation and other processes in fungal sterol biosynthesis. This mode of action inhibits spore formation and mycelial growth in fungi. METLOCK Fungicide is active against Rhizoctonia solani, Fusarium spp., and other Deuteromycete and Basidomycete (smut and bunt) fungi.

Note

- 1. Metconazole does not provide activity against *Pythium* spp. To provide protection against Pythium seed and seedling disease, add a Pythium-active fungicide to the seed treatment slurry prior to treating seed with *METLOCK* Fungicide.
- 2. Use rate of this product is extremely low. Measure label use rate accurately and add to water in a commercial slurry pre-mix tank. Always mix product thoroughly before applying to seed.

MODE OF ACTION

The active ingredient in *METLOCK* Fungicide, metconazole, belongs to the sterol biosynthesis inhibitor group of fungicides as classified by the U.S. EPA and Canada PMRA as a target site of action Group 3 fungicide.

APPLICATION DIRECTIONS

Accurate application of *METLOCK* Fungicide to seed is required for best performance. Thoroughly mix *METLOCK* Fungicide in the desired seed slurry mixture, prior to application to seed. **Pre-test tank mixtures with other seed treatment products to evaluate** formulation compatibility and to ensure proper physical compatibility of products. Follow more restrictive limitations or cautions on labels of all products used in a seed treatment mixture. Do not tank mix with any products which contain a prohibition on tank mixing.

ROTATIONAL RESTRICTIONS

- No plant back interval for Barley, Canola, Corn (including field, sweet and pop) Oat, Peanut, Rye, Soybean, Sugar Beet, Triticale and Wheat.
- A 30-day plant back interval for brassica leafy vegetables and leafy vegetables.
- A 120-day plant back interval for all other crops.

The following tables provide use rates of *METLOCK* Fungicide by labeled crop, with disease protection guidelines:

Table 1.

Crops	Disease Protection For:	METLOCK Fungicide Use Rates fl oz/100 lbs seed
Barley	Covered Smut Loose Smut Seed Decay Fungi Fusarium Seed Scab Early Season Fusarium Seedling Dieback Early Season Rhizoctonia Root Rot Early Season Common Root Rot	0.045 - 0.09
Canola*	Rhizoctonia Damping-off Fusarium Seed/Seedling Dieback Seed Decay Fungi	0.045 - 0.09
Cotton	Rhizoctonia Damping-off Fusarium Seed/Seedling Dieback Thielaviopsis Black Root Rot Seed Decay Fungi	0.36
Oats Triticale	Loose Smut Seed Decay Fungi Fusarium Seed Scab Early Season Fusarium Seedling Dieback Early Season Rhizoctonia Root Rot Early Season Common Root Rot	0.045 - 0.09
Wheat	Common Bunt Flag Smut Loose Smut Seed Decay Fungi Fusarium Seed Scab Early Season Fusarium Seedling Dieback Early Season Rhizoctonia Root Rot Early Season Common Root Rot	0.045 - 0.09
*Not for use in Ca	lifornia	

Table 2.

		METLOCK Fungicide Use Rates				
Crop	Disease Protection For:	fl oz/100 lbs seed	fl oz/80,000 kernel count*	mg active ingredient per kernel*		
Corn (Field, Sweet, and Popcorn)	Rhizoctonia Damping-off Fusarium Seed/Seedling Dieback Seed Decay Fungi	0.045 - 0.09	0.022 - 0.044	0.0036 - 0.0072		
	Head Smut	0.18 - 0.52	0.088 - 0.255	0.0145 - 0.0418		

Table 3.

C	Disease Protection For:	<i>METLOCK</i> Fungicide Use Rates			
Crop	Disease Protection For.	fl oz/seed unit**	fl oz/100 lbs seed**		
*Sugar Beet	Rhizoctonia Damping-off Fusarium Seed/Seedling Dieback Seed Decay Fungi	0.008 - 0.023	0.364 - 1.046		

^{*}Incorporate *METLOCK* Fungicide into pelleting process for application to sugar beet seed.

**A seed unit is 100,000 seeds. The rate of application expressed in fl oz/100lbs seed is based on the assumption that 1 unit of raw sugar beets equal approximately 1 KG (2.2 lbs) seed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE

Store in a dry place away from excessive heat.

Do not store near food or feed.

Store in original container only.

To close package, replace and tighten cap to form an airtight seal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available; otherwise dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Copyright© 2011 by Valent U.S.A. Corporation

METLOCK is a trademark of Valent U.S.A. Corporation

Manufactured For: Valent U.S.A. Corporation P. O. Box 8025 Walnut Creek CA 94596-8025 (800)-682-5368 www.valent.com

Made in U.S.A.

EPA Reg. No. 59639-171 EPA Est. No.

059639-00171.20110429.Metlock.NOTIF