UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JUL 6 2012

Sally S Christopher Regulatory Analyst Valent U S A Corporation 1600 Riviera Ave, Suite 200 Walnut Creek, CA 94596-8025

Subject NipsIt Suite Cereals Of Seed Protectant

Correction of redundant statement, product name, and a typo

EPA Reg No 59639-183

Notification Application Dated June 18, 2012

Dear Ms Christopher

The Agency has received your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated June 18, 2012 for the product NipsIt Suite Cereals Of Seed Protectant, EPA Reg. No. 59639-183. The Registration Division (RD) has reviewed this request and finds that the actions requested fall within the scopes of PR Notice 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at (703) 308-8043

Sincerely,

Marianne Lewis

Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

20414

/_			LOFI
Please read instructions on reverse before ipleting form	Form Apr	ed. OMB No 2070-00	060. Approval expires 2 28 9
United States	-	Registration	OPP Identifier Number
Environmental Protect		Amendment	
Washington DC 2		✓ Other	
Applica	tion for Pesticide - Sect	ion I	
1 Company/Product Number	2 EPA Product Mana	ager 3	Proposed Classification
59639-183	Marianne Lewis		None Restricted
Company/Product (Name) Nipsit SUITE Cereals OF Seed Protectant	PM# 01		
5 Name and Address of Applicant (Include ZIP Code)	6 Expedited Rev	eiw In accordance wit	th FIFRA Section 3(c)(3)
Valent U S A Corporation		s similar or identical in o	composition and labeling
1600 Riviera Ave Suite 200	EPA Reg. No		
Walnut Creek CA 94596-8025			
Check if this is a new address	Product Name _		
	Section - II		
Amendment Explain below	Final printed	labels in repsonse to	
Resubmission in response to Agency letter dated	Agency lette		
		• •	
Notification Explain below	Other Expl	ain below	
Explanation Use additional page(s) if necessary (For sect	tion I and Section II)		
NOTIFICATION Correction of redundant statement and product	name and a typo		
	Section - III		
1 Material This Product Will Be Packaged In			
Child Resistant Packaging Unit Packaging	Water Soluble Packaging	2 Type of Contains	3f
Yes	Yes	Metal	
✓ No ✓ No	✓ No	✓ Plastic Glass	;
* Certification must	If Yes" No per	Paper	
be submitted Unit Packaging wgt container	Package wgt container	Other	(Specify)
3 Location of Net Contents Information 4 Size(s) F	Retail Container	5 Location of Label Direct	bons
✓ Label Container		On Labeling	
	ograph Other		((()
Pap Ster	er glued	(0 0 0 0	(((
	Section - IV	; ((; (
1 Contact Point (Complete items directly below for identifica		f necessary to process th	is application)
Name	Title		ne No (nclude Area Code)
Sally S Christopher	Regulatory Analyst	ြိုင်ဦီ 256	(C C A
Certifi	cation		6 Oete Application
I certify that the statements I have made on this form a	nd all attachments thereto are true		Received
l acknowledge that any knowlinglly false or misleading s both under applicable law	statement may be punishable by fir	e or imprisonment or	ि (Stamped)
	3 Title	· · · · · · · · · · · · · · · · · · ·	-
2 Signature	Regulatory Analyst		
Jally S Olmsly Sur	, togottery , maryot		
4 Typed Name	5 Date		
Sally S Christopher	June 18, 201	2	

June 18, 2012



Nipsit[™] SUITE Cereals OF Seed Protectant, EPA Reg No 59639-183 Active Ingredients Clothianidin, Metalaxyl, Metconazole NOTIFICATION

Ms Marianne Lewis
U S Environmental Protection Agency (NOTIF)
Insecticide-Rodenticide Branch
Registration Division (7505P)
1200 Pennsylvania Ave NW
Washington, DC 20460

Dear Ms Lewis

Valent U S A Corporation would like to update our product label via Notification for NipsltTM SUITE Cereals OF Seed Protectant (EPA Reg No 59639-183), which contains the active ingredients clothianidin, metalaxyl and metconazole. The update includes the following

The removal of one redundant bullet point on page 6, correction of the product name on page 7 and the addition of a parenthesis on page 10

Please find enclosed the following documents to support this notification

- Pesticide application (Form 8570-1)
- A Certification Statement consistent with the provisions of PR-Notice 98-10
- One (1) copy of the proposed label
- One (1) copy of the proposed label with redline additions/strike through
- A CD with proposed label in PDF format
- The statement of Certification with Respect to Label Integrity

If you should have any questions please contact me at (925) 256-2710 or email sally christopher@valent com or Sue-Chi Shen at (972) 244-6543 cremail sue shen@valent com

Sincerely,

Sally S Christopher Regulatory Analyst

Registration and Regulatory Affairs

Enclosures





REDLINE COPY - NOTIFICATION

NipsIt™ SUITE Cereals OF Seed Protectant

A SEED TREATMENT PRODUCT PROVIDING SYSTEMIC SEED AND SEEDLING PROTECTION AGAINST LISTED EARLY SEASON CEREAL DISEASES AND WIREWORM

Active Ingredients	By Wt
Clothianidin ¹	2 93%
Metalaxyl ²	0 88%
Metconazole ³	0 44%
Other Ingredients	95 75%
Total	100%

¹(E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine ²*N*-(2,6-dimethylphenyl)-*N*-(methoxyacetyl)alanine methyl ester

One gallon of Nipslt SUITE Cereals OF Seed Protectant contains 0 256 lbs clothianidin, 0 077 lbs metalaxyl, and 0 038 lbs metconazole

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE NEXT PAGE FOR PRECAUTIONARY STATEMENTS

NET CONTENTS

EPA Reg No 59639-183 **EPA Est No**



³5-[(4-chlorophenyl)methyl]-2,2-dimethyl-1-(1*H*-1,2,4-triazol-1-ylmethyl)cyclopentanol

FRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

PERSONAL PROTECTIVE EQUIPMENT (PPE) Mixers, loaders, applicators and other handlers must wear Long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof material, socks and shoes

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Do not apply where runoff is likely to occur. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Apply this product only as specified on label

Treated seed exposed on soil surface maybe hazardous to birds. Cover or collect spilled seeds.

Metalaxyl has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow. Therefore, contain any product spills or equipment leaks and dispose of waste according to the disposal instructions on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS


Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170 This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the **restricted entry interval (REI) of 24 hours**

Exception Once the seeds are planted in soil, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area without restriction if there will be no worker contact with the soil subsurface or treated seed PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants soil, or water, is long-sleeved shirt and long pants, chemical-resistant gloves such as barrier laminate, butyl rubber nitrile rubber, or Viton, shoes plus socks



DISCLAIMER RISKS OF USING THIS PRODUCT LIMITED WARRANTY AND LIMITATION OF LIABILITY

IMPORTANT Read the entire Label including this Disclaimer Risks of Using this Product Limited Warranty and Limitation of Liability before using this product If the terms are not acceptable THEN DO NOT USE THE PRODUCT rather return the unopened product within 15 days of purchase for a refund of the purchase price

ASSUMPTION OF RISK

The Buyer and User (referred to collectively herein as Buyer) of this product should be aware that there are inherent unintended risks associated with the use of this product which are impossible to eliminate. These risks include but are not limited to injury to plants and crops to which this product is applied, lack of control of the target pests to this product. Such risks of crop injury, non-performance, or other unintended consequences are unavoidable and may result because of such factors as weather, soil conditions, disease, moisture conditions, irrigation practices, cultural practices or the manner of use or application (or a combination of such factors) all of which are factors beyond the control of Valent. The Buyer should be aware that these inherent unintended risks may reduce the harvested yield of the crop in all or a portion of the treated acreage, or otherwise affect the crop such that additional care, treatment and expense are required to take the crop to harvest. If the Buyer chooses not to accept these risks, THEN THIS PRODUCT SHOULD NOT BE APPLIED By applying this product Buyer acknowledges and accepts these inherent unintended risks AND TO THE FULLEST EXTENT ALLOWED BY LAW, AGREES THAT ALL SUCH RISKS ASSOCIATED WITH THE APPLICATION AND USE ARE ASSUMED BY THE BUYER.

Valent shall not be responsible for losses or damages (including but not limited to loss of yield increased expenses of farming the crop or such incidental consequential or special damages that may be claimed) resulting from use of this product in any manner not set forth on the label. Buyer assumes all risks associated with the use of this product in any manner or under conditions not specifically directed or approved on the label.

LIMITED WARRANTY

Valent warrants only that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the label under average use conditions when used strictly in accordance with the label and subject to the Risks of Using This Product as described above. To the extent consistent with applicable law AND AS SET FORTH ABOVE VALENT MAKES NO OTHER WARRANTIES EITHER EXPRESSED OR IMPLIED. No agent or representative of Valent or Seller is authorized to make or create any other express or implied warranty.

LIMITATION OF LIABILITY

To the fullest extent allowed by law Valent or Seller is not liable for any incidental consequential indirect or special damages resulting from the use or handling of this product. The limitation includes but is not limited to loss of yield on all or any portion of the treated acreage increased care treatment or other expenses required to take the crop to harvest increased finance charges or altered finance ratings emotional or mental distress and/or exemplary damages. TO THE FULLEST EXTENT ALLOWED BY LAW THE EXCLUSIVE REMEDY OF THE BUYER AND THE EXCLUSIVE MAXIMUM LIABILITY OF VALENT OR SELLER FOR ANY AND ALL CLAIMS LOSSES. INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY CONTRACT NEGLIGENCE TORT STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR AT THE ELECTION OF VALENT OR SELLER. THE REPLACEMENT OF THE PRODUCT

PROMPT NOTICE OF CLAIM

To the extent consistent with applicable law allowing such requirements Valent must be provided notice as soon as Buyer has reason to believe it may have a claim but in no event later than twenty one days from date of planting or twenty one days from the date of application whichever is latter so that an immediate inspection of the affected property and growing crops can be made

To the extent consistent with applicable law if Buyer does not notify Valent of any claims in such period it shall be barred from obtaining any remedy

NO AMENDMENTS

Valent and Seller offer this product and Buyer accepts it subject to the foregoing **Disclaimer Risks of Using This Product Limited Warranty and Limitation of Liability** which may not be modified by any oral or writton agreement

RESISTANCE MANAGEMENT

NipsIt SUITE Cereals OF Seed Protectant contains Clothianidin which is a neonicotinoid and a Group 4A insecticide. Insect biotypes with acquired resistance to Group 4A insecticides may eventually dominate the insect population if Group 4A insecticides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by NipsIt SUITE Cereals OF Seed Protectant or other Group 4A insecticides. Valent U.S.A. Corporation strives to maintain strong stewardship of this product by recommending that its use be coordinated in a planned resistance management strategy program established for the specific crop and area.

Contact your local extension specialist certified crop advisors and/or manufacturer for insecticide resistance management or IPM recommendations for the specific site and resistant pest problems

For further information or to report suspected resistance you may contact Valent U S A Corporation at 800 682 5368

PRECAUTIONS AND RESTRICTIONS

NipsIt SUITE Cereals OF Seed Protectant is formulated as a ready to use seed protectant formulation and must be used only in accordance with specifications on this label utilizing mechanical slurry or mist type seed treating equipment provided that the equipment can be calibrated to accurately and uniformly apply the product to seed. This product is for both commercial and on farm application. Do not use planter box or hopper box when applying product to seeds. Always mix product thoroughly before use

As stated by regulations specified in 40 CFR 153 155 all seed treated with *NipsIt SUITE* Cereals OF Seed Protectant must be colored with an EPA approved dye or colorant to visually distinguish seed that is treated with a pesticide. This product contains such dye or colorant. This regulation is necessary to prevent treated seed from accidental use as a food for man or feed for animals.

Seed Quality and Storage of Treated Seed

Seed treatments applied to low vigor or poor quality seed or to mechanically damaged seed may result in loss of seed germination or reduced seedling vigor. To verify seed safety treat a small portion of seed prior to treatment of an entire seed lot. Utilize standard seed germination methodologies to determine and verify seed safety. Proper storage conditions of treated seed are recommended. Due to seed quality and seed storage conditions beyond the control of Valent U.S.A. Corporation, no claims are made to guarantee the germination of carry-over treated seed.

SEED BAG TAG

The Federal Seed Act requires that the container of seed treated with Nipślt SUITE Cereals OF Seed Protectant containing clothianidin metalaxyl and metconazole inust be labeled with the following statements

- This seed has been treated with NipsIt SUITE Cereals OF Seed Protectant which contains clothianidin metalaxyl and metconazole
- Do not use treated seed for feed food or oil processing

90414

In addition the U.S. Environmental Protection Agency requires the following statements on the container of seed treated with *NipsIt SUITE* Cereals OF Seed Protectant

- Regardless of the type of application (seed treatment soil or foliar) do not apply more than a total of 6 4 oz (181 4 gram) clothianidin (active ingredient) per acre per cropping cycle
- Store away from feeds and other foodstuffs
- Excess treated seed may be used for ethanol production only if (1) by products are not used for livestock feed and (2) no measurable residues of pesticide remain in ethanol by products that are used in agronomic practice
- Wear long sleeved shirt long pants and chemical resistant gloves when handling treated seed
- Dispose of all excess treated seed. Left over treated seed may be double-sown around the headland or buried away from water sources in accordance with local requirements. Do not contaminate water bodies when disposing of planting equipment washwaters.
- Treated seeds must be planted at a minimum depth of 0 5 inch
- This compound is toxic to birds and mammals. Treated clothianidin seeds exposed on soil surface may be hazardous to birds and mammals. Cover or collect seeds spilled during loading.
- This compound is highly toxic to bees exposed directly (contact) Ensure that planting
 equipment is functioning properly in accordance with manufacturing recommendations
 to minimize seed coat abrasion during planting to reduce dust which can drift to
 blooming crops or weeds
- Do not re use bags from treated seed to handle food or feed products
- Dispose of seed packaging in accordance with local requirements
- The compound is toxic to birds and mammals. Treated clothianidin seeds exposed on soil surface may be hazardous to birds and mammals. Cover or collect seeds spilled during loading.
- -After seeds have been planted do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception. Once seeds are planted and covered by soil or other planting media, the Worker Protection Standard (WPS) allows workers to enter the treated area without restriction.
- Areas planted with treated seed of barley oats and wheat may be replanted immediately with bulb vegetables canola cereal grains (except rice) cotton fruiting vegetables (including cucurbits) leafy vegetables (including brassica vegetables) rapeseed root and tuber vegetables and soybean. These areas may also be replanted after 30 days with dry beans grasses non grass animal feeds and rice. These areas may also be replanted after 8 months with sugarcane. Do not plant any other crop in the treated area for at least one year after these treated seeds are planted.

PRODUCT INFORMATION

NipsIt SUITE Cereals OF Seed Protectant is a systemic fungicide plus insecticide product formulated for seed treatment use to provide protection against seed borne and soil borne diseases and seed protection against wireworm. The fungicide active ingredients in NipsIt SUITE Cereals OF Seed Protectant are metconazole a broad spectrum systemic triazole fungicide and metalaxyl an Oomycete active systemic acylalanine fungicide. The fungicide components of NipsIt SUITE Cereals OF Seed Protectant provide activity against Pythium spp. Rhizoctonia solani. Fusarium spp. and other Deuteromycete and Basidomycete (smut and bunt) fungi. Clothianidin is a systemic insecticide in NipsIt SUITE Cereals OF Seed Protectant giving seed protection against wireworm.

MODES OF ACTION

Metalaxyl fungicide contained in *Nipslt HNSIDE-SUITE* Cereals OF Seed Protectant is a member of the acylalanine chemical group (FRAC Code 4) and interrupts fungal nucleic acid synthesis. Metconazole belongs to the sterol biosynthesis inhibitor group of fungicides (FRAC Code 3). Clothianidin is a neonicotinoid insecticide (IRAC MoA Group 4A) acting as a nicotine acetylcholine receptor agonist/antagonist in insect metabolism.

APPLICATION DIRECTIONS

Accurate application of *Nipslt SUITE* Cereals OF Seed Protectant to seed is required for control of pests *Nipslt SUITE* Cereals OF Seed Protectant is ready to use and may be applied direct to seed as formulated. However, to enhance uniform seed coverage dilution with water may be appropriate for some types of treaters and/or treating seed under dry and/or hot conditions. If so, mix *Nipslt SUITE* Cereals OF Seed Protectant and water thoroughly into slurry before treating seed. Recalibrate treating equipment to compensate for the addition of water. The amount of dilution water that is most suitable depends on the seed, treating equipment, and the temperature.

For preparation of product in a slurry mixture with water use the following guideline

Nipslt SUITE Cereals OF	Amount of water to	Total Slurry Volume to
Seed Protectant Use Rate	be added to product	apply per cwt seed
5 0 fl oz /cwt seed	5 0 – 10 fl oz	10 0 – 15 fl oz
7 5 fl oz /cwt seed	7 5 fl oz /cwt	15 fl oz /cwt

Use standard slurry or mist type seed treatment equipment

The following tables provide use rates of *NipsIt SUITE* Cereals OF Seed Protectant by labeled crop with disease and insect protection guidelines

BARLEY				
Seed/Seedling Diseases	Insect	Nipsit SUITE Cereals OF Seed Protectant Use Rates		
	Pests	fl oz/100 lbs seed	¹ active Ingredient (mg ai/seed)	
Covered Smut Loose Smut Seed Decay Fungi Fusarium Seed Scab Pythium Seed Rot and Seedling Dieback Early Season Fusarium Seedling Dieback Early Season Rhizoctonia Root Rot Early Season Common Root Rot	Wireworm	50 75	Clothianidin (0 00333 0 005) Metalaxyl (0 001 0 0015) Metconazole (0 00049-0 00074)	

Regardless of type of application (seed treatment soil or foliar) do not apply more than a total of 6 4 oz (181 4 gram) active ingredient clothianidin per acre per cropping cycle

mg active ingredient per seed is based on 13 605 seeds per pound

OATS				
Seed/Seedling Diseases	Insect	NipsIt SUITE Cereals OF Seed Protectant Use Rates		
	Pests	fl oz/100 lbs seed	¹ active Ingredient (mg ai/seed)	
Loose Smut Seed Decay Fungi Fusarium Seed Scab Pythium Seed Rot and Seedling Dieback Early Season Fusarium Seedling Dieback Early Season Rhizoctonia Root Rot Early Season Common Root Rot	Wireworm	5075	Clothianidin (0 00238 0 00357) Metalaxyl (0 00072 0 00107) Metconazole (0 00035-0 00053)	

Regardless of type of application (seed treatment soil or foliar) do not apply more than a total of 6 4 oz (181 4 gram) active ingredient clothianidin per acre per cropping cycle

mg active ingredient per seed is based on 19 047 seeds per pound

WHEAT					
Seed/Seedling Diseases	Insect	Nipsit SUITE Cereals OF Seed Protectant Use Rates			
	Pests	fl oz/100 lbs seed	/100 lbs seed 1 active Ingredient (mg ai/seed)		
Common Bunt Flag Smut Loose Smut Seed Decay Fungi Fusarium Seed Scab Pythium Seed Rot and Seedling Dieback Early Season Fusarium Seedling Dieback Early Season Rhizoctonia Root Rot Early Season Common Root Rot	Wireworm	50 75	Clothianidin (0 004 0 006mg) Metalaxyl (0 0012 0 0018 mg) Metconazole (0 00059 0 00089 mg)		

Regardless of type of application (seed treatment soil or foliar) do not apply more than a total of 6 4 oz (181 4 gram) active ingredient clothianidin per acre per cropping cycle

¹ mg active ingredient per seed is based on 11 338 seeds per pound

130414

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage and disposal

PESTICIDE STORAGE

Store in a dry place away from excessive heat Do not store near food or feed Store in original container only To close package replace and tighten cap to form an airtight seal

PESTICIDE DISPOSAL

To avoid wastes use all material in this container by application according to label directions if wastes cannot be avoided offer remaining product to a waste facility or pesticide disposal program (often such programs are run by state or local governments or by industry)

CONTAINER HANDLING

a sanitary landfill or incinerator

[Use the following statement for containers equal to or less than 5 gallons]

Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available otherwise dispose of in a sanitary landfill or incinerator.

[Use the following statement for containers greater than 5 gallons]

Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal.

Repeat this procedure two more times. Offer for recycling, if available, otherwise dispose of in

[Use the following statement for all formulation types/all refillable container types]
Refillable container Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling, if available otherwise dispose of in a sanitary landfill or incineration.

RECYCLING

Once cleaned some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site contact your chemical dealer or manufacturer or contact the Ag Container Recycling Council (ACRC) at 877 952 2272 (toll free) or www acrecycle org

Nipslt is a trademark of Valent U S A Corporation

Copyright© 2012 by Valent U S A Corporation

Manufactured For **Valent U S A Corporation** P O Box 8025 Walnut Creek CA 94596-8025

Made in USA

EPA Reg No 59639 183 EPA Est No

059639 00183 20120618 NIP NOTIF 20120417/20111220 NIP Cereal rev1 FINAL