



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505T)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

59639-267

Date of Issuance:

5/14/25

NOTICE OF PESTICIDE:

☒ Registration

☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

V-10519 FS

Name and Address of Registrant (include ZIP Code):

Valent USA LLC  
4600 Norris Canyon Road  
San Ramon, CA 94583

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5). The following terms apply:

*Continues page 2*

Signature of Approving Official:

Manjula Unnikrishnan, Product Manager 21  
Fungicide Branch, Registration Division (7505T)

Date:

5/14/25

1. If, following formal consultation with Service(s), additional modifications are identified in any applicable Biological Opinion, EPA will notify Valent in writing within 45 calendar days of the issuance of the Biological Opinion of any necessary changes. Within 30 calendar days of receiving EPA's notice, Valent must submit an amendment application incorporating the necessary changes, including amended labels. Alternatively, Valent may respond by submitting a request for voluntary cancellation of this product. If Valent fails to comply with this term, Valent has agreed in prior written acceptance of these terms that EPA may cancel the registration under an expedited process under FIFRA 6(e).
2. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 59639-267."
  - Add an appropriate EPA Establishment Number and Net Contents information.
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The alternate brand name "**Zeltera Rice Armor**" has been added to the product record.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 07/11/2022
- Alternate CSF 1 dated 07/12/2022

Page 3 of 3


EPA Reg. No. 59639-267

Case No. 476794

- Alternate CSF 2 dated 07/13/2022

If you have any questions, please contact Stephanie Suarez at [Suarez.Stephanie@epa.gov](mailto:Suarez.Stephanie@epa.gov).

Enclosure



METALAXYL	GROUP	4	FUNGICIDE
INPYRFLUXAM	GROUP	7	FUNGICIDE
FLUDIOXONIL	GROUP	12	FUNGICIDE

[Bracketed text is optional]

[Bracketed *Italicized text is information for the reviewer*]

## V-10519 FS

[Alternate Brand Name: *Zeltera<sup>®</sup> Rice Armor*]

**A SEED TREATMENT PRODUCT PROVIDING SYSTEMIC FUNGICIDE PROTECTION  
AGAINST DISEASES CAUSED BY *RHIZOCTONIA SOLANI* AND OTHER FUNGAL  
PATHOGENS AFFECTING RICE**

Active Ingredient	By wt
Metalaxyl <sup>1</sup> .....	9.15 %
Inpyrfluxam <sup>2</sup> .....	4.58 %
Fludioxonil <sup>3</sup> .....	1.15 %
Other Ingredients .....	85.12 %
Total	100.00 %

<sup>1</sup> methyl *N*-(2,6-dimethylphenyl)-*N*-(methoxyacetyl)-DL-alaninate

<sup>2</sup> 3-(difluoromethyl)-*N*- [(*R*)-2,3-dihydro-1,1,3-trimethyl-1*H*-inden-4-yl]-1-methyl-1*H*- pyrazole-4-carboxamide

<sup>3</sup> 4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1*H*-pyrrole-3-carbonitrile

**V-10519 FS** contains 0.832 lb metalaxyl, 0.416 lb inpyrfluxam and 0.104 lb fludioxonil active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

SEE [NEXT] [PAGE][PANEL][BOOKLET] FOR [ADDITIONAL PRECAUTIONARY  
STATEMENTS] [AND] [DIRECTIONS FOR USE]

### NET CONTENTS

EPA Reg. No. 59639-  
EPA Est.

<b>FIRST AID</b>	
If swallowed:	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• <b>DO NOT</b> induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<p style="text-align: center;"><b>HOT LINE NUMBER</b></p> <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 800-892-0099 for emergency medical treatment information.</p>	

## **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS & DOMESTIC ANIMALS**

#### **CAUTION**

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

**Mixers, loaders, applicators and other handlers must wear:**

- Long-sleeved shirt and long pants
- Chemical resistant gloves made of barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, or Viton ≥ 14 mils
- Socks and shoes.

#### **User Safety Requirements**

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

<b>USER SAFETY RECOMMENDATIONS</b>	
Users should:	<ul style="list-style-type: none"> <li>• Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.</li> <li>• Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.</li> </ul>

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish and aquatic invertebrates. **DO NOT** apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. **DO NOT** contaminate water by disposing of equipment washwaters or rinsate.

### Groundwater Advisory

This product contains Metalaxyl and Fludioxonil which have properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow. Therefore, contain any product spills or equipment leaks and dispose of wastes according to the disposal instructions on this label.

### Surface Water Advisory

This product contains Metalaxyl which may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow groundwater. This product is classified as having high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features including ponds, streams, and springs will reduce the potential loading of metalaxyl from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

**DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Maximum usage when applying both metalaxyl- and mefenoxam- containing products to the same crop within the same season: **DO NOT** apply more than the maximum yearly total application rate for the active ingredient as stated on the label of the product containing the lowest yearly total on that crop.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**DO NOT** enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

**Exception:** Once the seeds are planted in soil, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area without restriction if there will be no worker contact with the soil subsurface or treated seed.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, including plants, soil, or water, is: Coveralls, chemical-resistant gloves and shoes plus socks.

## PRODUCT INFORMATION

**V-10519 FS** is a broad-spectrum seed protection product for use on dry-seeded rice only, and contains three active ingredients (metalaxyl, inpyrfluxam, and fludioxonil) for protection against pre- and post-emergence damping-off, seedling blight, seed rot, and root rot caused by *Pythium* spp., *Rhizoctonia solani*, and *Fusarium* spp. Metalaxyl targets *Pythium* spp., while inpyrfluxam is active against *R. solani* and fludioxonil targets both *Fusarium* spp. and *R. solani*. For protection against insect pests of rice, use V-10519 FS in combination with an insecticide seed treatment including clothianidin.

## MODE OF ACTION

The active ingredients in **V-10519 FS** are metalaxyl, a member of the acylalanine chemical group (FRAC Group 4) which interrupts RNA synthesis in oomycetes; inpyrfluxam, a succinate dehydrogenase inhibitor (SDHI) in the pyrazole-4-carboxamide group (FRAC Group 7), which disrupts fungal respiration; and fludioxonil, a phenylpyrrole fungicide (FRAC Group 12) which interferes with osmotic signal transduction in fungi.

## RESTRICTIONS

- **V-10519 FS** must be used only in accordance with use instructions on this label utilizing mechanical, slurry, or mist-type seed treating equipment, provided that the equipment can be calibrated to accurately and uniformly apply the product to seed.
- This product is for commercial [and on-farm] application.
- **DO NOT** use in planter box or hopper box when applying product to seeds.
- Always mix product thoroughly before use.
- As stated by regulations specified in 40 CFR 153.155, all seed treated with **V-10519 FS** must be colored with an EPA-approved dye or colorant to visually distinguish seed that is treated with a pesticide. This product contains such colorant. This regulation is necessary to prevent treated seed from accidental use as a food for man or feed for animals.

- Seed treated with this product must be labeled in accordance with all applicable requirements of the Federal Seed Act.
- **DO NOT** use for feed, food or oil processing.
- **DO NOT** allow children, pets, or livestock to have access to treated seed.
- Store treated seeds away from feeds and other foodstuffs.
- Wear long-sleeved shirt, long pants, socks and shoes, and chemical-resistant gloves when handling treated seed.
- Dispose of all excess treated seed. Left over treated seed may be double-sown around the headland or buried away from water sources in accordance with local requirements.
- **DO NOT** contaminate water bodies when disposing of planting equipment washwaters.
- Dispose of seed packaging in accordance with local requirements.
- Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds spilled during loading.
- **DO NOT** plant treated seed by broadcasting to the soil surface.
- Plant treated seed into the soil following seeding depth recommendations for agronomic practices for the crop. Ensure that all planted seeds are thoroughly incorporated by the planter during planting. Additional incorporation may be required to thoroughly cover exposed seeds.
- **V-10519 FS** is to be used only as a **dry-seeded rice seed treatment**. Cover the planted seed thoroughly by soil.
- The maximum yearly application for rice must not exceed 0.052 lb ai/A for metalaxyl, 0.011 lb ai/A for inpyrfluxam, and 0.875 lb ai/A for fludioxonil regardless of application method (seed treatment and/or foliar).

## APPLICATION DIRECTIONS

Always mix product thoroughly before use. Accurate application of V-10519 FS to seed is required for best performance. Thoroughly mix V-10519 FS in the desired seed slurry mixture, prior to application to seed. Pre-test tank mixtures with other seed treatment products to evaluate formulation compatibility and to ensure proper physical compatibility of products. Follow the most restrictive limitations or cautions on labels of all products used in a seed treatment mixture. **DO NOT** tank mix with any products which contain a prohibition on tank mixing.

It is the pesticides user's responsibility to ensure that all products are registered for intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

## RESISTANCE MANAGEMENT

For resistance management, please note that V-10519 FS contains FRAC **Group 4 (metalaxyl)**, **7 (inpyrfluxam)**, and **12 (fludioxonil)** fungicides. Fungal populations may contain individuals naturally resistant to the active ingredients in **V-10519 FS** and other **Group 4, 7 and 12** fungicides. A gradual or total loss of pest control may be possible if these fungicides are used repeatedly in the same fields. To manage or delay fungicide resistance, appropriate resistance-management strategies and practices are to be followed.



Fungicide resistance management practices include:

- Rotation of **V-10519 FS** or other **Group 4, 7 and 12** fungicides with different groups that control the same pathogens.
- Using tank mixtures with fungicides from a different group that are equally effective on the target pest when such use is permitted. Use at least the minimum application rate as labeled by the manufacturer.
- Adoption of an integrated disease management program for fungicide use that includes scouting, uses historical information related to pesticide use, and crop rotation, and which considers host plant resistance, impact of environmental conditions on disease development, disease thresholds, as well as cultural, biological and other chemical control practices.
- Implementation, where possible, of predictive disease models to effectively plan fungicide applications. Note that using predictive models alone is not enough to manage resistance.
- Monitoring treated fungal populations for resistance development.

Contact your local extension specialist or certified crop advisor for any additional pesticide resistance management and/or IPM guidance for specific crop and pathogens.

For information or to report suspected resistance contact *Valent* at 1-800-6-VALENT (800-682-5368). You can also contact your pesticide distributor or university extension specialist to report resistance. Valent encourages responsible product stewardship to ensure effective long-term control of the fungal diseases on this label.

#### **SEED QUALITY AND STORAGE OF TREATED SEED**

Seed treatments applied to low vigor or poor quality seed or to mechanically damaged seed may result in loss of seed germination or reduced seedling vigor. To verify seed safety, treat a small portion of seed with the desired slurry mixture (V-10519 FS alone or in combination with other commercial seed treatment products) prior to treatment of an entire seed lot. Utilize standard seed germination methodologies to determine and verify seed safety. Use proper storage conditions for treated seed. Due to seed quality and seed storage conditions beyond the control of Valent U.S.A. LLC, no claims are made to guarantee the germination of carry-over treated seed.

#### **SEED BAG TAG REQUIREMENTS**

The Federal Seed Act requires that the container or bag containing treated seed be labeled or tagged with the following information:

- This seed has been treated with **V-10519 FS** (EPA Reg. No. 59639-EAT) containing metalaxyl, inpyrfluxam and fludioxonil.
- **DO NOT** use treated seed for feed, food or oil processing.

The U.S. Environmental Protection Agency requires the following statements on the container of seed treated with V-10519 FS:

- This seed has been treated with 0.02 lb ai metalaxyl, 0.01 lb ai inpyrfluxam and, 0.0025 lb ai fludioxonil per 100 lb seed.
- The maximum yearly application for rice must not exceed 0.052 lb ai/A for metalaxyl, 0.011 lb ai/A for inpyrfluxam, and 0.875 lb ai/A for fludioxonil regardless of application method (seed treatment and/or foliar).
- Store treated seeds away from feeds and other foodstuffs.
- **DO NOT** allow children, pets, or livestock to have access to treated seed.

- Wear long sleeved shirt, long pants and chemical-resistant gloves when opening this bag or handling (e.g., loading, pouring) treated seed.
- Treated seeds exposed on soil surface may be hazardous to wildlife. Plant treated seed into the soil to the specified minimum depth or greater to minimize exposure.
- Cover or collect treated seeds spilled during loading and planting, at row ends and field corners.
- Dispose of all excess treated seed by burying seed away from bodies of water.
- **DO NOT** contaminate water bodies when disposing of planting equipment washwaters.
- Dispose of seed packaging in accordance with local requirements.
- **DO NOT** plant treated seed by broadcasting to the soil surface.
- Plant treated seed into the soil following seeding depth recommendations for agronomic practices for the crop. Ensure that all planted seeds are thoroughly incorporated by the planter during planting. Additional incorporation may be required to thoroughly cover exposed seeds.
- V-10519 FS is to be used only as a **dry-seeded rice seed treatment**. Cover the planted seed thoroughly by soil.
- **Groundwater Advisory:** Metalaxyl and Fludioxonil has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow. Therefore, contain any product spills or equipment leaks and dispose of wastes according to the disposal instructions on this label.
- **Surface Water Advisory:** This product contains metalaxyl which may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow groundwater. This product is classified as having high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features including ponds, streams, and springs will reduce the potential loading of metalaxyl and fludioxonil from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.
- After seeds have been planted, **DO NOT** enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: Once seeds are planted and covered by soil or other planting media, the Worker Protection Standard (WPS) allows workers to enter the treated area without restriction.
- [V-10519 FS is Not Registered for use by California.]

## USE INFORMATION

The following table provides seed-treatment rates of **V-10519 FS for dry-seeded rice**, with disease protection guidelines.

<b>Rice*</b> <b>[Not Registered for Use by California]</b>	
<b>Diseases</b>	<b>Application Rate of V-10519 FS (fl oz/100 lb seed)</b>
Seed decay, damping-off and root rot caused by <i>Pythium</i> spp., <i>Rhizoctonia solani</i> and <i>Fusarium</i> spp.	<p><b>3.08</b></p> <p>equals to</p> <p>0.02 lb ai metalaxyl, 0.01 lb ai inpyrfluxam and 0.0025 lb ai fludioxonil per 100 lb seed.</p> <p>or</p> <p>20 g ai metalaxyl, 10 g ai inpyrfluxam and 2.5 g ai fludioxonil per 100 kg seed.</p>
<b>Restrictions:</b> *V-10519 FS is to be used only as a dry-seeded rice seed treatment.	

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food or feed by storage or disposal.

### STORAGE

Store in a dry place away from excessive heat.

**DO NOT** store near food or feed.

Store in original container only.

### PESTICIDE DISPOSAL

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

### CONTAINER HANDLING

*[Use the following statement for containers equal to or less than 5 gallons]*

**Nonrefillable container. DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available; otherwise dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

*[Use the following statement for containers greater than 5 gallons]*

**Nonrefillable container. DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available; otherwise dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

*[Use the following statement for refillable containers]*

**Refillable container.** Refill this container with pesticide only. **DO NOT** reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling, if available; otherwise dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

### RECYCLING

Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact the Ag Container Recycling Council (ACRC) at **877-952-2272** (toll free) or [www.acrecycle.org](http://www.acrecycle.org).

**RISKS OF USING THIS PRODUCT,  
LIMITED WARRANTY AND DISCLAIMER,  
AND LIMITATION OF LIABILITY**

**IMPORTANT:** Read the entire Label including this section titled Risks of Using this Product, Limited Warranty and Disclaimer, and Limitation of Liability before using this product. If the terms are not acceptable THEN DO NOT USE THE PRODUCT; rather, return the unopened product within 15 days of purchase for a refund of the purchase price.

**RISKS OF USING THIS PRODUCT**

The buyer and user (referred to collectively herein as "Buyer") of this product should be aware that there are inherent unintended risks associated with the use of this product which are impossible to eliminate. Such risks of crop injury, non-performance, resistance or other unintended consequences are unavoidable and may result because of such factors as weather, soil conditions, disease, moisture conditions, irrigation practices, condition of the crop at the time of application, presence of other materials either applied in the tank mix with this product or prior to application of this product, cultural practices or the manner of use or application, (or a combination of such factors) all of which are factors beyond the control of Valent. If the Buyer chooses not to accept these risks, THEN THIS PRODUCT SHOULD NOT BE APPLIED. By applying this product Buyer acknowledges and accepts these inherent unintended risks AND TO THE FULLEST EXTENT ALLOWED BY LAW, AGREES THAT ALL SUCH RISKS ASSOCIATED WITH THE APPLICATION AND USE ARE ASSUMED BY THE BUYER.

The Directions for Use of this product must be followed carefully. Valent shall not be responsible for losses or damages (including, but not limited to, loss of yield, increased expenses of farming the crop or such incidental, consequential, or special damages that may be claimed) resulting from use of this product in any manner not set forth on the label. To the extent consistent with applicable law, Buyer assumes all risks associated with the use of this product in any manner or under conditions not specifically directed or approved on the label.

**LIMITED WARRANTY AND DISCLAIMER**

Valent warrants only that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the label, under average use conditions, when used strictly in accordance with the label **and subject to the Risks of Using This Product as described above. To the extent consistent with applicable law, VALENT MAKES NO OTHER WARRANTIES, EITHER EXPRESSED OR IMPLIED.** No agent or representative of Valent or Seller is authorized to make or create any other express or implied warranty.

**LIMITATION OF LIABILITY**

**To the fullest extent allowed by law, Valent or Seller is not liable for any incidental, consequential, indirect or special damages resulting from the use or handling of this product. TO THE FULLEST EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE BUYER, AND THE EXCLUSIVE MAXIMUM LIABILITY OF VALENT OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR, AT THE ELECTION OF VALENT OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

**PROMPT NOTICE OF CLAIM**

To the extent consistent with applicable law allowing such requirements, Valent must be provided notice as soon as Buyer has reason to believe it may have a claim, but in no event later than twenty-one days from date of planting, or twenty-one days from the date of application, whichever is later, so that an immediate inspection of the affected property and growing crops can be made.

To the extent consistent with applicable law, if Buyer does not notify Valent of any claims, in such period, it shall be barred from obtaining any remedy.

**NO AMENDMENTS**

Valent and Seller offer this product, and Buyer accepts it, subject to the foregoing **Risks of Using This Product, Limited Warranty and Disclaimer, and Limitation of Liability**, which may not be modified by any oral or written agreement.

**TANK MIXES**

NOTICE: Tank mixing or use of this product with any other product which is not specifically and expressly authorized by the label shall be the exclusive risk of user, applicator and/or application advisor, to the extent allowed by applicable law.

**Read and follow the entire label of each product to be used in the tank mix with this product.**

©2025 Valent U.S.A. LLC

Manufactured For:

**Valent U.S.A. LLC**

P.O. Box 5075

San Ramon CA 94583

**Made in U.S.A.**

[EPA Reg. No. 59639-]

[EPA Est. ]

059639-00EAT.20250512.V-10519\_FS\_NPR.Clean