11-13-2009

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

NOV 13 2009

SEPA United States Environmental Protection Office of Pesticide Programs

Mr. Lynn Burkhart Jr., Controlled Release Technologies, Inc. 1016 Industry Dr., Shelby, NC. 28152

Subject: Algae Guard EPA Reg. No.: 59682-1 Notification Date: October 1, 2009 EPA Receipt Date: October 14, 2009 Submission #: 860448

Dear Mr. Burkhart

59682-1

This letter acknowledges receipt of your notification submitted under the provision of FIFRA section 3(c)9 and PR Notice 98-10.

Proposed Notification:

• Label Chang notification in accordance with PR Notice 2007-4

General Comments

Based on a review of the submitted materials, your notification for "Algae Guard" is acceptable. A copy of your notification has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233 or Jamil Mixon at (703) 308-8032.

Singere ma Noble.

Product Manager -31 Regulatory Management Branch Antimicrobials Division (7510P)

Please read instructions on	Ur Environmental	nited States	•	Form Á	\Box	<u>,B No. 2</u> Registra Amendi Other			OPP ident	ifier Number
,		Application	for Pesticic	le - Secti	ion I					<u> </u>
1. Company/Product Numb Controlled Release Tech		-1	2. EPA P Velma	roduct Mana Noble	ger		3	r	osed Clas	
. Company/Product (Name) Algae Guard		PM# 31						None	Restrict	
5. Name and Address of A	oplicant (Include ZIP Cod	de)	6. Expe	dited Revi	ew.	In accorda	ance w	vith F	IFRA Sec	ction 3(c)(3
1016 Industry Drive Shelby, NC 28152		•	(b)(i), m to:	y product is						
Check if th	is is a new address		Produ	ct Name _						
			Section - I	1						
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.		dated		Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.						
NOTIFICATION on com		ce 2007-4 re: L	abeling Revisior Section - I							· · · · · · · · · · · · · · · · · · ·
NOTIFICATION on com 1. Material This Product W Child-Resistant Packaging Yes*		ce 2007-4 re: L	- 	11		2. Type of	Met	tal		· · · · · · · · · · · · · · · · · · ·
1. Material This Product W Child-Resistant Packaging Yes* X No	fill Be Packaged In: Unit Packaging Yes X No If "Yes"	No. per	Section - I Water Soluble P Yes No If "Yes"	ackeging No. per		2. Type of	Met Plat Glat Pep	tal stic ISS Dor		
1. Material This Product W Child-Resistant Packaging Yes*	fill Be Packsged In: Unit Packaging Yes X No	No. per	Section - I Water Soluble P Yes X No	ackaging			Met Plat Glat Pep	tal stic ISS Dor	⊃ecify}	
1. Material This Product W Child-Resistant Packaging Yes* X No * Certification must	fill Be Packaged In: Unit Packaging Yes X No If "Yes" Unit Packaging wgt.	No. per	Section - I Water Soluble P Yes No If "Yes" Package wgt	ackeging No. per		x ation of Le	Met Plat Gla: Pap Oth	tal stic iss oor ner (Sp rectior	••	oduct
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Content	fill Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Conteiner	No. per container 4. Size(s) Retei 24, 72, 144	Section - I Water Soluble P Yes X No If "Yes" Package wgt il Container	ackeging No. per	5. Loc	x ation of Le	Met Plat Gla: Pap Oth	tal stic iss oor ner (Sp rectior	 18	oduct
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Content X Label	fill Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Conteiner	No. per container 4. Size(s) Retai 24, 72, 144	Section - I Water Soluble P Yes X No If "Yes" Package wgt il Container	No. per container	5. Loc	x ation of Le	Met Plat Gla: Pap Oth	tal stic iss oor ner (Sp rectior	 18	oduct
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Content X Label	fill Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Containsr is Affixed to Product	No. per container 4. Size(s) Retai 24, 72, 144 24, 72, 144 Lithogra Paper gl Stencile	Section - I Water Soluble P Yes No If "Yes" Package wgt il Container	No. per container	5. Loc	estion of Leb On Leb On Leb	Met Plad Gla Pap Oth abel Dir el eling ac	tal stic ss bar her (Sp rection ccomp	ns Danying pr	· · · · · · · · · · · ·
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Content X Label 6. Manner in Which Label i	fill Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Containsr is Affixed to Product	No. per container 4. Size(s) Retai 24, 72, 144 24, 72, 144 Lithogra Paper g Stencile	Section - I Water Soluble P Yes No If "Yes" Package wgt il Container	No. per container	5. Loc	estion of Leb On Leb On Leb	Met Plad Gla Pap Oth sbel Dir el eling ac	tal stic iss per ner (Sp rection ccomp	oanying pr	n.)
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Content X Label 6. Manner in Which Label i 1. Contact Point (Complete Name Lynn Burkhart I certify that the state	Till Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Container s Affixed to Product te items directly below f	No. per container 4. Size(s) Retai 24, 72, 144 Lithogra Paper g Stencile for identification T Certification this form and a	Section - II Water Soluble Pr Yes No If *Yes* Package wgt il Container aph dd Section - I President ion all attachments the	No. per container	5. Loc	ation of Lab On Lab On Lab	Met Plas Gla Pep Oth sbel Dir el eling ac	tal stic ss per rectior ccomp s this a phone	epplication No. (Inclu 6. Date A Receiv	n.) Ide Area Cou
	Till Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Container s Affixed to Product te items directly below f	No. per container 4. Size(s) Retai 24, 72, 144 Lithogra Paper gl Stencile for identification T Certification Certification	Section - II Water Soluble Pr Yes No If *Yes* Package wgt il Container aph dd Section - I President ion all attachments the	No. per container	5. Loc	ation of Lab On Lab On Lab	Met Plas Gla Pep Oth sbel Dir el eling ac	tal stic ss per (Sp rection ccomp s this (phone e.	epplication No. (Inclu 6. Data A Receiv	میں ide Area Cod pplication نو در تفشped)
	Till Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Container s Affixed to Product te items directly below f	No. par container 4. Size(s) Retai 24, 72, 144 24, 74, 74, 74, 74, 74, 74, 74, 74, 74, 7	Section - II Water Soluble Pr Yes No If "Yes" Package wgt il Container Section - I of individual to b Fitte President ion all attachments the ment may be puni	No. per container	5. Loc	ation of Lab On Lab On Lab	Met Plas Gla: Pep Oth bol Dir el eling ac	tal stic ss par rection ccomp phone e.	epplication No. (Inclu 6. Data A Receiv	pplication
	Till Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. s Information Container s Affixed to Product te items directly below f	No. per container 4. Size(s) Retai 24, 72, 144 24, 72, 72, 74 24, 72, 74 74, 74, 74, 74 74, 74, 74, 74, 74 74, 74, 74, 74, 74, 74 74, 74, 74, 74, 74, 74, 74, 74, 74, 74,	Section - II Water Soluble Pr Yes No If *Yes* Package wgt il Container Section - IV of individual to b Fitle President ion all attachments the ment may be punit	No. per container	5. Loc	ation of Lab On Lab On Lab On Lab	Met Plas Gla: Pap Oth bol Dir el eling ac	tal stic ss par rection ccomp phone a.	epplication No. (Inclu 6. Data A Receiv	۲.) Ide Area Coo pplication نو در amped)

~

·



Controlled Release Technologies

October 1, 2009 Document Processing Desk (**NOTIF**) Office of Pesticide Programs 7504P US Env. Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Subject: Minor Formulation Amendment per PR Notice 98-10

PM # 31 Velma Noble Product Name: Algae Guard Reg #: 59682-1

Gentlemen,

Thank you for your response dated Sept 25 regarding submission 858170 indicating the lack of our inclusion of the certification statement.

This will serve as the corrected Notification regarding PR Notice 2007-4 for Algae Guard, EPA reg # 59682-1 which now includes the certification statement.

Label changes have been made in accordance with PR Notice 2007-4.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely,

Lynn Burkhart Jr. President Controlled Release Technologies, Inc.

1016 Industry Dr. Shelby NC 28152

n

Toll Free: (800) 766-9057

Tel. (704) 487-0878 Fax (704) 487-0877

For use in drain openings of cooking equipment, air conditioners, refrigerators, coolers, and there matching the growth of fung, mildlew, sline, bacteria, algae and their of fung, mildlew, sline, bacteria, algae and their of the surface of the su	·		
Eliminates Or-reflowing Description Descr			۰
Eliminates Or-reflowing Description Descr			
Eliminates Overflows Constrained by Cleass Brand Spectrum Micro-Biocide Distribution optimized for the same in the same in consistent with its labeling is the same consistent with its labeling is the same incombiner, air conditioner, refrigerator, colds, and the same incombiner the same incombinere incombine the same incombiner the same incombiner th		· · · ·	
Eliminate Overflows Constinuoudy Classes Broad Spectrum Micro-Biocide DIRECTIONS FOR USE It is violation of Pedral Law to use this product in a mamer inconsistent with its labelings For use in firm perings of cooling cupment, air conditioner, refrigerators, cooler, and industrial use. Active ingrediants. And other drain, person go a labacteria in these areas. No for are in heat vaporizing or atomizing type wporizer humidifiers. Remove from platic back for action these, supporting or atomizing or atomizing or interdiant in these areas. Remove from platic back filter, nurring homes, government, commercial and the durits in the conditioner, refrigerators, icon diving, reactioner and the areas. Maandfactured By; Constrates Prize Stand the subset of bigs and point conding units		·	
Bread Spectram Micro-Slocide Dreterront Micro-Slocide Dreterront Micro-Slocide Brain operator of noting equipment, air conditioner, refrigerator, coler, air conditioner or refrigerator, noting varies main operator of noting milled, stims, carcel, agea and the state and period. The second coller deater memory and other dram serves. The backeria metacore and varies of the second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and other dram serves. The second coller deater memory and serves memory and serves. The second coller deater memory and serves memory and serves memory and serves memory and serves memory and serves. The second coller deater memory and serves			000 8 2
Bread Spectrum Micro-Biocide DIRECTIONS FOR USE Lis aviolation of Federal Law to use this product in a manner inconsistent with its fabeling for one interventions: In drain opening yoth of main man. Algea Canadi their identifies and coolers. Active ingravity of the cooling opening with the fabeling for one in heat vaporizing or atomizing type vaporizer humidifiers. Lastallation Instructions: In drain pass of all conditioner, refrigerators, ice machines and coolers. Manufactured By: Controlling the growth of bacterin, algoes and their drain one from platic bag XEEP KNIT ENCLOSURE IN TACT. Flace on the structions: In ordination or prefigerators, ice machines and coolers. Manufactured By: Controlling the growth of acterin the actions, approximation of the cooling opin and the			
DIRECTIONS FOR USE It is a violation of Referral Law to use this product in a manner inconsistent with its fabring for use in drain openings of conding equipment, air conditioner, refrigeration, edited in grading the growth of fung, mildes, gline, bacteria, agges and their odors. Sim, facebol Rige Quement, and conditioner, refrigerator, data and other drain openings, controlling the growth of bacteria in these areas. Not for use in hear vaporizing or anomizing type vaporizer humidified. Lastallation Instructions: In drain pans of air conditioner, refrigerator, ice refrigerator drain pans. Ages Coard is a controlled release and coolers. Remove from platic bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling coil as possible. Intail away from the drain out fox. Remove from platic bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling coil as possible. Intail away from the drain out fox. Remove from platic bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling coil as possible. Intail away from the drain out fox. Remove from platic bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling coil as possible. Intail away from the drain out fox. Remove from platic bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling coil as possible. Intail away from the drain out fox. Remove from blatt bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling out as possible. Intail away from the drain out fox. Remove from blatt bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling out as possible. Intail away from the drain out fox. Remove from blatt bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cooling out as possible. Intail away from the drain out fox. Remove from blatt bag KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, at close to the cool		\parallel ALGAL GUAKD	
DIRECTIONS FOR USE Control State State Dright Tab Intersection and Industrial uses. So Control State State Dright Tab Intersection and Industrial uses. So Control State State Dright Tab Intersection and Industrial Uses. Ris a violation of Federal Law to use this product in a manner inconsistent with its fabeling. For control State State Dright Tab Intersection and Industrial Uses. So Control State State Dright Tab Intersection and Industrial Uses. Rise in Risk Control State State Dright Tab Intersection and the areas. So Control State State Dright Tab Intersection and Industrial Uses. So Control State State Dright Tab Intersection and Industrial Uses. Not for use in hear vaporting or atomizing controlling the growth of bacteria in these areas. So Control State State Dright Tab Intersection Intersectin Intersection Intersection Intersectin Inters			
IL is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Active ingredients: Active ingred	DIRECTIONS FOR USE		
Prove sin dram openings of cooling system dram para. Age: Could is a contribute relation of the spectra of the		g Active ingredients	If swallowed: call a poison control center or doctor?ifinmediately?for treatment
minor-biocide controlling the growth of fungi, mildew, stime, bacteria, algae and their edors. SIm, facible Algae Courde saily filts into air conditioner or erforgeration drain pars and other drain openings, controlling the growth of bacteria in these areas. Not for use in heat vaporizing or atomizing type vaporizer humidifiers. Addy (66% Cip, 32% Cip) dimethyl ethylicenzyl amonium chloride		nd Allust (60% Co. 80% Co. 5% Co. 5% Co.) dimethalberrad	
and so, Sim, flexible Algae Guard easily fits into air conditioner or refigeration drain pans and other drain openings, controlling the growth of bacteria in index areas. 16.0% Nor for use in hest vaporizing or atomizing type vaporizer humidilers. 68.0% Installation Instructions: In drain pans of air conditioner, refigerators, reachines and coolers. 16.0% Remow from plastic bag KEEP KMT ENCLOSURE IN TACT. PRECAUTIONARY STATEMENTS Place on the surface of the pan, as close to the cooling coil as possible. Install away from the drain out flow. PRECAUTIONARY STATEMENTS Nor for use and scale is a point of the surface of the pan, as close to the cooling coil as possible. Install away from the drain out flow. PRECAUTIONARY STATEMENTS Place on the surface of the pan, as close to the cooling coil as possible. Install away from the drain out flow. CORROSIVE: Causes inverversible og damage and skin burns. Mayle Cala: and industrial areas. Note for basible. Note for basible. Manufactured By: Controlled Release Technologies Ince 1016 Industry Dr Shelby NC 20152 Constrolled weils of the container. Do not result dual, pansible container. Do not result dual, pansible container. Do not result dual, pansible container. Constrolled weils end colonary of the case of the container. Do not result dual, pansible. Manufactured By: Controlled Release Technologies Ince 1016 Industry Dr Shelby NC 20152 Fee Actifics RATION NO. 59682-1 EPA RECISTRATION NO. 59682-1 EP		ammonium chiorige	
and other drain openings, controlling the growth of bacteria in these areas. 10.07% Not for use in heat vaporizing or anomizing type vaporizer humidifiers. 10.07% Not for use in heat vaporizing or anomizing type vaporizer humidifiers. 10.07% Lastallation Instructions: In drain pans of air conditioner, refrigerators, ice machines and coolers. 100.0% Remove from plastic bag. KEEP KNIT ENCLOSURE IN TACT. PRECAUTIONARY STATEMENTS HazARDS TO HUMANS AND DOMESTIC ANIMALS trained and collection. 100.0% GRROSIVE: Causes irreversible cyc ed annage and skin burns. Maybe faut in dustrial areas. 000000000000000000000000000000000000		Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl	
Not for use in heat vaporizing or atomizing type vaporizer humidifiers. Installation Instructions: In drain pass of air conditioner, refrigerators, ice machines and coolers. Remove from plastic bag KEEP KNIT ENCLOSURE IN TACT. Place on the surface of the pan, as close to the cooling coil as possible. Install away from the drain out flow. For application only in medical facilities, nursing homes, government, commercial work, hotel and resorts, school and industrial areas. Manufactured By: Controlled Release Technologies Inc 1010 16 Industry Dr Shelby NC 28152 -9057 704-487-0878 www.cleanae.com Gow 27/2009 08/17/2009		ammonium chloride 16.0%	
Installation Instructions: In drain pass of air conditioner, refrigerators, ice machines and coolers. Remove from plastic bag. KEEP KNIT ENCLOSURE IN TACT. Place on the surface of the pan, as close to the cooling coil as possible. Install away from the drain out flow. For application only in medical facilities, nursing homes, government, commercial and industrial areas. Manufactured By: Controlled Refease Technologies Inc 1016 Industry Dr Shelby NC 28152 -9057 704-487-0878 www.cleanac.com custurerv@cleanac.com 08/17/2009 Marking and strip for the surface of the pan, as done to the cooling coil as possible. Install away from the drain out flow. For application only in medical facilities, nursing homes, government, commercial and industrial areas. Manufactured By: Controlled Refease Technologies Inc 1016 Industry Dr Shelby NC 28152 -9057 704-487-0878 www.cleanac.com custurerv@cleanac.com 08/17/2009			Call a poison control center or doctor for treatment advice. Have the produ
machines and coolers. Remove from plastic bag KEEP KNIT ENCLOSURE IN TACT. Place on the surface of the pan, as close to the cooling coil as possible. Install away from the drain out flow. ACARDS TO HUMANN SAND DOMESTIC ANIMALS KEEP OUT OF THE REACH OF CHILDREN DANGER Correst for application only in medical facilities, nursing homes, government, commercial buildings, residential air conditioning units, cruise ships, airports, hotel and resorts, school and industrial areas. CORROSIVE: Causes irreversible cy damage and skin burns. Maybe facilities on contaminate dues to possible. Install away from the very on clothing. Wear protective eye gear (goggles of face shield), protective clothing, and rubber gloves. Wash thoroughly with soap and water after handling before reuse. Note To Physician: Probable mucosal damage may contraindicate the use garrie lavage. Measures against circulatory shock, respiratory depression, are convulsions may be needed. Manufactured By: Controlled Release Technologies Inc Do at contaminate disposed of by use according to label instructions, container closed when use. EPA REGISTRATION NO. 59682-1 EPA REGISTRATION NO. 59682-1 9057 704-487-0878 Gross Count: Gross Count: Gross Count: CONTAINER for recycling if available or wrap in newspaper and platic bag and bin trash for collection. 08/17/2009 Stock No. Stock No. Stock No. No. Stock No.			container or label with you when calling or going for treatment. You may also
Remove from plastic bag, KEEP KNIT ENCLOSURE IN TACT: HAZARDS TO HUMANS AND DOMESTIC ANIMALS gattic bag, KEEP KNIT ENCLOSURE IN TACT: Place on the surface of the pan, as close to the cooling coil as possible. Install away from the drain out fold. KEEP OUT OF THE REACH OF CHILDREN DANGER Static lavage. Measures against circulatory shock, respiratory depression, at convulsions may be needed. For application only in medical facilities, nursing homes, government, commercia submitted and resorts, school and industrial areas. CORROSIVE: Causes irreversible eye damage and skin burns. Maybe facate dust. Do not get in the submitted and the submitted		PRECAUTIONARY STATEMENTS	
Place on the surface of the pan, as close to the cooling coil as possible. Install away from the drain out flow. REEP OUT OF THE REACH OF CHILDREN DAME Store and industrial areas. For application only in medical facilities, nursing homes, government, commercial and industrial areas. CORROSIVE: Causes irreversible cyc damage and skin burns. Maybe fatal away from the surface on tothing. Wear protective cyc gear (goggles or face shield), protective and industrial areas. Storage And Disposal Manufactured By: Controlled Release Technologies Inc 1016 Industry Dr Shelby NC 28152 Storage and skin, or in clothing, eating, chewing gum or tobacco. Remove and wash contaminated moisture. PESTICIDE DISPOSAL: Pesticide wastes, are acutely hazardous. Improprioture to instate is a violation of Federal La EPA REGISTRATION NO. 59682-11 EPA. EST NO. 59682-NC-001 If these wastes carnut be disposed of by use according to label instructions, contariante. Offer of revecting and available or warp empty plastic bag and by use saccording to label instructions, contariante. Offer of revecting available or warp empty plastic bag and by the start and the store of the scoretized or Environmental Control Agency, or the nearest EPA office for guidance. 9057 704-487-0878 www.cleanac.com 08/17/2009 08/17/2009 Stock No.		HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
drain out flow. For application only in medical facilities, nursing homes, government, commercial buildings, residential air conditioning units, cruise ships, airports, hotel and resorts, school and industrial areas. Manufactured By: Controlled Release Technologies Inc 1016 Industry Dr Shelby NC 28152 -9057 704-487-0878 www.cleanac.com 08/17/2009 08/17/2009			
For application only in medical facilities, nursing homes, government, commercial buildings, residential air conditioning units, cruise ships, airports, hotel and resorts, school and industrial areas. CORROSIVE: Causes irreversible cy damage and skin burns. Maybe itala in the containate water, food, or feed by storage or disposal. buildings, residential air conditioning units, cruise ships, airports, hotel and resorts, school and industrial areas. Do not contaminate water, food, or feed by storage or disposal. Manufactured By: Controlled Release Technologies Inc Disposed of excess posticide, spray mixture or rinsate is a violation of Federal Later or the nearest EPA office for exaced by use according to label instructions, contained to the servement of the container. Do not reuse or reference or specific or trash collection. 08/17/2009 Stock No. Stock No. Stock No.		DANGER	Stars on And Dismonst
and industrial areas. and industrial areas. And anufactured By: Controlled Release Technologies Inc 1016 Industry Dr Shelby NC 28152 -9057 704-487-0878 www.cleanac.com custserv@cleanac.com 08/17/2009 Controlled Release Technologies Inc 1016 Industry Dr Shelby NC 28152 -9057 704-487-0878 www.cleanac.com custserv@cleanac.com 08/17/2009			and a Do not contaminate water food or feed by storage or disposal
Manufactured By: Controlled Release Technologies Inc 1016 Industry Dr Shelby NC 28152 9957 704-487-0878 www.cleanac.com Gross Count: 08/17/2009 Gross Count: 08/17/2009 Stock No.		swanowed, absorbed through the skin, or innated. Do not oreatile dust. Do no	otective PESTICIDE STORAGE: Keep container closed when not in use, Do not stor
Manufactured By: Controlled Refease Technologies Inc 1016 Industry Dr Shelby NC 28152 -9957 704-487-0878 www.cleanac.com custserv@cleanac.com 08/17/2009 08/17/2009 before drinking, eating, chewing gum or tobacco. Remove and wash contaminated ^{moisture.} PESTICIED DISPOSAL: Pesticide wastes are acutely hazardous. Improp disposal of excess pesticide, spray mixture or rinsate is a violation of Federal La lif these wastes cannot be disposed of by use according to label instructions, conta guidance. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or ref this container. Offer for recycling if available or wrap empty plastic bag and b for trash collection. When discarding knit enclosure wrap in newspaper and pla in trash for collection.	and industrial areas.	- klothing and subher gloves. Wash thoroughly with soan and water after handli	ing and below 25 degrees of above for degrees r for extended periods. Store away not
Manufactured By: clothing before reuse. Controlled Release Technologies Inc icit and statulation in the statulate in the statulation in the statulation in the statul		before drinking, eating, chewing gum or tobacco. Remove and wash contar	minated moisture.
Controlled Release Technologies Inc If these wastes cannot be disposed of by use according to label instructions, container. Disposed of by use according to label instructions, container. -9057 704-487-0878 www.cleanac.com Gross Count:	Manufactured By:	clothing before reuse.	LOTTENDE DIOLOTE. TOSECCE Wates are acutely mazardous. Improp
1016 Industry Dr Diff Industry Dr Shelby NC 28152 EA. EST NO. 59682-NC-001 -9057 704-487-0878 www.cleanac.com Custserv@cleanac.com 08/17/2009 Stock No Stock No Stock No		ERA DECICER ATION NO FOCOÓ	
shelby NC 28152 guidance. -9057 704-487-0878 www.cleanac.com custserv@cleanac.com 08/17/2009 Gross Count: Stock No Stock No			your state pesticide or Environmental Control Agency, or the nearest EPA office for
www.cleanac.com custserv@cleanac.com 08/17/2009 Gross Count: Gross Count: Gross Count: Stock No			
08/17/2009 Stock No Stock No			
08/17/2009 in trash for collection.		Gross Count:	
	08/17/2009	· · ·	
		Stock No.	
As Per Conversation Registrant, Lynn Bu This is the Only Uny added to the Lobe	· ·		
As per conversation Registrant, Lynn Bu This is the Only wryp added to the Cabe			BATCH NO
As per conversation Registrant, Lynn Bu This is the Only Uny added to the Labe		,	0110109
As per conversation Registrant, "Lynn Bu This is the Only Uny added to the Lube			
Registrant, Lynn Bu This is the Only Uny added to the Lobe			A. Doo C. M.
Rugistrant, Lynn Bu This is the Only Uny added to the Lube			TO MU UONVUSATION
This is the Only Unp added to the Labe			
This is the Only Unry added to the labe			12.00 ml 111
This is the Only Yang added to the labe			and strant WIM BU
This is the Only Unry added to the labe			
added to the lobe			This is the Optil throw
added to the labe			INTO IN THE WINT
to the case		· · ·	radded by 11. 1 1 h
			to the lade

· · · · ·

714