 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE:</b> <u>  x  </u> Registration <u>    </u> Reregistration  (under FIFRA, as amended)</p>	EPA Reg. Number:  59682-4	Date of Issuance:  OCT 2 2002
	Term of Issuance: Conditional	
	Name of Pesticide Product:  Bio-Flex	
Name and Address of Registrant (include ZIP Code):  Controlled Release Technologies, Inc. 13161 Court, Suite 205 Clearwater, FL 33760		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.</li> <li>2. Make the following label changes: <ol style="list-style-type: none"> <li>a. Revise the EPA Registration Number to read, "EPA Reg. No. "59682-4".</li> </ol> </li> </ol>		
Signature of Approving Official: Marshall Swindell, PM 33 Regulatory Management Branch 1 Antimicrobial Division (7510C)	Date:  OCT 2 2002	

Page 2

EPA Registration No. 59682-4

b. On the left panel under "Microbial Protection", revise the statement "Bioflex contains broad spectrum antimicrobials that kills fungus in and on its paint film" to read "Bioflex contains broad spectrum antimicrobials that inhibits fungus in and on its paint film."

c. Under the application section, delete the phrase "insulation and other".

d. The ingredient section must be moved to the front panel, preferably, to fall directly below the product name.

e. The signal word and child hazard warning statement must be in 6 point type size.

f. Submit two copies of the revised final printed label for the records.

2. The Confidential Statement of Formula dated November 21, 2001 is in compliance with PR Notice 91-2, agrees with the label and is acceptable.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,



Marshall Swindell  
Product Manager 33  
Regulatory Management Branch 1  
Antimicrobial Division (7510C)

Enclosure

## Packed With Features

### Low Odor And Short Drying Time

BIOFLEX has very slight odor during application. This, along with a fast drying formulation, shortens equipment downtime to 4 hours or less in most cases.

### Microbial Protection

BIOFLEX contains broad spectrum antimicrobials that kill fungus, and bacteria in and on its paint film. Bio Flex prevents the migration of microbes through its coating.

### Remains Flexible And Scrubbable

The superior flexibility and durability of BIOFLEX allows you to easily wipe away any dust, dirt, even oily residue accumulation from its surface once the product is dry.

### Easy Soapy Water Cleanup

Tools clean up quickly with soapy water eliminating the added expense of hazardous clean up chemicals.

### Other Performance Aspects

Seals fiberglass particles to prevent blow off; seals porous surfaces; non-chalking; non-flaking; chemical resistance; helps maintain insulation quality. HMIS: 0-0-1 Coverage: 50 to 150 s.f. per gallon. Coating will not contribute to spread of flame. Exceeds ASTM E 84 Class 1. Flame Spread 0 (zero)

### STORAGE AND DISPOSAL

Storage: Keep container closed when not in use. Do not store at temperatures over 100 degrees F. BIOFLEX is unaffected by freezing.

Disposal: State or local hazardous waste regulations may apply if they are different from the federal regulations. Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

Container Disposal: Triple rinse (or equivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Manufactured By: Controlled Release Technologies Inc.

12745 49th Street North  
Clearwater Florida 33762 U.S.A.  
727-572-7119 or 800-766-9057  
fax 727-573-5344  
E-Mail: [custserv@CLEANAC.COM](mailto:custserv@CLEANAC.COM)  
[www.cle-nac.com](http://www.cle-nac.com)

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

OCT - 2 2002

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.

59682-4

# BIOFLEX

## Fungicidal Protective Coating

Keep out of the reach of children.

CAUTION


Bioflex is recommended for use on interior walls, fiberglass and rubber insulation on pipes and other surfaces, concrete and masonry walls, wood surfaces, pipe surfaces, and interior metal surfaces. BioFlex prevents fiberglass emissions, while providing a smooth surface which allows for easy cleaning.

# Protection Comfort Convenience

### Statement Of Practical Treatment:

If in eyes, flush with plenty of water. Get Medical attention if irritation persists. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists. Launder contaminated clothing before reuse. If vapors are inhaled, remove to fresh air. If swallowed, call poison control center or physician. Drink one or two glasses of water. Do not give anything by mouth to an unconscious person.

## Lo. Odor - Short Drying Time



BIOFLEX contains fung and prevents the spread

Do Not Thin. For interior use, keep at 100 degrees F. Keep C

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not use on food preparation surfaces, restaurants, or other areas where food is prepared.

Surface Preparation: Clean surfaces of dirt, grease, oil, and other contaminants. Surfaces should be

and other contaminants. Surfaces should be cleaned with a vacuum cleaner before applying to galvanized surfaces.

acid (vinegar) and then dry.

Application: Do Not Thin. Apply in a well-ventilated area. Do not apply in normal circumstances a

On ~~surfaces~~ surfaces. Do not apply to surfaces that are not compatible with this product.

required to result in a satisfactory finish. See the product literature for more information. Airless Spray Application: field tip and 800 - 900 psi.

When spraying indoors, use a respirator mask. Introduce air from outside to prevent any paint odors from entering the room.

Cooling Maintenance: Do not apply to surfaces that are too hot to touch. Allow surfaces to cool before applying.

Clean Up of Equipment: Clean equipment immediately after use. Do not use solvents to clean equipment.

product dries.

Active  
T  
3  
Inert