



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 09, 2026

SENT BY EMAIL

Oscar Perez Ovilla, Ph. D.
OscarP@amvac.com
OHP, INC

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Revision to add additional images to the HORMODIN 1 (EPA Reg. No. 59807-4) product label as optional marketing elements.
Product Name: HORMODIN 1
Admin Number: 59807-4
EPA Receipt Date: 01/08/2026
Action Case Number: 00680542

Dear Oscar Perez Ovilla, Ph. D.:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Thomas Cook via email at cook.tom@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "James Parker". The signature is fluid and cursive, with "James" on the top line and "Parker" on the bottom line.

James Parker, Biologist
BPB, BPPD
Office of Pesticide Programs

{Note to reviewer: Text in curly brackets { } indicate a note to the EPA reviewer and will not appear on the label. Text in brackets [] is optional, and may or may not appear on the end use label. Text in parentheses () will appear on the end use label.}

Hormodin® 1

A ROOT INDUCING SUBSTANCE

Simplifies Rooting of Cuttings

NOTIFICATION

59807-4

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/09/2026

ACTIVE INGREDIENT:

Indole-3-butyric Acid 00.1%

OTHER INGREDIENTS: 99.9%

TOTAL: 100.0%

HORMODIN 1 is a general purpose powder designed for the home gardener or commercial florist who propagates popular varieties such as roses, carnations, poinsettias, some species of shrubs, and most home, garden and greenhouse plants.

For further details see Directions for Use on the back label.

Lot _____

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard. Restricted Entry Interval (REI) of this product is 0 hours.

Easy to Use Just Dip and Plant Clean

Made in Canada

983110

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

See [inside] [side] [back] [panel] [booklet] [canister] [label] [attached] [to] [pouch] [bag] [seal] [pack] for [complete] [additional] [further] [First Aid] [Precautionary Statements] [and] [Directions for Use] [and] [Storage and Disposal].

See back label for additional Precautionary Statements.

EPA REG. NO. 59807-4

EPA EST. NO. _____

Subscript used is first letter of run code on container.

Net Contents: 10 KG (22.1 LBS) _____

One pound of HORMODIN 1 will treat at least 35,000 average cuttings.

For further details see Directions for Use on the back label.

[Produced for:] [Distributed by:] [Manufactured for:]

OHP, Inc.

5151 McCrimmon Parkway, Suite 275
Morrisville, NC 27560 PO Box 746, Bluffton, SC 29910-0746
Phone: (1-800)-356-4647

Hormodin is a registered trademark of OHP, Inc.

ESL030618 REV050418

DIRECTIONS FOR TREATING CUTTINGS WITH

HORMODIN®

A Root Inducing Substance

HORMODIN is supplied in the following strengths:

Active Ingredient	No. 1	No. 2	No. 3
Indole-3-butyric Acid	00.1%	00.3%	00.8%
Other Ingredients	99.9%	99.7%	99.2%
EPA Reg. No.	59807-4	59807-2	59807-3

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Wear protective eyewear (goggles, face shield or safety glasses). Harmful if inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15 - 20 minutes.
IF INHALED:	<ul style="list-style-type: none">Move person to fresh air.If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
IF SWALLOWED:	<ul style="list-style-type: none">Call a poison control center or doctor immediately for treatment advice.Have person sip a glass of water if able to swallow.Do not induce vomiting unless told to do so by the poison control center or doctor.Do not give anything to an unconscious person.

Call a poison center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact OHP, Inc. at 1-800-356-4647, 24 hours / 365 days, for emergency medical treatment.

PERSONAL PROTECTIVE EQUIPMENT (PPE) REQUIREMENTS: All pesticide handlers must wear the following minimum PPE while handling, transferring or applying this product. The minimum PPE include: long sleeved shirt, long pants, shoes, socks, protective eyewear (goggles, face shield or safety glasses) and chemical resistant or waterproof gloves.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For Terrestrial Uses: Do not apply directly to water, to areas where surface water is present or inter-tidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters or rinsates.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to the uses of this product that are covered by the Worker Protection Standard (WPS).

ENTRY RESTRICTIONS: The restricted entry interval (REI) for this product is 0 hours.

GENERAL INFORMATION

HORMODIN may be used on three types of cuttings;

- **Hardwood:** such as Dogwood, Juniper, broadleaf and needle evergreens.
- **Semi-Hardwood:** such as broadleaf evergreens and woody ornamentals with firm wood and mature leaves such as Azalea, Rhododendrons, Magnolia and Photinia.
- **Softwood and Succulents:** such as Cactus, Fuchsia, Ice Plant and Begonia.

Select cuttings from healthy plants. Success is generally best when taking softwood cuttings or "new wood". Timing is important. Professionals propagate year round but two good times for taking cuttings are:

- in the fall using mature dormant growth which would be classified as a hardwood or semi-hardwood cutting
- in the spring when the cutting would be new growth or classified as a softwood cutting.

Fertilizer can encourage top growth and may not be used for one week after treatment.

HORMODIN 1, 2 or 3 are recommended for different plants and parallel the range of hormones found normally by the various plants. Refer to the following list for the correct **HORMODIN** to use for the broad field of propagation from cuttings.

TYPE OF CUTTING TO USE

Cuttings of the current season's growth, 4 to 6 inches in length, generally are most satisfactory. Entire shoots of this length, cut at or near the base, should be taken, unless it is known that other parts root more readily. Some plants are readily propagated from leaf-bud cuttings. Propagators are familiar with the fact that tip cuttings of some varieties, and parts below the tip in other varieties, root best. This applies also, but to a lesser extent, to cuttings treated with **HORMODIN**. The basal cut may be made slanting or straight with small pruning shears, or with a knife. Large leafed types of cuttings will need to be trimmed, but it is preferable to use the largest leaf area which can be kept in good condition, and which at the same time meets the requirements for economy of space.

TIME TO TAKE CUTTINGS

Throughout the United States, the time to take cuttings will be dependent on when new growth starts. Cuttings of the current season's growth, 4 to 6 inches in length, generally are the most satisfactory.

Note: Cuttings of certain plants can be taken over a much wider range of time in the South than in the North, and corresponding season advance must be considered.

In the State of New York, cuttings of most deciduous shrubs will root best when taken during June, July and August. A few varieties can be taken the latter part of April, and others during May, depending upon when new growth starts. Cuttings of the current season's growth, 4 to 6 inches in length, generally are the most satisfactory. Cuttings taken between August and December will vary considerably in their capacity to root.

For plants grown indoors, cuttings should be taken according to the condition of the material, without regard to season.

CARE OF CUTTING MATERIAL

Keep cutting material in a fresh condition from the start. Cuttings of many varieties keep fresh when the basal ends of the stems are immersed in water or wrapped in wet cloth or burlap until ready to place in the **HORMODIN**. Do not keep shoots and branches in closed containers for long periods. Frequent spraying of the cutting material, according to the dryness of the air, or covering with moist cheese cloth, will prevent excessive wilting.

PLANTING CUTTINGS AND HOW TO CARE FOR THEM

After treatment with **HORMODIN**, plant the cuttings in a mixture of 1/4 peat moss and 3/4 sand (by volume), or in sand only, until rooted. Propagators who have a satisfactory rooting medium should continue to use it. Any method of planting cuttings which keeps them in good condition may be used. When cuttings are planted in a vertical position, they require more critical care than when slanted in such a way that the exposed leaves lie flat or close to the surface of the rooting medium. Sufficient shade must be provided at all times, but particularly on hot, bright days, to keep the cuttings fresh, but not dense enough to cause rotting of leaves, or the growth of molds. Immediately after planting, the cuttings should be watered thoroughly and, thereafter,

according to climactic conditions. The rooting medium below the surface must not be allowed to become dry.

A temperature in the bed of 70° to 75° F. has proved satisfactory for many species. Temperatures below 60° are not generally satisfactory with tested cuttings.

APPLICATION OF HORMODIN:

- 1) If not already moist, the basal ends of the cuttings should be slightly moistened before treatment. (Except geraniums.)
- 2) Stir basal ends in **HORMODIN**
- 3) Remove excess powder by tapping on rim of container.
- 4) Plant treated cuttings in rooting medium.

NOTICE OF WARRANTY — OHP, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**. To the extent applicable by law, buyer assumes all risks of use and handling which are a variance in any way with the directions hereon. To the extent applicable by law, OHP, Inc. makes no other express or implied warranty of Fitness or Merchantability of any other express or implied warranty. To the extent applicable by law, in no case shall OHP, Inc. or the seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. OHP, Inc. and the Seller offer this product and the Buyer and user accept it, subject to the foregoing **Notice of Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of OHP, Inc.

© 2025 All Rights Reserved. OHP, Inc. is a wholly owned subsidiary of American Vanguard Corporation. AMERICAN VANGUARD is a trademark owned by AMVAC Chemical Corporation. HORMODIN, OHP and their respective logos are trademarks owned by OHP, Inc. All other trademarks are the property of their respective owners.

[Produced for:] [Distributed by:] [Manufactured for:]

OHP, Inc.

5151 McCrimmon Parkway, Suite 275

Morrisville, NC 27560

1-800-356-4647

Produced for:

OHP, Inc.

PO Box 746

Bluffton, SC 29910-0746

Phone: (800) 356-4647

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place. Keep in original container.

PESTICIDE DISPOSAL: Pesticide or rinse waters that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures under the Resource Conservation and Recovery Act. Wastes resulting from the use of the product may be disposed on site or at an approved waste disposal facility.

Nonrefillable container. Do not reuse or refill this container.

CONTAINER DISPOSAL/HANDLING (metal/plastic container): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinse into application equipment or a mix tank or store rinse for later use or disposal. Drain for 10 sec- onds after the flow begins to drip. Repeat this procedure two more times.

CONTAINER DISPOSAL/HANDLING (fiber drums with liners): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

The following plants have been successfully rooted with HORMODIN.

For species not mentioned in the following list it is suggested that HORMODIN 1 or 2 be used.

Abbreviations: Species = sp. Varieties = vars.

Common Name*	Scientific Name	HORMODIN No.
African Violet	<i>Saintpaulia</i> sp.	1
Ageratum	<i>Ageratum</i> sp.	1
Apple	<i>Malus</i> sp.	2 or 3
Arbor-Vitae (Thuja) vars.	<i>Thuja</i> <i>ellwangeriana</i> <i>aurea nana</i>	2
Arbutus (Trailing)	<i>Epigaea</i> <i>repens</i>	3
Ardisia	<i>Ardisia</i> <i>japonica</i>	2
Azalea	<i>R. arborescens</i> (June-Aug.)	3
(Rhododendron) vars.	<i>R. arborescens</i> <i>grandiflora</i>	3
	<i>R. calendulaceum</i>	3
	<i>R. canadense</i>	3
	<i>R. canescens</i>	3
	<i>R. Christmas Cheer</i>	1
	<i>R. colletanum</i>	3
	<i>R. Coral Bell</i>	1
	<i>R. dauricum</i> (June-July)	2
	<i>R. gandavense</i> (hybrids)	2
	<i>R. kosterianum</i> <i>Miss Louisa Hunnewell</i>	3
	<i>R. kurume</i> vars. (June-July)	1
	<i>R. mollis</i>	2
	<i>R. mucronatum</i>	1
	<i>R. obtusa</i> <i>hinodigiri</i>	1
	<i>R. obtusa</i> <i>kaempferi</i>	1
	<i>R. Pink Pearl</i>	1
	<i>R. roseum</i>	3
	<i>R. schlippenbachii</i>	3
	<i>R. Snow</i>	1
	<i>R. vaseyi</i>	1
	<i>R. viscosum</i>	2
	<i>R. yedoense</i> <i>poukhanense</i>	1
Barberry	<i>Berberis</i> sp.	1
Bayberry	<i>Myrica</i> sp.	1
Beautyberry	<i>Callicarpa</i> sp.	1
Beauty Bush	<i>Kolkwitzia amabilis</i> (tips) (June-July)	3
Beech	<i>Fagus</i> sp. (Aug.)	2
Begonia	<i>Begonia</i> sp.	1
Birch	<i>Betula</i> sp.	3
Bittersweet	<i>Celastrus</i> sp.	3
Blackberry	<i>Rubus</i> sp.	1
Bluebeard	<i>Caryopteris</i> sp.	1
Blueberry	<i>Vaccinium corymbosum</i> vars.	1 or 2
Bougainvillea	<i>Bougainvillea</i> sp.	1
Bowstring emp (Snake Plant)	<i>Sanseveria</i>	1
Boxwood	<i>Buxus</i> sp.	3
Broom	<i>Cytisus</i> sp.	1 or 2
Butterflybush	<i>Buddleia</i> sp.	1
Camelia	<i>Camellia</i> sp.	3
Candytuft	<i>Iberis</i> sp.	1
Carnation	<i>Dianthus</i> vars.	1
Catalpa	<i>Catalpa</i> sp.	3
Chamaecyparis	<i>Chamaecyparis obtusa</i> vars.	3
(Retinopora) vars.	<i>Chamaecyparis pfitzeriana</i> vars.	3

Common Name*	Scientific Name	HORMODIN No.	Common Name*	Scientific Name	HORMODIN No.
Chaste Tree	<i>Vitex</i> sp.	3	Laurel	<i>Kalmia</i> sp.	3
Chestnut	<i>Castanea</i> sp.	2	Lavender	<i>Lavandula</i> sp.	1
Chokeberry	<i>Aronia</i> sp.	2 or 3	Leuchothoe	<i>Leucothoe</i> sp.	2
Chrysanthemum	<i>Chrysanthemum</i> vars.	1	Lilac (French-Hybrids)	<i>Syringa vulgaris</i> vars. (April 15-May 25)	3
Cinquefoil	<i>Potentilla</i> sp.	2	Lily Scales	<i>Lilium</i> (scales)	1 or 2
Clematis	<i>Clematis</i> sp.	2	Linden	<i>Tilia</i> sp.	1
Clerodendron	<i>Clerodendron</i>	1	Locust	<i>Robinia</i> sp.	3
Clockvine	<i>Thunbergia</i> sp.	1	Magnolia	<i>Magnolia</i> sp.	2 or 3
Coleus	<i>Coleus blumei</i>	1	Maidenhair Tree	<i>Ginkgo biloba</i>	2
Cotoneaster	<i>Cotoneaster horizontalis</i>	3	Manzanita	<i>Arctostaphylos</i> sp.	3
Crabapple	<i>Malus</i> sp.	2 or 3	Maple (Japanese) vars.	<i>Acer japonicum</i> <i>palmatum</i> vars.	3
Crape Myrtle	<i>Lagerstroemia indica</i>	1	Matrimony Vine	<i>Lycium halimifolium</i>	3
Crassula	<i>Crassula</i> <i>rubricunda</i>	1	Melastoma	<i>Melastoma</i>	1
Creeper	<i>Parthenocissus</i> sp.	1	Mock Orange	<i>Philadelphus</i> sp.	1
Croton	<i>Codiaeum</i>	1	Mulberry	<i>Morus</i> <i>alba</i>	1
Cryptomeria	<i>Cryptomeria</i> sp.	3	Ninepark	<i>Physocarpus</i> sp.	3
Currant	<i>Ribes</i> <i>tenuiflorum</i>	1	Oak	<i>Quercus</i> sp.	3
Dahlia	<i>Dahlia</i> vars.	1	Oleander	<i>Oleander</i> <i>nerium</i>	2
Daphne	<i>Daphne</i> sp.	1 or 2	Olive	<i>Olea</i> sp.	3
Deutzia	<i>Deutzia</i> <i>magnifica</i>	1	Orange (sour)	<i>Citrus aurantium</i>	3
Dewberry	<i>Rubus</i> sp.	1	Orixa	<i>Orixa</i> sp.	1
Dianthus (See Carnation)			Osage Orange	<i>Maclura</i> sp.	1
Dogwood	<i>Cornus</i> <i>florida</i> (July)	3	Osmanthus	<i>Osmanthus</i> sp.	2
Dovetree	<i>Davida</i> sp.	1	Pachysandra	<i>Pachysandra terminalis</i>	2 or 3
Douglas fir	<i>Pseudotsuga</i> sp.	3	Pea Shrub	<i>Caragana</i> sp.	1
Dracaena	<i>Dracaena</i> <i>sanderiana</i>	1	Pear (stock)	<i>Pyrus</i> <i>serotina</i>	1
Dutchmanspipe	<i>Aristolochia</i> sp.	1	Pecan	<i>Pecan</i>	3
Elder	<i>Sambucus</i> sp.	1 or 2	Penstemon	<i>Penstemon</i> sp.	1
Eleutherococcus	<i>Eleutherococcus</i> sp.	3	Periwinkle	<i>Vinca</i> sp.	2
Elm	<i>Ulmus</i> sp. (June-July)	1	Petunia	<i>Petunia</i> sp.	1
Escallonia	<i>Escallonia</i> sp.	3	Philodendron	<i>Philodendron</i> sp.	1
Euonymus	<i>Euonymus</i> sp.	1	Phlox	<i>Phlox</i> sp.	1
Falsearborvitae	<i>Thujopsis</i> sp.	2	Photinia	<i>Photinia</i> sp.	1
Fir	<i>Abies</i> sp.	3	Pine	<i>Pinus</i> sp.	2 or 3
Firethorn	<i>Pyracantha</i> sp.	1 or 2	Poinsettia	<i>Euphorbia</i> vars.	1
Flowering Cherry vars.	<i>Prunus</i> sp. and vars.	1	Poplar	<i>Populus</i> sp.	1
Flowering quince	<i>Chaenomeles</i> sp.	3	Pricklypear Cactus	<i>Opuntia</i> sp.	1
Fontanesia	<i>Fontanesia</i> sp.	1	Privet	<i>Ligustrum</i> <i>avalifolium</i>	3
Forsythia	<i>Forsythia</i> sp. and vars.	1	Raspberry	<i>Rubus</i> sp.	1
Franklinia	<i>Gordonia</i> <i>alatamaha</i>	2	Rhododendron vars.	<i>Rhododendron</i> (hybrids)	3
Fringe tree	<i>Chionanthus</i> sp.	2		<i>Rhododendron</i> <i>catawbiense</i> hybrids	3
Fuchsia	<i>Fuchsia</i> sp.	1		<i>Rhododendron</i> <i>wilsonii</i>	3
Gardenia	<i>Gardenia</i> <i>florida</i>	1, 2 or 3	Rose	<i>Rosa</i> vars.	1
Geranium	<i>Geranium</i> sp.	1	Russian olive	<i>Elaeagnus</i> sp.	3
Germaner	<i>Teucrium</i> sp.	2 or 3	Sage	<i>Salvia</i> sp.	1
Glossy Abelia	<i>Abelia</i> <i>grandiflora</i> <i>rosea alba</i> (tips best)	1	Sequoia (Giant)	<i>Sequoia</i> <i>giantia</i>	2
Golden Chain	<i>Laburnum</i>	2	Silverbell	<i>Halesia</i> sp.	2
Grape	<i>Vitis</i> sp. and vars.	3	Snapdragon	<i>Antirrhinum</i> sp.	1
Hawthorne	<i>Crataegus</i> sp.	3	Snowbell	<i>Styrax</i> sp.	3
Hazelnut	<i>Corylus</i> sp. (June)	1 or 2	Snowberry	<i>Symporicarps</i> sp.	1
Heath	<i>Erica</i> <i>carnea</i> vars.	3	Sourwood	<i>Oxydendrum</i> sp.	3
Heather	<i>Calluna vulgaris</i> vars.	3	Speedwell	<i>Veronica</i> sp.	1
Hemlock vars.	<i>Tsuga</i> sp. and vars. (Sept.-June)	2 or 3	Spirea	<i>Spirea</i> sp.	1
Hibiscus	<i>Hibiscus</i> (tropical)	2	Springt (Witchalder)	<i>Fothergilla</i> <i>maj</i>	2
Hibiscus (Rose of Sharon)	<i>Hibiscus</i> <i>syriacus</i> vars. (leafy and dormant)	3	Spruce (Blue)	<i>Picea</i> <i>pungens</i>	2
Holly (American)	<i>Ilex</i> <i>opaca</i>	3	Spruce (Norway) vars.	<i>Picea</i> <i>excelsa</i> vars. (Nov.-Feb.)	1
	<i>Ilex</i> <i>perryi</i>	3	Stevia	<i>Stevia</i> sp.	1
Holly (Chinese)	<i>Ilex</i> <i>cornuta</i>	3	Stewartia	<i>Stewartia</i> <i>pentagyna</i>	1
Holly (English)	<i>Ilex</i> <i> aquifolium</i>	3	St. John's Wort	<i>Hypericum</i> sp.	1
Holly (Japanese)	<i>Ilex</i> <i>crenata</i> vars.	2	Sweetleaf	<i>Symplocos</i>	1
Honeysuckle	<i>Lonicera</i> sp.	1	Taxus (See Yew)		
Hydrangea	<i>Hydrangea</i>	1	Trifoliate-Orange	<i>Poncirus</i> sp.	2
Japanese Andromeda	<i>Pieris</i> <i>japonica</i>	1	Trumpet creeper	<i>Campsis</i> sp.	1
Japanese Umbrella Pine	<i>Sciadopitys</i> <i>verticillata</i>	3	Tuliptree	<i>Liriodendron</i> sp.	3
Jasmine	<i>Jasminum</i> <i>nudiflorum</i>	1	Verbena	<i>Verbena</i> sp.	1
Jetbead	<i>Rhodotypos</i> sp.	1	Viburnum	<i>Viburnum</i> sp.	1
Juniper vars.	<i>Juniperus</i> <i>chinensis</i> vars.	3	Waxmyrtle	<i>Myrica</i> sp.	1
	<i>Juniperus</i> <i>chinensis</i> <i>aponica</i>	2	Weigela	<i>Diervilla</i> sp.	1
	<i>Juniperus</i> <i>chinensis</i> <i>fitzgeraldiana</i>	2	Willow	<i>Salix</i> sp.	1
	<i>Juniperus</i> <i>columnaris</i> <i>hilli</i> (dwarf)	2	Wintergreen	<i>Gaultheria</i> sp.	2
	<i>Juniperus</i> <i>communis</i> vars.	3	Wisteria	<i>Wisteria</i> sp.	2
	<i>Juniperus</i> <i>conferta</i>	3	Witch Hazel	<i>Hamamelis</i> sp.	2
	<i>Juniperus</i> <i>rigida</i>	2	Yellowwood	<i>Cladrastis</i> sp.	2
	<i>Juniperus</i> <i>sabina</i> <i>fastigata</i>	2	Yew	<i>Taxus</i> <i>baccata</i> vars.	3
	<i>Juniperus</i> <i>squamata</i> <i>fargesii</i>	2		<i>Taxus</i> <i>cuspidata</i> vars.	3
	<i>Juniperus</i> <i>virginiana</i> vars.	3		<i>Taxus</i> <i>media</i> <i>hatfieldii</i>	3
Kerria	<i>Kerria</i> sp.	1		<i>Taxus</i> <i>media</i> <i>hicksii</i>	3
Knotweed	<i>Polygonum</i> sp.	3	Zelkova	<i>Zelkova</i> sp.	2
Laburnocytisus	<i>Laburnocytisus</i> sp.	1 or 2			
Lantana	<i>Lantana</i> sp.	1			

Zelkova

*Standardized Plant Names

Hormodin is a registered trademark of OHP, Inc. ESL030618 REV030618



An American Vanguard Company



[Additional Bullet Points]

- Contains Hormodin 1
- Grow New Plants From Cuttings!

- Growing New Plants From Cuttings is Easy!
- As Simple as Cut, Dip and Plant!
- SIMPLE, READY- TO-USE
- ROOTING H ORMONE
- *[Product Name]* is a general purpose powder for the home gardener who wants to propagate popular varieties such as: African Violets, Carnations, Fuchsia, Geraniums, Jasmine, Willow, Viburnum, Roses, Begonias, Gardenias, Coleus, Philodendrons, Bougainvillea, Poinsettias, Chrysanthemums, Euonymous, Hydrangeas, Phlox, Raspberry and most other home, garden and greenhouse plants.
- Propagating plants from cuttings is an easy inexpensive way to multiply your plant supply and share garden favorites with others. And it's the only way to assure new plants will show the same flowering and fruiting qualities admired in hybrid parents.
- Use *[Product Name]* to grow cuttings from your favorite plants including: African Violets, Roses, Poinsettias, Philodendrons, Geraniums, Coleus, Woody Ornamentals, Most other popular home, garden and greenhouse varieties.
- New *[permitted for six months after first retail sale]*
- Grow New Plants From Cuttings Fast!
 - Geraniums • Coleus • Woody ornamentals • African violets • Roses
 - Poinsettias • Philodendrons
 - Most other popular home, garden and greenhouse varieties

[Advertising and Recommendations for other related products may follow. ie: plant foods, soil, potting and planting mixes & soil conditioners, gardening tools, containers, etc.] and [Paragraph format for FIRST AID may be used on small containers]

[Alternate Language for Homeowner use]

Stop. Read Entire Label Before Use. APPLICATION OF *[Product Name]*

1. The cut ends of the cuttings should be slightly moistened before treatment.
2. Stir cut ends in *[Product Name]* powder.
3. Remove excess powder by tapping on rim of container.
4. Plant treated cuttings in a rooting medium such as *[potting soil, mix, etc.]*. Mist regularly.

[Homeowner Use Storage and Disposal]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place. Keep in original container.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

[Homeowner (Nonagricultural) use may delete WPS.]

C:\DATA_E1\CLIENTS_ATSSC\OHP\59807-4_Hormodin_1\MS_Does\059807-00004.20120309.OHP_Hormodin_Bullets+Homeowner_NOTIFY.doc