1/1



EPA Reg

Date of Issuance:

Number:

AUG 1 0 2005

59823-1

. Term of Issuance:

Conditional

Name of Pesticide Product:

Biobarrier

II S ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

Registration
X Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

REEMAY

70 Old Hickory Blvd. Old Hickory, TN 37138

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named posticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally reregistered in accordance with FIFRA section 3(c)(7)(A) provided you agree in writing to:

- 1. Under Storage and Disposal replace the heading "storage" with "pesticide storage".
- 2. Add "exist" after washables on page 3 of the Biobarrier Root Control System label.

Signature of Approving Official:

vanne J. Miller

Date:

AUG 1 0 2005

Joanne I. Miller, Product Manager (23)

Herbicide Branch, Registration Division (7505C)

EPA Form 8570-6

A stamped copy of labeling is enclosed for your records.



Root Control System for Container Grown Ornamentals

Biobarrier® is a multi-year root control system consisting of time-release nodules impregnated with a herbicide. The nodules are attached permanently to a flexible and permeable geotextile fabric.

Active Ingredient: Trifluralin (α,α,α -trifluoro-2,6-dinitro-N,N-dipropyl- ρ -toluidine).... 17.5% Inert Ingredients: 82.5% TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautionary Statements.

EREEMAY

Mfg. By:

70 Old Hickory Blvd. Old Hickory, TN 37138 1-800-257-6687

EPA Registration No. 59823-1 Establishment No. 59823-TN-1

NET CONTENTS:_____pounds

ACCEPTED with COMMENTS in EPA Letter Dated

2-10-05

Under the Federal Innecticide, Fungicide, and Rodentiside Act as amended, for the pesticide registered under EPA Reg. No.

59823-1

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

For additional information in case of emergency call toll free 1-800-257-6687

	First Aid		
If swallowed:	If swallowed: -Call a poison control center or doctor immediately for treatment adviceHave person sip a glass of water if able to swallowDo not induce vomiting unless told to do so by a poison control center or doctorDo not give anything by mouth to an unconscious person.		
If in eyes:	If in eyes: -Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyeCall a poison control center or doctor for treatment advice.		
If on skin:	If on skin or clothing: -Take off contaminated clothingRinse skin immediately with plenty of water for 15-20 minutesCall a poison control center or doctor for treatment advice.		
If inhaled:	If inhaled: -Move person to fresh airIf person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possibleCall a poison control center or doctor for treatment advice.		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.			

PERSONAL PROTECTIVE EQUIPMENT

Applicators and all other handlers must wear:

- -Long-sleeved shirt and long pants
- -Socks and shoes and
- Chemical resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards:

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical Hazards:

Do not store near heat or open flame.

Directions for Use:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The Worker Protection Standard applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: if the product is soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as soil is:

- -coveralls
- -chemical resistant gloves made of any waterproof material
- -shoes plus socks

PESTICIDE STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.


Storage: Store in original container only. Store in dry place out of direct sunlight.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container. Then dispose of wrap and/or box in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

General Directions:

Biobarrier® Pot 'N Pot is for use in the production of ornamental plants grown in pots in nurseries, greenhouses, and shadehouses. For the Pot 'N Pot system of production, install Biobarrier on the inside bottom of the larger pot and then insert the smaller pot containing the plants. Biobarrier prevents roots from growing through the pot drain holes. With the use of Biobarrier less labor is required for harvesting and less damage is caused to roots as plants are removed.



Disclaimer of Warranties

The Seller makes no warranties concerning this product or its use which extend beyond the standard specifications for the products. The Seller makes no warranties of merchantability or fitness for a particular purpose, or any other express or implied warranty.

Buyer assumes all risk and liability resulting from use of the products delivered hereunder, whether used singularly or in combination with other products. All statements concerning this product apply only when used as directed.

Limitation of Damages

No claim of any kind, whether as to products delivered or for nondelivery of products, and whether or not based on negligence, shall be greater in amount than the purchase price of the products in respect to which damages are claimed. No charge or expense incident to any claims will be allowed unless approved by an authorized representative of Seller. Products shall not be returned to Seller without Seller's prior permission, and then only in a manner prescribed by Seller. The remedy hereby provided shall be the exclusive and sole remedy of Buyer, and in no event shall either party be liable for special, indirect or consequential damages, whether or not caused by or resulting from the negligence of such party.

[CENTER PANEL]



Biobarrier is a multi-year root control system consisting of time-release nodules impregnated with a herbicide. The nodules are attached permanently to a flexible and permeable geotextile fabric which can be contour applied to a wide variety of applications and which will inhibit root encroachment in the applications set forth below.

Active Ingredient:	<u>Nominal</u>
Trifluralin (α , α , α -trifluoro-2,6-dinitro-N,N-dipropyl- ρ -toluidine)	. 17.5%
Inert Ingredients:	82.5%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional Precautionary Statements.

EREEMAY

Mfg. By:

70 Old Hickory Blvd. Old Hickory, TN 37138 1-800-257-6687

EPA Registration No. 59823-1 Establishment No. 59823-TN-1

NET CONTENTS: _____pounds

ACCEPTED with: COMMENTS in EPA Letter Dated

3-10-05

Under the Federal Insecticide, Fungicide, and Rodemicide Act as amended, for the pesticide registered under EPA Rag. No.


59823-1

[CENTER PANEL CONTINUED]

Biobarrier Applications

Bicycle Paths
Building Foundations
Burial Vaults/Tombstones
Curbs
Golf Greens/Tees/Cart paths
Landfills
Medians
Planting Beds/Containers
Retaining Walls

Roads Roof Gardens Septic Tanks/Fields Sidewalks Swimming Pools Tennis Courts Underground Pipes/ & Cables Utility Substations



[LEFT PANEL]

Precautionary Statements Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Harmful is absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

For additional information in case of emergency call toll free 1-800-257-6687.

First Aid	
If swallowed:	If swallowed: -Call a poison control center or doctor immediately for treatment adviceHave person sip a glass of water if able to swallowDo not induce vomiting unless told to do so by a poison control center or doctorDo not give anything by mouth to an unconscious person.
If in eyes:	If in eyes: -Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyeCall a poison control center or doctor for treatment advice.
If on skin:	If on skin or clothing: -Take off contaminated clothingRinse skin immediately with plenty of water for 15-20 minutesCall a poison control center or doctor for treatment advice.
If inhaled:	If inhaled: -Move person to fresh airIf person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possibleCall a poison control center or doctor for treatment advice.
	ict container or label with you when calling a poison control or, or going for treatment.

Personal Protective Equipment (PPE):

Handlers must wear:

- -Long-sleeved shirt and long pants,
- -Shoes and socks, and
- -Chemical resistant gloves such as or made of any waterproof material.

User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards:

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical Hazards:

Do not store near heat or open flame.

Directions for Use:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.

PESTICIDE STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container only. Store in dry place out of direct sunlight.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

[LEFT PANEL CONTINUTED]

Container Disposal: Completely empty container. Then dispose of wrap and/or box in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

General Directions:

Biobarrier® is a multi-year root control system which is strategically positioned in the soil to protect structures from plant root encroachment (see applications). Biobarrier controls roots by establishing an in-soil barrier plane of trifluralin, which prevents root tip cell division. Roots are either stopped or redirected away from structures. Trifluralin is not systemic but can limit root mass. The multi-year feature of Biobarrier is provided by a time-release mechanism which continues to meter trifluralin into the soil as the exposed trifluralin biologically and chemically degrades. Structure protection is provided by placing the Biobarrier fabric between the root source and the structure. Since the fabric

is flexible and permeable, installation may be custom contoured to obtain the most desirable root system redirection for the application and/or to accommodate obstacles.

[RIGHT PANEL]

Installation Directions:

Biobarrier® is ready for in-soil installation as received. The fabric should be in soil as soon as practical after removal from the sealed shipping container, minimizing exposure to direct sunlight and elevated temperatures. Prolonged exposure can reduce the effective life of the product. Biobarrier® should not be installed in water. Store any unused portions of the product tightly resealed in the original container in a dry place.

Biobarrier can be installed in the soil vertically, horizontally, or as a surround. Vertical applications typically require standard ditch/trench digging equipment (follow all applicable codes when digging below surface). Vertical fabric position can be maintained by suspending it at the top with hangers. Horizontal applications may require seaming or hold down pegs. Surround applications may involve a variety of holding devices to assure fabric position. In all applications, nodules must be no further than one and one-half inches apart in order to assure a continuous root control plane. Fabric should extend a minimum of 18" beyond structure area to be protected as roots can grow around edges of fabric. For vertical applications, the top edge must be even with the soil surface. A minimum of 2" soil overlay should also be maintained for horizontal applications.

Biobarrier, used in retrofit applications where roots are already present, requires roots be interrupted with a root pruner or equivalent device and removed. Root control will not be effective if roots penetrate fabric at time of installation.

(SEE ADDITIONAL DIRECTIONS ENCLOSED)

Disclaimer of Warranties

The Seller makes no warranties concerning this product or its use which extend beyond the standard specifications for the products. The Seller makes no warranties of merchantability or fitness for a particular purpose, or any other express or implied warranty.

Buyer assumes all risk and liability resulting from use of the products delivered hereunder, whether used singularly or in combination with other products. All statements concerning this product apply only when used as directed.

Limitation of Damages

No claim of any kind, whether as to products delivered or for nondelivery of products, and whether or not based on negligence, shall be greater in amount than the purchase price of the products in respect to which damages are claimed. No charge or expense incident to any claims will be allowed unless approved by an authorized representative of Seller. Products shall not be returned to seller without Seller's prior permission, and then only in a manner prescribed by Seller. The remedy hereby provided shall be the exclusive and sole remedy of Buyer, and in no event shall either party be liable for special, indirect or consequential damages, whether or not caused by or resulting from the negligence of such party.