

ants; even next to food and dishes. Attractive beige colored baits blend better on most home surfaces.

DIRECTIONS FOR HOUSEHOLD USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Break ANT CONTROLLER II BAITs apart from the plastic frame.
2. For best results, place the baits by ant trails or close to areas where ants are numerous. You can even place ANT CONTROLLER II ANT BAITs on kitchen countertops and next to food and dishes.
3. Use all four baits at one time; use 6 to 8 baits for heavier infestations.

STORAGE AND DISPOSAL STATEMENTS


STORAGE: Store in a cool, dry area inaccessible to children.

DISPOSAL: Wrap container and put in trash collection.

RAID is a registered trademark of S. C. Johnson & Son, Inc.

EPA Reg. No. 4822-356
EPA EST. NO.

S. C. Johnson & Son, Inc.
Racine, Wisconsin 53403



PM 21
51905-3
10.14.5

OCT 10 1990

Mr. Vincent R. Palmere
Perma-Chink Systems, Inc.
1605 East Prosser Road
Knoxville, TN 37914

Dear Mr. Palmere:

Subject: Revised Labeling
Bora-Cure
EPA Registration No. 59905-3
Your Submission Dated November 22, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:
 - In the Environmental Hazards section, reinstate "Do not apply directly to water."
2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Susan Levis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure


54317:1:Stone:LR-13:KENCO:7/9/90:8/5/90:EK:VO:DD:EK

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

TOTAL WOOD PRESERVATIVE

A Wood Preservative for Protection and Treatment of Wood Against Fungal Decay
Wood Destroying Insects, Termites and Carpenter Ants.



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

ACTIVE INGREDIENT: Disodium Octaborate Tetrahydrate

($\text{Na}_2\text{B}_8\text{O}_{13} \cdot 4\text{H}_2\text{O}$)

INERT INGREDIENT:

DENSITY: 11.51 pounds per gallon

40.0%

60.0%

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS Harmful if swallowed. Wash thoroughly after handling. Avoid contamination of food and feed. Do not leave container where children or animals may gain access.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, immediately contact a physician or Poison Control Center. If these are unavailable, give the victim 1 or 2 glasses of water and induce vomiting by touching back of throat with fingers. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES, flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN, remove contaminated clothing and wash skin with soap and water.

IF INHALED, remove victim to fresh air.

BORA-CARE IS A CONCENTRATE WHICH MUST BE MIXED WITH AN EQUAL VOLUME OF WATER. STIR THE DILUTED SOLUTION UNTIL THE CLOUDINESS DISAPPEARS BEFORE USE.

ENVIRONMENTAL HAZARDS

BORA-CARE solutions carelessly spilled or applied to crops including trees and shrubs, may kill or seriously retard plant growth. Cover plants and nearby soil with plastic to avoid contamination. Do not discharge washwater when disposing of equipment washwaters.

EPA REGISTRATION NO. 59905-3
Net Weight: 57.5 Lbs (26.1 Kilos)
5 Gallons (18.9 Liters)

ACCEPTED
with COMMENTS
in EPA Letter

OCT 10

Under the Federal
Pesticide and Rodenticide
Act, amended, for
registered under

59905

NOTE

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MATERIAL PREPARATION

BORA-CARE MUST BE DILUTED WITH AN EQUAL VOLUME OF CLEAN WATER (A 1:1 RATIO) BEFORE USE. ADD WATER AND STIR OR AGITATE UNTIL COMPLETELY MIXED AND ANY CLOUDINESS DISAPPEARS.

SURFACE PREPARATION

Apply to bare wood only. Remove any previous finishes or water repellents before application of BORA-CARE. Surfaces should be free of dirt and other contaminants. If finished appearance is a concern, any mold or mildew should be removed prior to application of BORA-CARE with a 1:1 combination of bleach and water followed by thorough rinsing of surface.

APPLICATION RATES

One gallon of BORA-CARE concentrate will treat 800 board feet of wood to a minimum retention level of 0.084 pounds per cubic foot boric acid equivalent (BAE).

Since the active ingredient penetrates throughout the wood being treated, the amount of BORA-CARE needed must be calculated on a volume of wood being treated, not just the surface area. Use the following formulas to calculate the required amount of BORA-CARE:

For Dimensional Lumber (2x4, 2x6, 2x12, etc.): Material thickness (in inches) x material width (inches) x material length (feet) divided by 12 = Board Feet.

For Log Homes: Log height (inches) x log thickness (inches) x perimeter (feet) x number of courses divided by 12 = Board Feet.

(For round logs use the average diameter for both height and thickness measurements).

NOTE: Round up partial gallons to next whole gallon.

When applied at the rate of 400 bd. ft. / gal. of dilute solution, one coat may be all that is necessary to treat dimensional lumber (2x4, etc.). Larger material will occasionally require multiple coats depending on surface porosity, wood species, and moisture content. It is not necessary to let the surface completely dry between coats.

Treatment is permanent as long as the treated material is not exposed to rain, moisture or ground contact. For exterior surfaces, a water repellent finish such as LIFELINE EXTERIOR WOOD FINISH is necessary to achieve long term protection and control of surface mold and mildew. Interior surfaces do not require topcoating except in situations involving repeated moisture contact or high humidity (shower stalls, bath houses, saunas, etc.).

BORA-CARE treated wood should be protected from rain or snow until the protective topcoat is applied. This is generally done 48 to 72 hours after treatment; however, all surfaces should be completely dry to the touch before application of topcoat.

CLEANUP: Use soap and water to clean up tools and contaminated clothing.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage or disposal.


STORAGE: Store in dry place. Do not store where children or animals may gain access. Do not freeze.

PESTICIDE DISPOSAL: Do not contaminate water when disposing of equipment washwaters. Pesticide spray mixture or rinsate that cannot be used or chemically re-processed should be disposed of according to procedures approved by Federal, State, or Local disposal authorities.

CONTAINER DISPOSAL: Do not reuse empty container. Consult Federal, State or Local authorities for approved procedures.

TOTAL WOOD PRESERVATIVE

A Wood Preservative for Protection and Treatment of Wood Against Fungal Decay,
Wood Destroying Insects, Termites and Carpenter Ants.



GENERAL INFORMATION

BORA-CARE is a highly concentrated solution of sodium borate with additives which facilitate rapid penetration of wood, regardless of moisture content. It is designed for preventative and /or remedial treatment of wood in both new and existing structures against fungal decay and wood boring insects including:

Subterranean Termites (Reticulitermes, Coptotermes)
Dampwood Termites (Zootermopsis)
Drywood Termites (Kaloterms, Incisitermes)
Powder Post Beetles (Lyctidae)
Anobiid Beetles (Anobiidae)
Old House Borers, Longhorn Beetles (Cerambycidae)
Carpenter Ants (Camponotus)

MADE IN USA
EPA ESTABLISHMENT NO. 59905-TN-001
PATENT PENDING

NOTICE

Because of varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. In any event, complete prevention of decay or insect infestation is not guaranteed. Neither the manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label.

PERMA-CHINK
SYSTEMS, INC.

1605 Prosser Road
Knoxville, TN 37914
(615) 524-7343

Page 2