

**PRECAUTIONARY STATEMENTS
CAUTION
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray where food or drink is exposed or being consumed. Remove pets, birds, and cover fish aquariums before space spraying. Do not remain in treated areas. Ventilate the area when treatment is complete.

FIRST AID

IF SWALLOWED: Induce vomiting by sticking finger in back throat or by administration of syrup of Ipecac. Get medical attention.
IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
IF ON SKIN: Wash with plenty of soap and water. If irritation develops get medical attention.

ENVIRONMENTAL HAZARDS

The pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME
Flash point minimum of 174° F (78.8° C).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store this water-base formulation at temperatures below 32°F (0°C). If this material has been exposed to temperatures below 32°F (0°C), there may be precipitation. Check for crystallization. If evident, warm to 80°F (26.5°C) and thoroughly mix before using. For containers 1 gallon and under: Store product in original container in a locked storage area.
PESTICIDE DISPOSAL: For containers over 1 gallon: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: For Containers 1 Gallon and under: Do not reuse empty container. Wrap container and put in trash.
For Containers over 1 Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such; or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

SYN-TECH 2.5% + 10% INSECTICIDE

TRANSPARENT EMULSION ** DILUTABLE CONCENTRATE

ACTIVE INGREDIENTS:

*+ Resmethrin [5-(Phenylmethyl)-3-furanyl] methyl-2, 2-dimethyl-3- (2-methyl-1-propenyl) cyclopropanecarboxylate	2.50%
*Piperonyl Butoxide, Technical	10.00%
OTHER INGREDIENTS:	87.50%
	100.00%

- * Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
- + U.S. Patent Nos. 3,465,007 and 3,542,928
- * Penick-Bio UCLAF's SBP-1382® brand of resmethrin insecticide.
- * Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**


**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT**

**Can Be Used In Non-Food Areas
Of Food Handling Establishments**

Manufactured By:



PRO-TECH LIVESTOCK, CORP.
P.O. BOX 1450



EPA Reg. No. 59906-4

EPA Est. No. 655-GA-1

NET CONTENTS: _____

DIRECTIONS FOR USE

It is a Violation of Federal Law to use this Product in a Manner Inconsistent with its Labeling.

INDOORS: For use in Horse Barns, Dairy Barns, Milking Parlors, Milk Handling Areas of Milk Plants, Hog Barns, Kennels, Zoos and Farm structures housing Animals and Poultry. "Remove dairy and beef cattle, hogs, sheep, goats and poultry before using in dairy barns, milking parlors, hog, sheep or goat barns or poultry houses. Ventilate these areas before returning livestock to animal quarters."

DILUTE: Syn-Tech 2.5% + 10% Concentrate Prior to use as follows:
0.12% Resmethin - Add 1 part concentrate to 21 parts water.
0.25% Resmethin - Add 1 part concentrate to 10 parts water.

TO KILL HOUSEFLIES, HORN FLIES, STABLE FLIES, MOSQUITOES AND GNATS:
Add water to tank and then add concentrate to obtain desired dilution. Mix well. Dispense diluted solution through automatic spraying system. Set nozzles to spray 1 ounce diluted solution per minute. Mist at the rate of 0.5 to 1 ounce of spray per 1,000 cu. ft. (28.3 cu.m.) of space. Repeat as often as necessary.

OUTDOORS: For use around Restaurants, Hospitals, Patios and Commercial Buildings through Automatic spraying system:
TO KILL HOUSEFLIES, HORN FLIES, STABLE FLIES, MOSQUITOES AND GNATS:

DILUTE: Syn-Tech 2.5% + 10% Concentrate Prior to use as follows:
0.12% Resmethin - Add 1 part concentrate to 21 parts water.
0.25% Resmethin - Add 1 part concentrate to 10 parts water.

Add water to tank and then add concentrate to obtain desired dilution. Mix well. Dispense diluted solution through automatic spraying system. Set nozzles to spray 1 ounce diluted solution per minute. Mist at the rate of 0.5 to 1 ounce of spray per 1,000 cu. ft. (28.3 cu.m.) of space. Repeat as often as necessary.

ANIMAL TREATMENT: To kill and repel house flies, horn flies, face flies, deer flies, stable flies and horse flies on horses. Apply the 0.12% dilution as a coarse particle spray or sponge at the rate of 2 ounces per large animal on a daily basis. Avoid spraying in eyes. Repeat as necessary. Do not use on horses intended for food.

For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

59906-4

06/27/2000

111