

59913-11

05/31/2005

1/9

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other: Notification

OPP Identifier Number  
306651

Application for Pesticide - Section I

1. Company/Product Number 059913-11	2. EPA Product Manager Mary Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SAFER® BRAND GARDEN FUNGICIDE RTU II	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) Safer, Inc. a wholly owned subsidiary of Woodstream Corporation 69 North Locust Street Lititz PA 17543-0327 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. : Product Name: <b>NOTIFICATION</b> MAY 31 2005 <i>jm</i>	

Section - II

Amendment - Explain below.  Final printed labels in response to Agency letter dated \_\_\_\_\_  
 Resubmission in response to Agency letter dated \_\_\_\_\_  "Me Too" Application  
 Notification - Explain below.  Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

SEE ATTACHED

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information  
 Label  Container

4. Size(s) Retail Container

5. Location of Label Directions  
 On Label  
 On labeling accompanying product

6. Manner in Which Label is Affixed to Product  
 Lithograph  Other \_\_\_\_\_  
 Paper glued  
 Stenciled

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name Nathan P. Ehresman	Title Regulatory Affairs Manager	Telephone No. (Include Area Code) 717-626-2125 x425
----------------------------	-------------------------------------	--

**Certification**  
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature <i>Nathan P. Ehresman</i>	3. Title Regulatory Affairs Manager	6. Date Application Received: (Stamped)
4. Typed Name Nathan P. Ehresman	4. Date May 4, 2005	

**ATTACHMENT TO NOTIFICATION DATED May 4, 2005**


OPP Identifier Number  
306651

**NOTIFICATION OF LABEL ACTION PER PR-NOTICE 98-10:**

**Label Statements-**


Deletion of Product Name in Body of Label Text DIRECTIONS FOR USE section and Replacement with "This fungicide product..."

This notification is consistent with the provisions of PR NOTICE 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make false statements to EPA. I further understand that if this notification is not consistent with the terms of PR NOTICE 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

  
Nathan P. Ehresman  
Regulatory Affairs Manager

5/4/05

**NOTIFICATION**  
**MAY 31 2005**



3/8

EPA Reg. No. 059913-11  
Notification- Master Label  
May 4, 2005  
Page 1 of 5  
MASTER LABEL- FRONT PANEL (PAGE #1 of 1)

NOTIFICATION  
MAY 3 1 2005

**SAFER® BRAND GARDEN FUNGICIDE RTU II**

For Organic Gardening [Optional Logo]  
OMRI™ Listed- Organic Materials Review Institute [Optional Logo]

Controls  
POWDERY MILDEW, BLACK SPOT, LEAF SPOT and RUST  
On  
Fruits, Vegetables, Flowers and Foliage

[Additional Brand Names]


*Garden Fungicide For Flowers, Fruit, and Vegetables II- Safer® Brand*  
*Garden Fungicide II For Flowers, Fruits & Vegetables-Safer® Brand*

ACTIVE INGREDIENT:	BY WT.
Sulfur.....	0.40%
OTHER INGREDIENTS:.....	99.60%
TOTAL.....	100.00%

**KEEP OUT OF REACH OF CHILDREN**

**See back panel for additional Precautionary Statements**

NET CONTENTS 24 Fl. Oz., 32 Fl. Oz., 128 Fl. Oz.



EPA Reg. No. 059913-11  
Notification- Master Label  
May 4, 2005  
Page 2 of 5  
MASTER LABEL- BACK PANEL (Page #1 of 4)

**PRECAUTIONARY STATEMENTS**  
Hazards to Humans and Domestic Animals

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**WHAT IT IS:** This fungicide product is specially formulated with sulfur which inhibits the attack of fungal diseases by creating an environment which is not optimal for disease growth.

**WHAT IT CONTROLS:** Powdery mildew, black spot, leaf spot and rust.


**WHERE TO USE IT:** Roses, Flowers, Foliage Plants, Ornamentals, Beans, Peas, Broccoli, Cabbage, Cauliflower, Collards, Kale, Peppers, Strawberries, Apples, Pears, Potatoes, Cucumbers, Squash, Grapes, Blackberries, Blueberries, Raspberries, Loganberries, Currants, Melons and Tomatoes.

**HOW TO USE IT:** Spray at first sign of infection. Spray plants thoroughly to wet the upper and lower surfaces of foliage.

**ROSES, FLOWERS, FOLIAGE PLANTS & ORNAMENTALS:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew, leaf spot, black spot, and rust. Be sure to treat new growth and buds.

**AZALEA, BUTTONBUSH, CHRYSANTHEMUM, HYDRANGEA, MATRIMONY VINE, RHODODENDRON, AND SNAPDRAGON:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew, leaf spot, and rust. Be sure to treat new growth and buds.

**CATALPA, DELPHINIUM, HONEYSUCKLE, HORSE CHESTNUT, LILAC, LINDEN, PHLOX, SWEETPEA, SYCAMORE, TRUMPET VINE, WITCH HAZEL, AND ZINNIA:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew and leaf spot. Be sure to treat new growth and buds.



EPA Reg. No. 059913-11  
Notification- Master Label  
May 4, 2005  
Page 3 of 5  
MASTER LABEL- BACK PANEL (Page #2 of 4)

**CARNATION AND STAGHORN SUMAC:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control leaf spot and rust. Be sure to treat new growth and buds.

**ALDER AND ASTER:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew and rust. Be sure to treat new growth and buds.

**DAHLIA:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew. Be sure to treat new growth and buds.

**BEANS, PEAS, BROCCOLI, CABBAGE, CAULIFLOWER, COLLARDS, KALE AND PEPPERS:** Apply at first sign of disease infestation. Spray at 7 day intervals, following rain, or as needed to control powdery mildew. Can be used up to the day before harvest.

**STRAWBERRIES:** Apply at first sign of disease infestation. Repeat at 3 week intervals to control powdery mildew. Do not use on strawberry fruit that will be used for canning. Can be used up to the day before harvest.

**APPLES & PEARS:** Apply at pre-bloom stage or after petal fall as needed to control powdery mildew. NOTE: Some apple & pear varieties are sulfur sensitive; test for varietal sensitivity prior to full scale treatment.

**POTATOES:** Apply before disease infestation appears and repeat as necessary to control powdery mildew.

**CUCUMBERS & SQUASH:** Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.


**GRAPES:** For control of powdery mildew, apply when new shoots are 6-10 inches. Repeat before blooms open and at 14 day intervals as needed. NOTE: Do not apply to wine grapes within 21 days of harvest. Sulfur may damage concord & other labrusca varieties.

**BLACKBERRIES, BLUEBERRIES, RASPBERRIES, LOGANBERRIES AND CURRANTS:** Apply each week starting at first bloom color to control powdery mildew. Continue to spray at 10 to 14 day intervals until fruit is set, then repeat as needed or following rain.

**MELONS:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals following rain, or as needed to control powdery mildew. NOTE: Melon foliage is extremely sensitive to sulfur burn. See paragraph on Use Cautions.

**TOMATOES:** Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

**USE CAUTIONS:** Some plants are susceptible to injury from sulfur under certain climatic conditions. Do not use on Boston fern, spinach, apricots, filberts, walnuts and viburnum. Do not apply when temperature exceeds 85° F or in full sun. Do not apply for at least 4 weeks following application of oil spray. Avoid contact with plants until spray has dried.



6/8

EPA Reg. No. 059913-11  
Notification- Master Label  
May 4, 2005  
Page 4 of 5  
*MASTER LABEL- BACK PANEL (Page #3 of 4)*

**STORAGE AND DISPOSAL**

**STORAGE:** Store only in original container in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation.

**DISPOSAL:**


If Empty: Do not reuse this container. Place in trash or offer for recycling if available.  
If Partly Filled: Call your local solid waste agency or (800)-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Woodstream Corp. and its subsidiaries will not accept liability for damages or injury resulting from misuse. For information on this product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Distributed by  
Safer®, Inc., a wholly owned subsidiary of Woodstream Corporation  
69 North Locust Street  
Lititz PA 17543  
1-800-800-1812 for information

EPA Reg. No. 59913-11  
EPA Est. No. 44616-MO-001

All ® Property of Woodstream Corporation  
© Copyright Woodstream Corporation, 2005



EPA Reg. No. 059913-11  
Notification- Master Label  
May 4, 2005  
Page 5 of 5  
MASTER LABEL- BACK PANEL (Page #4 of 4)


[Optional Marketing Claims]

### oz. Ready-To-Use  
Effective  
Water-based  
Made with elemental sulfur  
Use as a preventative treatment.  
Use up to day before harvest.  
Always shake well before using.  
Shake well  
Made in USA  
Printed in USA

*Si no usted entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)*

*The Right Solution™. Safer® Brand Garden Fungicide Ready-To-Use is used for prevention and control of fungal diseases, but is gentle on flowers, plants and produce. It treats foliage with the naturally occurring essential element sulfur, to create an environment where damaging fungi cannot live.*

*Its non-burning, easy to use spray formulation can be used on flowers, fruits and vegetables up until the day before harvest.*





8/8

**Regulatory Affairs**  
69 N. Locust Street  
P.O. Box 327  
Lititz, PA 17543-0327  
(717) 626-2125  
Fax: (717) 626-1912  
[www.woodstreamcorp.com](http://www.woodstreamcorp.com)  
[www.victorpest.com](http://www.victorpest.com)  
[www.havahart.com](http://www.havahart.com)

May 4, 2005

Document Processing Desk (NOTIF)  
US EPA- OPP (7505C)  
Crystal Mall #2, RM 266A  
1801 South Bell Street  
Arlington VA 22202

C/O Mary L. Waller (PM# 21)

**SUBJECT:** Safer, Inc.  
Safer Brand Garden Fungicide RTU II  
EPA Reg. No. 59913-11  
Notification of revision to label phrase

Dear Ms. Waller:

Safer, Inc would like to notify the Agency of a label phrase revision for subject product.

Please find enclosed:

1 copy of Application for Pesticide Other- Notification  
5 copies of Revised Master Labeling with change highlighted

Sincerely,

A handwritten signature in black ink, appearing to read "Nathan P. Ehresman".

Nathan P. Ehresman  
Regulatory Affairs Manager

The logo for Victor, featuring the word "Victor" in a large, bold, sans-serif font with a registered trademark symbol.

The logo for Havahart, featuring the word "Havahart" in a stylized font with a heart shape behind the letters "a" and "a", and the tagline "Caring Control for Pets and Wildlife" below it.