

59913-11

03/26/2008

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Chad Mateer  
Regulatory Affairs Manager  
Woodstream Corporation  
69 North Locust Street  
P.O. Box 327  
Lititz, PA 17543-0327

MAR 26 2008

Subject: Label Notifications for Pesticide Registration Notice 2007-4

Dear Mr. Mateer,

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated January 28, 2007 (and letters with corrected EPA Forms 8570-1 dated March 20, 2008) for:

EPA Registration 59913-11  
EPA Registration 59913-12

Safer® Brand Garden Fungicide RTU<sup>II</sup>  
Safer® Brand 3-In-1 RTU II

The Registration Division (RD) has conducted its review of these requests for their applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN 2007-4. The labels submitted with these applications have been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Steve Schaible of my staff at 703-308-9362.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other: **NOTIFICATION**

OPP Identifier  
Number  
**306947**

**Application for Pesticide - Section I**

1. Company/Product Number <b>59913-11</b>	2. EPA Product Manager <b>Mary Waller</b>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>SAFER® BRAND GARDEN FUNGICIDE RTU II</b>	PM# <b>21</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>Safer Inc., a wholly owned subsidiary of Woodstream Corporation 69 N. Locust Street Lititz, PA 17543-0327</b> <input type="checkbox"/> Check if this is a new address	6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)

Notification of Label Action Per PR-Notice 2007-4: ~~Please refer to the attached explanation~~

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container <b>24 oz., 32 oz., 1 gal</b>		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name <b>Chad Mateer</b>	Title <b>Regulatory Affairs Manager</b>	Telephone No. (Include Area Code) <b>717-626-2125 x426</b>
----------------------------	--	---

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title <b>Regulatory Affairs</b>	6. Date Application Received (Stamped)
4. Typed Name <b>Mark Mongiovi</b>	5. Date <b>3-20-08</b>	

3/10

**ATTACHMENT TO NOTIFICATION DATED 3-20-08**

**OPP Identifier Number: 306947**

**EPA Reg. No.: 59913-11**

**NOTIFICATION OF LABEL ACTION PER PR-NOTICE 2007-4:**

**Storage and Disposal Statements**

*(Revised As per PR Notice 2007-4)*

***MASTER LABEL-BACK PANEL (Page # 3 of 4)***

**CONTAINER DISPOSAL:**

**If Empty:** Non-refillable container. Do not reuse or refill this container.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

 3/20/08

Mark Mongiovi  
Regulatory Affairs  
Woodstream Corporation



69 N. Locust Street  
P.O. Box 327  
Lititz, PA 17543-0327  
(717) 626-2125  
Fax: (717) 626-5350  
[www.woodstreamcorp.com](http://www.woodstreamcorp.com)  
[www.saferbrand.com](http://www.saferbrand.com)  
[www.victorpest.com](http://www.victorpest.com)  
[www.havahart.com](http://www.havahart.com)  
[www.perkypet.com](http://www.perkypet.com)  
[www.fishock.com](http://www.fishock.com)

March 20, 2008


Document Processing Desk [NOTIF]  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

ATTN: Notification Division

SUBJECT: Safer, Inc., a wholly owned subsidiary of Woodstream Corporation  
Safer® Brand 3-IN-1 RTU II (EPA Reg. No. 59913-12)  
*Notification of Label Action Per PR-Notice 2007-4*

Please find enclosed a Notification of Label Action Per PR-Notice 2007-4. Also enclosed, please find a copy of our revised master label with changes highlighted and a clean copy for your records.

If you have any questions and/or need any additional information, please call Chad Mateer at (717) 626 - 2125 ext: 426 or email [cmateer@woodstream.com](mailto:cmateer@woodstream.com).

Sincerely,  
  
Mark Mongiovi  
Regulatory Affairs  
Woodstream Corporation

Enclosures:  
Notification of Label Action  
Copy of revised master label with changes highlighted  
Clean copy of revised master label



**MASTER LABEL- FRONT PANEL (PAGE 1 of 1)**

**SAFER ® BRAND GARDEN FUNGICIDE RTU II**

**[Additional Brand Names]**

Garden Fungicide For Flowers, Fruit, and Vegetables<sup>II</sup>- Safer ® Brand  
Garden Fungicide<sup>II</sup> For Flowers, Fruits & Vegetables-Safer® Brand  
SureFire Garden Fungicide For Flowers, Fruits and Vegetables

**[Optional Logos/Marketing Claims]**

For Organic Gardening [Optional Logo]  
OMRI™ Listed- Organic Materials Review Institute [Optional Logo]  
Controls: POWDERY MILDEW, BLACK SPOT, LEAF SPOT and RUST  
On: Fruits, Vegetables, Flowers and Foliage

ACTIVE INGREDIENT:	BY WT.
Sulfur.....	0.40%
OTHER INGREDIENTS:.....	99.60%
TOTAL.....	100.00%

**KEEP OUT OF REACH OF CHILDREN**  
(See back panel for additional precautionary statements)

**Net Contents:** 24 Fl. Oz., 32 Fl. Oz., 128 Fl. Oz.

6/10

**MASTER LABEL- BACK PANEL (Page 1 of 4)**

**PRECAUTIONARY STATEMENTS:**

**Hazards to Humans and Domestic Animals**

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHAT IT IS: This fungicide product is specially formulated with sulfur which inhibits the attack of fungal diseases by creating an environment which is not optimal for disease growth.

WHAT IT CONTROLS: Powdery mildew, black spot, leaf spot and rust.

WHERE TO USE IT: Roses, Flowers, Foliage Plants, Ornamentals, Beans, Peas, Broccoli, Cabbage, Cauliflower, Collards, Kale, Peppers, Strawberries, Apples, Pears, Potatoes, Cucumbers, Squash, Grapes, Blackberries, Blueberries, Raspberries, Loganberries, Currants, Melons and Tomatoes.

HOW TO USE IT: Spray at first sign of infection. Spray plants thoroughly to wet the upper and lower surfaces of foliage.

**ROSES, FLOWERS, FOLIAGE PLANTS & ORNAMENTALS:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew, leaf spot, black spot, and rust. Be sure to treat new growth and buds.

**AZALEA, BUTTONBUSH, CHRYSANTHEMUM, HYDRANGEA, MATRIMONY VINE, RHODODENDRON, AND SNAPDRAGON:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew, leaf spot, and rust. Be sure to treat new growth and buds.

**MASTER LABEL- BACK PANEL (Page 2 of 4)**

**CATALPA, DELPHINIUM, HONEYSUCKLE, HORSE CHESTNUT, LILAC, LINDEN, PHLOX, SWEETPEA, SYCAMORE, TRUMPET VINE, WITCH HAZEL, AND ZINNIA:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew and leaf spot. Be sure to treat new growth and buds.

**CARNATION AND STAGHORN SUMAC:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control leaf spot and rust. Be sure to treat new growth and buds.

**ALDER AND ASTER:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew and rust. Be sure to treat new growth and buds.

**DAHLIA:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew. Be sure to treat new growth and buds.

**BEANS, PEAS, BROCCOLI, CABBAGE, CAULIFLOWER, COLLARDS, KALE AND PEPPERS:** Apply at first sign of disease infestation. Spray at 7 day intervals, following rain, or as needed to control powdery mildew. Can be used up to the day before harvest.

**STRAWBERRIES:** Apply at first sign of disease infestation. Repeat at 3 week intervals to control powdery mildew. Do not use on strawberry fruit that will be used for canning. Can be used up to the day before harvest.

**APPLES & PEARS:** Apply at pre-bloom stage or after petal fall as needed to control powdery mildew. NOTE: Some apple & pear varieties are sulfur sensitive; test for varietal sensitivity prior to full scale treatment.

**POTATOES:** Apply before disease infestation appears and repeat as necessary to control powdery mildew.

**CUCUMBERS & SQUASH:** Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

**GRAPES:** For control of powdery mildew, apply when new shoots are 6-10 inches. Repeat before blooms open and at 14 day intervals as needed. NOTE: Do not apply to wine grapes within 21 days of harvest. Sulfur may damage concord & other labrusca varieties.

**MASTER LABEL- BACK PANEL (Page 3 of 4)**

**BLACKBERRIES, BLUEBERRIES, RASPBERRIES, LOGANBERRIES AND CURRANTS:** Apply each week starting at first bloom color to control powdery mildew. Continue to spray at 10 to 14 day intervals until fruit is set, then repeat as needed or following rain.

**MELONS:** Apply at first sign of disease infestation. Spray at 7 to 10 day intervals following rain, or as needed to control powdery mildew. NOTE: Melon foliage is extremely sensitive to sulfur burn. See paragraph on Use Cautions.

**TOMATOES:** Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

**USE CAUTIONS:** Some plants are susceptible to injury from sulfur under certain climatic conditions. Do not use on Boston fern, spinach, apricots, filberts, walnuts and viburnum. Do not apply when temperature exceeds 85° F or in full sun. Do not apply for at least 4 weeks following application of oil spray. Avoid contact with plants until spray has dried.

**STORAGE & DISPOSAL**

**STORAGE:** Store only in original container in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation

**DISPOSAL: If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



9/10

EPA Reg. No. 59913-11  
Notification of Label Action: Storage & Disposal Statements  
January 28, 2008  
Page 5 of 6

---

**MASTER LABEL- BACK PANEL (Page 4 of 4)**

**Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.**

Distributed By:  
Safer®, Inc., (A wholly owned subsidiary of Woodstream Corporation)  
69 North Locust Street  
Lititz PA 17543  
1-800-800-1812 for information

EPA Reg. No. 59913-11  
EPA Est. No. 63416-MN-01

All ® Property of Woodstream Corporation  
© Copyright Woodstream Corporation, 2007

10/10

**MASTER LABEL- OPTIONAL CLAIMS (Page 1 of 1)**

**[Optional Marketing/Advertising Claims]**

### oz. Ready-To-Use

Effective

Water-based

Made with elemental sulfur

Use as a preventative treatment.

Use up to day before harvest.

Always shake well before using.

Shake well

Made in USA

Printed in USA

Si no usted entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

The Right Solution™. Safer® Brand Garden Fungicide Ready-To-Use is used for prevention and control of fungal diseases, but is gentle on flowers, plants and produce. It treats foliage with the naturally occurring essential element sulfur, to create an environment where damaging fungi cannot live.

Its non-burning, easy to use spray formulation can be used on flowers, fruits and vegetables up until the day before harvest.