



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

May 20, 2025

SENT BY EMAIL

Georgia Anastasiou
georgia@lewisharrison.com
SAFER, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Adding optional marketing language and graphics
Product Name: SAFER BRAND GARDEN FUNGICIDE RTU^{II}
Admin Number: 59913-11
EPA Receipt Date: 04/23/2025
Action Case Number: 00654220

Dear Georgia Anastasiou:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Senedu Alemu via email at alemu.senedu@epa.gov.

Sincerely,

Kable Bo Davis

Kable Bo Davis, Senior Advisor
FB, RD
Office of Pesticide Programs

MASTER LABEL- FRONT PANEL (PAGE 1 of 1)

SAFER ® BRAND GARDEN FUNGICIDE RTU ^{II}

[Additional Brand Names]

Garden Fungicide For Flowers, Fruit, and Vegetables^{II}- Safer ® Brand
Garden Fungicide^{II} For Flowers, Fruits & Vegetables-Safer® Brand
SureFire Garden Fungicide For Flowers, Fruits and Vegetables
Garden Fungicide^{II} For Flowers, Fruit and Vegetables
Garden Fungicide For Flowers, Fruit and Vegetables^{II}
Safer® Brand Garden Fungicide^{II} For Flowers, Fruit and Vegetables
Safer® Brand Garden Fungicide For Flowers, Fruit and Vegetables^{II}

NOTIFICATION

59913-11

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/20/2025

[Optional Logos/Marketing Claims]

- Safer® Brand -[optional brand logo]
- For Organic Gardening -[optional logo]
- OMRI® Listed- Organic Materials Review Institute -[optional logo]
- Controls: POWDERY MILDEW, BLACK SPOT, LEAF SPOT and RUST on:
Fruits, Vegetables, Flowers and Foliage

ACTIVE INGREDIENT:	BY WT.
Sulfur.....	0.40%
OTHER INGREDIENTS:.....	99.60%
TOTAL.....	100.00%

KEEP OUT OF REACH OF CHILDREN

(See back panel for additional precautionary statements)

Net Contents: 24 Fl. Oz., 32 Fl. Oz., 128 Fl. Oz.

MASTER LABEL- BACK PANEL (Page 1 of 4)

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHAT IT IS: This fungicide product is specially formulated with sulfur which inhibits the attack of fungal diseases by creating an environment which is not optimal for disease growth.

WHAT IT CONTROLS: Powdery mildew, black spot, leaf spot and rust.

WHERE TO USE IT: Roses, Flowers, Foliage Plants, Ornamentals, Beans, Peas, Broccoli, Cabbage, Cauliflower, Collards, Kale, Peppers, Strawberries, Apples, Pears, Potatoes, Cucumbers, Squash, Grapes, Blackberries, Blueberries, Raspberries, Loganberries, Currants, Melons and Tomatoes.

HOW TO USE IT: Spray at first sign of infection. Spray plants thoroughly to wet the upper and lower surfaces of foliage.

ROSES, FLOWERS, FOLIAGE PLANTS & ORNAMENTALS: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew, leaf spot, black spot, and rust. Be sure to treat new growth and buds.

AZALEA, BUTTONBUSH, CHRYSANTHEMUM, HYDRANGEA, MATRIMONY VINE, RHODODENDRON, AND SNAPDRAGON: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew, leaf spot, and rust. Be sure to treat new growth and buds.

MASTER LABEL- BACK PANEL (Page 2 of 4)

CATALPA, DELPHINIUM, HONEYSUCKLE, HORSE CHESTNUT, LILAC, LINDEN, PHLOX, SWEETPEA, SYCAMORE, TRUMPET VINE, WITCH HAZEL, AND ZINNIA: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew and leaf spot. Be sure to treat new growth and buds.

CARNATION AND STAGHORN SUMAC: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control leaf spot and rust. Be sure to treat new growth and buds.

ALDER AND ASTER: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew and rust. Be sure to treat new growth and buds.

DAHLIA: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew. Be sure to treat new growth and buds.

BEANS, PEAS, BROCCOLI, CABBAGE, CAULIFLOWER, COLLARDS, KALE AND PEPPERS: Apply at first sign of disease infestation. Spray at 7 day intervals, following rain, or as needed to control powdery mildew. Can be used up to the day before harvest.

STRAWBERRIES: Apply at first sign of disease infestation. Repeat at 3 week intervals to control powdery mildew. Do not use on strawberry fruit that will be used for canning. Can be used up to the day before harvest.

APPLES & PEARS: Apply at pre-bloom stage or after petal fall as needed to control powdery mildew. NOTE: Some apple & pear varieties are sulfur sensitive; test for varietal sensitivity prior to full scale treatment.

POTATOES: Apply before disease infestation appears and repeat as necessary to control powdery mildew.

CUCUMBERS & SQUASH: Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

GRAPES: For control of powdery mildew, apply when new shoots are 6-10 inches. Repeat before blooms open and at 14 day intervals as needed. NOTE: Do not apply to wine grapes within 21 days of harvest. Sulfur may damage concord & other labrusca varieties.

MASTER LABEL- BACK PANEL (Page 3 of 4)

BLACKBERRIES, BLUEBERRIES, RASPBERRIES, LOGANBERRIES AND CURRANTS: Apply each week starting at first bloom color to control powdery mildew. Continue to spray at 10 to 14 day intervals until fruit is set, then repeat as needed or following rain.

MELONS: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals following rain, or as needed to control powdery mildew. NOTE: Melon foliage is extremely sensitive to sulfur burn. See paragraph on Use Cautions.

TOMATOES: Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

USE CAUTIONS: Some plants are susceptible to injury from sulfur under certain climatic conditions. Do not use on Boston fern, spinach, apricots, filberts, walnuts and viburnum. Do not apply when temperature exceeds 85° F or in full sun. Do not apply for at least 4 weeks following application of oil spray. Avoid contact with plants until spray has dried.

STORAGE & DISPOSAL

STORAGE: Store only in original container in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation

DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

MASTER LABEL- BACK PANEL (Page 4 of 4)

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Distributed By:

Safer®, Inc., (A wholly owned subsidiary of Woodstream Corporation)

69 North Locust Street

Lititz PA 17543

1-800-800-1819 for information

EPA Reg. No. 59913-11

EPA Est. No.

All ® Property of Woodstream Corporation

© Copyright 20XX Woodstream Corporation

MASTER LABEL- OPTIONAL CLAIMS (Page 1 of 1)

[Optional Marketing/Advertising Claims]

- ### oz. Ready-To-Use
- Effective
- Water-based
- Made with elemental sulfur
- Use as a preventative treatment.
- Use up to day before harvest.
- Always shake well before using.
- Shake well [before using][!]
- Made in USA [from Global Components]
- Printed in USA
- Si no usted entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)
- The Right Solution TM. Safer® Brand Garden Fungicide Ready-To-Use is used for prevention and control of fungal diseases, but is gentle on flowers, plants and produce. It treats foliage with the naturally occurring essential element sulfur, to create an environment where damaging fungi cannot live.
- Its non-burning, easy to use spray formulation can be used on flowers, fruits and vegetables up until the day before harvest.
- Look for other Safer® Brand products at www.saferbrand.com
- Peel Here [Read all instructions inside before using] (language will be used for pull-out labels)
- Prevents & Controls Fungus, Black Spot, Powdery Mildew, Rust, Leaf Spot, [+]
[Gentle on Plants* (*when used as directed)]
- For [use on] Flowers, Roses, Foliage Plants, Fruits, Produce, Tomatoes, Ornamentals and Vegetables

MASTER LABEL - OPTIONAL GRAPHICS (Page 1 of 1)

