

59913-12

8/4/2004

117



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:
59913-12

Date of Issuance:
August 4,
2004

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
Safer Brand 3-In-1 RTU
II

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Safer, Inc. a wholly owned subsidiary of Woodstream Corporation
69 North Locust Street
Lititz, PA 17543-0327

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 59913-12".
 - b. At this time, both the statement "For Organic Production" and the OMRI seal should be removed from the front panel of the label. In addition, the label claim, "Organic Gardening the Safer Brand Way!" must be deleted.

Signature of Approving Official:

Date:

Daniel C. Kenny, Product Manager (01)
Insecticide-Rodenticide Branch, Registration Division (7505C)

August 4, 2004

- c. Both the statement "Its formulation is gentle on plants." found above the PRECAUTIONARY STATEMENTS heading and the statement "It contains a patented formulation to help reduce injury to plants." found within the DIRECTIONS FOR USE section should be revised to read "...most plants".
- d. The label claims, "Patented formula is now even gentler on plants" and "Gentle on plants" should be deleted or revised to read, "...on most plants".

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Daniel C. Kenny
Product Manager (01)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

Notes to Reviewer:

[] denotes text that is optional on market labels.
{*Italics*} denotes comments for reviewer

{FRONT PANEL-PAGE 1 of 1}

SAFER[®] BRAND 3-In-1 RTU II

~~For Organic Production~~

{Optional Logo}



{Optional Logo}

ACCEPTED.
with COMMENTS
In EPA Letter Dated:

AUG 4 2004
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
59913-12

Controls
POWDERY MILDEW, BLACK SPOT, LEAF SPOT and RUST
On Fruits, Vegetables, Flowers and Foliage

Kills
APHIDS, MEALYBUGS, MITES, WHITEFLIES AND OTHER LISTED PESTS
On
Roses, Flowers, Shade Trees and Ornamental Plants

[Insect Killer] [Fungus Killer] [Mite Killer]
[ILLUSTRATION] [ILLUSTRATION] [ILLUSTRATION]

ACTIVE INGREDIENTS	BY WT.
Potassium Salts of Fatty Acids.....	0.75% [†]
Sulfur.....	0.40%
INERT INGREDIENTS.....	<u>98.85%</u>
TOTAL.....	100.00%

[†] Includes 0.55% as potassium oleate and 0.20% as potassium salts of other fatty acids

KEEP OUT OF REACH OF CHILDREN
(See Back Panel For Additional Precautionary Statements)

NET CONTENTS (16 FL. OZ., 1 Pt, 32 FL. OZ., 1 Qt, 128 FL. OZ., 1 GALLON)

Draft Master Label
EPA Reg. No. 59913-__ (Not yet assigned)
Page 2 of 5
{BACK PANEL- PAGE 1 of 3}

Safer® Brand 3-In-1 RTU II can be used to kill insect and mite pests and to prevent and control fungal disease. Safer® Brand 3-In-1 RTU II contains sulfur and insect killing soap derived from natural fats and plant oils. Its formulation is gentle on plants. Safer® Brand 3-In-1 RTU II is designed to kill pests and create an environment where damaging fungi cannot live. The ready to use formulation can be applied directly to fruits and vegetables right up to the day before harvest.

PRECAUTIONARY STATEMENTS

Environmental Hazards: This product may be hazardous to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment washwaters or disposal of rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHAT IT IS: Safer® Brand 3-In-1 RTU II provides three garden solutions in one: fungicide, insecticide and miticide. It kills garden insects and mites and controls fungal diseases. It contains a patented formulation to help reduce injury to plants.

WHAT IT CONTROLS: Powdery mildew, black spot, leaf spot, and rust.

WHAT IT KILLS: Aphids, Beetles (leaf-feeding), Caterpillars (leaf-feeding), Crickets, Earwigs, Lace bugs, Leafhoppers, Mealybugs, Mites, Plant Bugs, Scale Crawlers, Thrips, and Whiteflies.

WHERE TO USE IT: Roses, Flowers, Shade Trees, Foliage Plants, Ornamentals, Beans, Peas, Broccoli, Cabbage, Cauliflower, Collards, Kale, Peppers, Strawberries, Apples, Pears, Citrus, Potatoes, Cucumbers, Squash, Grapes, Blackberries, Blueberries, Raspberries, Loganberries, Currants, Melons, and Tomatoes.

HOW TO USE IT: Apply in the morning or late evening. Shake Well. Use at first sighting of insects or infection. Thorough coverage of both top and bottom leaves is important. Spray leaves to the point of run off. Apply every 5 to 7 days when insects are present.

USE CAUTIONS: Some plants are susceptible to injury from sulfur under certain climatic conditions. DO NOT USE on delicate fern, apricots, filberts, stock, walnuts nasturtium, sweet pea, violet, mountain ash, Japanese maple, horse chestnut, spinach, viburnum, newly planted cuttings, or plants stressed by drought. Do not apply when plants are in full sun or when temperature exceeds 90° F. Do not apply for at least 4 weeks following application of oil spray.

FUNGICIDE USE

FLOWERS AND ORNAMENTALS: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain or as needed to control powdery mildew, leaf spot, black spot, and rust. Be sure to treat new growth and buds.

BEANS, PEAS, BROCCOLI, CABBAGE, CAULIFLOWER, COLLARDS, KALE AND PEPPERS: Apply at first sign of disease infestation. Spray at 7-day intervals following rain, or as needed to control powdery mildew. Can be used up to day of harvest.

STRAWBERRIES: Apply at first sign of disease infestation. Repeat at 3-week intervals to control powdery mildew. Do not use on strawberry fruit that will be used for canning. Can be used up to the day before harvest.

APPLES & PEARS: Apply at pre-bloom stage or after petal fall as needed to control powdery mildew. NOTE: Some apple and pear varieties are sulfur sensitive; test for varietal sensitivity prior to full-scale treatment.

CITRUS: Do not apply within 4 weeks following use of an oil spray.

POTATOES: Apply before disease infestation appears and repeat as necessary to control powdery mildew.

CUCUMBERS AND SQUASH: Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

GRAPES: For control of powdery mildew, apply when new shoots are 6-10 inches. Repeat before blooms open and at 14-day intervals as needed. Note: Do not apply to wine grapes within 21 days of harvest. Sulfur may damage concord and other labrusca varieties.

BLACKBERRIES, BLUEBERRIES, RASPBERRIES, LOGANBERRIES AND CURRANTS: Apply each week starting at first bloom color to control powdery mildew. Continue to spray at 10 to 14 day intervals until fruit is set, then repeat as needed or following rain.

MELONS: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew. Note: Melon foliage is extremely sensitive to sulfur burn. See paragraph on Use Cautions.

TOMATOES: Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

INSECTICIDE & MITICIDE USE

Apply at first sighting of insects/mites. Thoroughly moisten top and bottom leaf surfaces where insects/mites are feeding or resting. Apply every 5 to 7 days when insects are present or as needed to prevent damage.

Draft Master Label
EPA Reg. No. 59913-__ (Not yet assigned)
Page 4 of 5
{BACK PANEL- PAGE 2 of 3}

6/7

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry area away from heat or open flame and inaccessible to children. Keep from freezing.

Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Woodstream Corporation and its subsidiaries will not accept liability for injury or damage resulting from product use not in accordance to label instruction. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Distributed by:

Safer, Inc.,

A wholly owned subsidiary of Woodstream Corporation

69 North Locust Street

Lititz, PA 17543

www.saferbrand.com

(800) 800-1819 (717) 626-2125

EPA Reg. No. 59913-__ (Not yet assigned)

EPA Est. No. _____

© Copyright 2004 Woodstream Corporation

US PATENT # 5,093,124

Made in U.S.A.

Draft Master Label
EPA Reg. No. 59913-__ (Not yet assigned)
Page 5 of 5
{Optional Marketing Claims}

Patented formula is now even gentler on plants
Multipurpose spray contains 3 garden solutions in one!
Home Lawn & Garden Solutions for Pest Control since 1976
Effective
Water-based
Contains Insecticidal Soap
Contains Insect Killing Soap
Made with soaps derived from natural fats and plant oils and elemental sulfur
Gentle on plants
Highly effective
Multi-Purpose formula encompasses 3 solutions in 1!
Patented formula reduces injury to most plants.
All in one formula contains fungicide, miticide and insecticide.
Fungicide, miticide and insecticide- all in one!
All in one garden treatment
Be Responsible!
3 garden solutions in one spray!
Fungicide
Controls Powdery Mildew, Black Spot and Rust
Insecticide
Controls Aphids, Mealybugs, Caterpillars & other insect pests.
Miticide
Controls Spider Mites, Red Mites & other mite pests.
Controls all stages of mites.
Controls all stages of mites including eggs.
~~Organic Gardening the Safer® Brand Way!~~