



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 8, 2019

Mark A. Mongiovi
Sr. Manager, Regulatory Affairs
Woodstream Corporation
69 N. Locust Street
Lititz, PA 17543-0327

Subject: Notification per PRN 98-10 – Addition of Alternate Brand Names and Marketing Claims, Revision of Storage and Disposal Language and Other Minor Changes
Product Name: Safer® Brand 3-In-1 RTU II
EPA Registration Number: 59913-12
Application Date: May 1, 2018
Resubmission Date: July 3, 2019
Decision Number: 541118

Dear Mr. Mongiovi:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Briana Hanlon at (703) 347-8337 or by email at hanlon.briana@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael Walsh".

Michael Walsh, Product Manager 11
Invertebrate & Vertebrate Branch 2
Registration Division
Office of Pesticide Programs

MASTER LABEL - FRONT PANEL (Page 1 of 1)

SAFER® BRAND 3-In-1 RTU II

[Additional Brand Names]

3-In-1 Garden Spray^H II- Safer® Brand
SureFire 3-IN-1 Garden Spray
3-In-1 Garden Spray^H II
Safer® Brand Rose & Flower 3-IN-1 Garden Spray II
Rose & Flower 3-IN-1 Garden Spray II
Safer® Brand Tomato & Vegetable 3-in-1 Garden Spray
Tomato & Vegetable 3-in-1 Garden Spray

NOTIFICATION

59913-12

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/08/2019

[Optional Logos/Marketing Claims]

[Safer® Brand] -[optional brand logo]
[For Organic Gardening] -[optional logo]
[OMRI® Listed] -[optional logo]

Controls POWDERY MILDEW, BLACK SPOT, LEAF SPOT and RUST On Fruits, Vegetables, Flowers and Foliage

Kills APHIDS, MEALYBUGS, MITES, WHITEFLIES AND OTHER LISTED PESTS On Roses, Flowers, Shade Trees and Ornamental Plants

[Insect Killer or Kills Insects] [Fungus Killer or Kills Fungus or Controls Fungus] [Mite Killer or Kills Mites]
[INSECT ILLUSTRATION] [FUNGUS ILLUSTRATION] [MITE ILLUSTRATION]

ACTIVE INGREDIENTS	BY WT.
Potassium Salts of Fatty Acids.....	0.75% [†]
Sulfur.....	0.40%
OTHER INGREDIENTS.....	98.85%
TOTAL.....	100.00%

[†] Includes 0.55% as potassium oleate and 0.20% as potassium salts of other fatty acids

For Residential Use Only

KEEP OUT OF REACH OF CHILDREN

(See back panel for additional precautionary statements)

Net Contents: 16 FL. OZ., 1 Pt; 24 FL. OZ.; 32 FL. OZ., 1 Qt; 128 FL. OZ., 1 GALLON
www.saferbrand.com

MASTER LABEL – BACK PANEL (Page 1 of 3)

This product can be used to kill insect and mite pests and to prevent and control fungal disease. This product contains sulfur and insect killing soap derived from natural fats and plant oils. Its formulation is gentle on most plants. This product is designed to kill pests and create an environment where damaging fungi cannot live. The ready to use formulation can be applied directly to fruits and vegetables right up to the day before harvest.

PRECAUTIONARY STATEMENTS

Environmental Hazards: This product may be hazardous to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment washwaters or disposal of rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHAT IT IS: This product provides three garden solutions in one: fungicide, insecticide and miticide. It kills garden insects and mites and controls fungal diseases. It contains a **patented** formulation to help reduce injury to most plants.

WHAT IT CONTROLS: Powdery mildew, black spot, leaf spot, and rust.

WHAT IT KILLS: Aphids, Beetles (leaf-feeding), Caterpillars (leaf-feeding), Crickets, Earwigs, Lace bugs, Leafhoppers, Mealybugs, Mites, Plant Bugs, Scale Crawlers, Thrips, and Whiteflies.

WHERE TO USE IT: Roses, Flowers, Shade Trees, Foliage Plants, Ornamentals, Beans, Peas, Broccoli, Cabbage, Cauliflower, Collards, Kale, Peppers, Strawberries, Apples, Pears, Citrus, Potatoes, Cucumbers, Squash, Grapes, Blackberries, Blueberries, Raspberries, Loganberries, Currants, Melons, and Tomatoes.

HOW TO USE IT: Apply in the morning or late evening. Shake Well. Use at first sighting of insects or infection. Thorough coverage of both top and bottom leaves is important. Spray leaves to the point of run off. Apply every 5 to 7 days when insects are present.

USE CAUTIONS: Some plants are susceptible to injury from sulfur under certain climatic conditions. **DO NOT USE** on delicate fern, apricots, filberts, stock, walnuts, nasturtium, sweet pea, violet, mountain ash, Japanese maple, horse chestnut, spinach, viburnum, newly planted cuttings, or plants stressed by drought. Do not apply when plants are in full sun or when temperature exceeds 90° F. Do not apply for at least 4 weeks following application of oil spray.

MASTER LABEL – BACK PANEL (Page 2 of 3)

FUNGICIDE USE

FLOWERS AND ORNAMENTALS: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain or as needed to control powdery mildew, leaf spot, black spot, and rust. Be sure to treat new growth and buds.

BEANS, PEAS, BROCCOLI, CABBAGE, CAULIFLOWER, COLLARDS, KALE AND PEPPERS: Apply at first sign of disease infestation. Spray at 7-day intervals following rain, or as needed to control powdery mildew. Can be used up to day of harvest.

STRAWBERRIES: Apply at first sign of disease infestation. Repeat at 3-week intervals to control powdery mildew. Do not use on strawberry fruit that will be used for canning. Can be used up to the day before harvest.

APPLES & PEARS: Apply at pre-bloom stage or after petal fall as needed to control powdery mildew.

NOTE: Some apple and pear varieties are sulfur sensitive; test for varietal sensitivity prior to full-scale treatment.

CITRUS: Do not apply within 4 weeks following use of an oil spray.

POTATOES: Apply before disease infestation appears and repeat as necessary to control powdery mildew.

CUCUMBERS AND SQUASH: Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

GRAPES: For control of powdery mildew, apply when new shoots are 6-10 inches. Repeat before blooms open and at 14-day intervals as needed. Note: Do not apply to wine grapes within 21 days of harvest. Sulfur may damage concord and other labrusca varieties.

BLACKBERRIES, BLUEBERRIES, RASPBERRIES, LOGANBERRIES AND CURRANTS: Apply each week starting at first bloom color to control powdery mildew. Continue to spray at 10 to 14 day intervals until fruit is set, then repeat as needed or following rain.

MELONS: Apply at first sign of disease infestation. Spray at 7 to 10 day intervals, following rain, or as needed to control powdery mildew. Note: Melon foliage is extremely sensitive to sulfur burn. See paragraph on Use Cautions.

TOMATOES: Apply at first sign of disease infestation and repeat as necessary to control powdery mildew. Do not spray young plants.

INSECTICIDE & MITICIDE USE

Apply at first sighting of insects/mites. Thoroughly moisten top and bottom leaf surfaces where insects/mites are feeding or resting. Apply every 5 to 7 days when insects are present or as needed to prevent damage.

MASTER LABEL – BACK PANEL (Page 3 of 3)

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children. Keep from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. ~~If empty: Non-refillable container. Do not reuse or refill this container.~~ Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Distributed by:
Safer, Inc., (A wholly owned subsidiary of Woodstream Corporation)
69 North Locust Street
Lititz, PA 17543
www.saferbrand.com
(800) 800-1819 (717) 626-2125

EPA Reg. No. 59913-12
EPA Est. No. 63416-MN-01

© Copyright 2009 Woodstream Corporation

~~US PATENT # 5,093,124~~

Made in U.S.A. of foreign components

MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)

[Optional Marketing/Advertising Claims]

- Use on flowers, trees, fruits and vegetables
- Always shake well before using!
- **Patented** Formula is now even gentler on most plants
- Multipurpose spray contains 3 garden solutions in one!
- Home Lawn & Garden Solutions for Pest Control since 1976
- Effective
- Water-based
- Contains Insecticidal Soap
- Contains Insect Killing Soap
- Made with soaps derived from natural fats and plant oils and elemental sulfur
- Gentle on most plants
- Organic Gardening the Safer® Brand Way!
- Highly effective
- Multi-Purpose formula encompasses 3 solutions in 1!
- **Patented** Formula reduces injury to most plants.
- All in one formula contains fungicide, miticide and insecticide.
- Fungicide, miticide and insecticide- all in one!
- All in one garden treatment
- Be Responsible!
- 3 garden solutions in one spray!
- Fungicide
- Controls Powdery Mildew, Black Spot and Rust
- Insecticide
- Controls Aphids, Mealybugs, Caterpillars & other insect pests.
- Miticide
- Controls Spider Mites, Red Mites & other mite pests.
- Controls all stages of mites.
- Controls all stages of mites including eggs.
- Look for other Safer® Brand products at www.saferbrand.com
- **3-IN-1 Garden Spray II**
- **Kills Insects & Mites, Controls Fungus**