

59913-13

03/30/2009

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAR 30 2009

Mr. Mark Mongiovi
Woodstream Corporation
69 N, Locust Street
P.O. Box 327
Lititz, PA 17543-0327

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and PR Notice 98-10

Dear Mr. Mongiovi:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated March 4, 2009 for:

EPA Registration 59913-13

Safer® Brand 3-IN-1 Concentrate

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 finds that the label change(s) requested falls within the scope of PRN-2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, at 703 305-5409 or electronically at daniel.dani@epa.gov

Sincerely,


Dani Daniel
Registration Division (7505P)
Insecticide/Rodenticide Branch

NOTIFICATION

2/13

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

 <b style="font-size: 24pt;">EPA	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other: NOTIFICATION	OPP Identifier Number
---	---	---	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 59913-13	2. EPA Product Manager John Hebert	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SAFER® BRAND 3-IN-1 CONCENTRATE	PM# 07	
5. Name and Address of Applicant (Include ZIP Code) Safer, Inc. a wholly owned subsidiary of Woodstream Corporation 69 North Locust Street Lititz PA 17543-0327 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. : Product Name:	

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below
---	---

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of Label Action Per PR-Notice 98-10: Additional Brand Names - Please reference attached explanation

This notification is consistent with the provisions of PR NOTICE 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make false statements to EPA. I further understand that if this notification is not consistent with the terms of PR NOTICE 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Notification of Label Action Per PR-Notice 2007-4: Storage & Disposal Statements - Please reference attached explanation

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Notification of Label Action Per EPA Warranty Statement Guidance Document dated October 17, 2006 - Please reference attached explanation

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt. No. per container		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 16oz, 32oz, 128oz		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					


Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name Chad Mateer	Title Regulatory Affairs Manager	Telephone No. (Include Area Code) 717-626-2125 x426
----------------------------	--	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Product Compliance Specialist	6. Date Application Received (Stamped)
4. Typed Name Mark Mongiovi	4. Date March 4, 2009	



69 N. Locust Street
P.O. Box 327
Lititz, PA 17543-0327
(717) 626-2125
Fax: (717) 626-5350
www.woodstreamcorp.com
www.saferbrand.com
www.victorpest.com
www.havahart.com
www.perkypet.com
www.fishock.com

March 4, 2009

Document Processing Desk [NOTIF]
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501


ATTN: Notification Division
SUBJECT: Safer, Inc., (A wholly owned subsidiary of Woodstream Corporation)
Safer® Brand 3-IN-1 Concentrate (EPA Reg. No. 59913-13)
Notification of Label Action Per PR-Notice 98-10: Additional Brand Names
Notification of Label Action Per PR-Notice 2007-4: Storage & Disposal Statements
Notification of Label Action Per EPA Warranty Statement Guidance Document dated October 17, 2006

Please find enclosed a Notification of Label Action Per PR-Notice 98-10, PR-Notice 2007-4 and EPA Warranty Statement Guidance Document dated October 17, 2006. Also enclosed please find a copy of our revised master label with changes highlighted and a clean copy for your records.

If you have any questions and/or need any additional information, please call me at (717) 626 -2125 ext: 219 or email mmongiovi@woodstream.com.

Sincerely,

Mark Mongiovi
Product Compliance Specialist
Woodstream Corporation



Enclosures:
Notification of Label Action
Copy of revised master label with changes highlighted
Clean copy of revised master label



6/13

NOTIFICATION

EPA Reg. No. 59913-13

Notification of Label Action – Additional Brand Names/Storage & Disposal/Warranty Statements

March 4, 2009

Page 1 of 8

MASTER LABEL-FRONT PANEL (Page 1 of 1)

SAFER® BRAND 3-In-1 CONCENTRATE

[Additional Brand Names:]

- 3-In-1 Concentrate II- Safer® Brand
- 3-In-1 Concentrate II
- Safer® Brand 3-In-1 Concentrate II

[Optional Logos/Marketing Claims]

- FOR ORGANIC GARDENING {Optional Logo}
- OMRI® LISTED – Organic Materials Review Institute {Optional Logo}
- Controls POWDERY MILDEW, BLACK SPOT, LEAF SPOT and RUST On Fruits, Vegetables, Flowers and Foliage
- Kills APHIDS, MEALYBUGS, MITES, WHITEFLIES AND OTHER LISTED PESTS On Roses, Flowers, Shade Trees and Ornamental Plants

[Insect Killer or Kills Insects]
[INSECT ILLUSTRATION]

[Fungus Killer or Kills Fungus or Controls Fungus]
[FUNGUS ILLUSTRATION]

[Mite Killer or Kills Mites]
[MITE ILLUSTRATION]

ACTIVE INGREDIENTS	BY WT.
Potassium Salts of Fatty Acids.....	12.38% [†]
Sulfur.....	6.48%
OTHER INGREDIENTS.....	<u>81.14%</u>
TOTAL.....	100.00%

[†] Includes 9.07% as potassium oleate and 3.31% as potassium salts of other fatty acids


KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Back Panel For Additional Precautionary Statements)

NET CONTENTS (16 FL. OZ., 1 Pt; 32 FL. OZ., 1 Qt; 128 FL. OZ., 1 GALLON)

www.saferbrand.com



MASTER LABEL-BACK PANEL (Page 1 of 6)

PRECAUTIONARY STATEMENTS:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear protective clothing, gloves, goggles, face shield, or safety glasses while mixing. Wash thoroughly with soap and water after handling this product and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID	
If on skin:	<ul style="list-style-type: none"> - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> - Hold eye open and rinse slowly and gently with water for 15-20 minutes - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing - Call a poison control center or doctor for treatment advice
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment advice.</p>	

ENVIRONMENTAL HAZARDS:

This product may be hazardous to aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment washwaters or disposal of rinsate.

Keep unprotected persons out of treated areas until spray has dried!

Read entire label before using!

GENERAL INFORMATION:


Safer® Brand 3-In-1 Concentrate can be used to kill insect and mite pests and to prevent and control fungal disease. Safer® Brand 3-In-1 Concentrate contains sulfur and insect killing soap derived from natural fats and plant oils. Its formulation is gentle on most plants. Safer® Brand 3-In-1 Concentrate is designed to kill pests and create an environment where damaging fungi cannot live. It can be applied directly to fruits and vegetables right up to the day before harvest.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Safer® Brand 3-In-1 Concentrate can be applied with all types of hand or power sprayers. Read and carefully follow the instructions for the type of sprayer you use.

Always shake well before using!



MASTER LABEL-BACK PANEL (Page 2 of 6)

WHAT IT IS: Safer® Brand 3-In-1 Concentrate provides three garden solutions in one: fungicide, insecticide and miticide. It kills garden insects and mites and controls fungal diseases. It contains a patented formulation to help reduce injury to most plants.

WHAT IT CONTROLS: Powdery mildew, black spot, leaf spot, and rust.

WHAT IT KILLS: Aphids, Beetles (leaf-feeding), Caterpillars (leaf-feeding), Crickets, Earwigs, Lace bugs, Leafhoppers, Mealybugs, Mites, Plant Bugs, Scale Crawlers, Thrips, and Whiteflies.

WHERE TO USE IT: Roses, Flowers, Shade Trees, Foliage Plants, Ornamentals, Beans, Peas, Broccoli, Cabbage, Cauliflower, Collards, Kale, Peppers, Strawberries, Apples, Pears, Citrus, Potatoes, Cucumbers, Squash, Grapes, Blackberries, Blueberries, Raspberries, Loganberries, Currants, Melons, and Tomatoes.

HOW TO USE IT: Apply in the morning or late evening. Shake Well. Use at first sighting of insects or infection. Thorough coverage of both top and bottom leaves is important. Spray leaves to the point of run off. Apply every 5 to 7 days when insects are present.

USE CAUTIONS: Some plants are susceptible to injury from sulfur under certain climatic conditions. DO NOT USE on delicate fern, apricots, filberts, stock, walnuts, nasturtium, sweet pea, violet, mountain ash, Japanese maple, horse chestnut, spinach, viburnum, newly planted cuttings, or plants stressed by drought. Do not apply when plants are in full sun or when temperature exceeds 90° F. Do not apply for at least 4 weeks following application of oil spray.

FUNGICIDE USES:

SHAKE WELL. For control of BLACK SPOT, LEAF SPOT, and RUST, mix 1 part concentrate to 15 parts water or 8 fl. oz. (16 TBS) per gallon. For POWDERY MILDEW mix 4 fl. oz. (8 TBS) per gallon of water. Place about half of the volume of water in sprayer, add concentrate, stir well, add rest of water and mix thoroughly. Run agitator on large tank sprayers. For coverage, see individual applications. Spray plants thoroughly to wet the upper and lower surfaces of foliage. Repeat as recommended.

To control powdery mildew, leaf spot, and rust on FLOWERS, FOLIAGE PLANTS & ORNAMENTALS spray at 7 to 10 day intervals or as needed. To control powdery mildew, black spot and rust on ROSES, spray at 7 to 10 day intervals or following rain.

Be sure to treat new growth & buds. Avoid spraying when plants are in full sun or temperature exceeds 85°F. Apply 1 gal of mix to each 350 sq. ft.

To control powdery mildew on BEANS & PEAS, spray at first sign of disease & repeat at 7-day intervals as necessary. May be used up to day before harvest. Apply 1 gal. of mix to each 250 sq. ft.

To control powdery mildew on APPLES & PEARS, apply to thoroughly wet foliage. Apply at pre-bloom stage or after petal fall as needed. NOTE: Some apple and pear varieties are sulfur sensitive; test for varietal sensitivity prior to full-scale treatment.

MASTER LABEL-BACK PANEL (Page 3 of 6)

To control powdery mildew on POTATOES, spray before disease appears & repeat as necessary. Apply 1 gal. of mix to each 350 sq. ft. On CUCUMBERS and SQUASH, spray when powdery mildew appears & repeat as necessary. Do not spray young plants. Apply 1 gal. of mix to each 600 sq. ft.

To control *powdery mildew* on STRAWBERRIES, spray when disease appears and repeat as necessary. Do not spray young plants. Apply 1 gal. of mix to each 300 sq. ft. **NOTE:** Do not apply to strawberries that will be used for canning. May be used up to the day before harvest.


To control *powdery mildew* on GRAPES, thoroughly cover foliage. Begin when new shoots are 6-10 inches. Repeat before blooms open and at 14-day intervals as needed. **NOTE:** Do not apply to wine grapes within 21 days of harvest. Sulfur may damage concord and other labrusca varieties.

INSECTICIDE & MITICIDE USES:

[Shake well.] For best results, use freshly mixed solution. [Mix one part concentrate with 15 parts water, or 8.0 fl. oz. per gallon unless otherwise noted.] Use soft water whenever possible. Apply at first sighting of insects/mites. Thoroughly moisten top and bottom leaf surfaces where insects/mites are feeding or resting. Apply every 5 to 7 days when insects are present or as needed to prevent damage. **NOTE:** Do not use on new transplants, newly rooted cuttings or plants stressed by drought. Avoid application when temperature exceeds 90° F. Safer® Brand 3-In-1 Concentrate may be used up to and including day of harvest, and is useful as a component of Integrated Pest Management (IPM) programs.

Flower and Bedding Plants Growing Outdoors, including foliage plants, roses and succulents. [Mix 8 fl. oz. (16 Tbsp) of concentrate per gallon of water.] Apply when insects appear. Take care to thoroughly wet all infested surfaces. A second application should be timed to control newly hatched young. Repeat weekly as needed up to three times. For **Earwigs** spray directly on insects after disturbing their hiding places. **NOTE:** Do not use on bleeding heart, gardenias, jade plant, lantana, lilies or sweetpeas. Some varieties of azaleas, begonias, camellias, fuchsias, gardenias and impatiens are soap sensitive [have shown sensitivity]. If wilting occurs within a few hours, rinse with clean water supply. Test on chrysanthemums for varietal sensitivity and do not apply to open blooms.

Ornamental [Landscape] Trees and Shrubs: [Mix 8 fl. oz. (16 Tbsp) of concentrate per gallon of water.] To control the crawler stage of **Adelgids, Psyllids and Scales**, spray to wet bark surface when infestation warrants. For **Mites**, be sure to wet underside of leaves and needle sheaths. **NOTE:** Do not apply to chestnut, Japanese maple, mountain ash or Colorado blue spruce. Do not apply to ornamentals stressed by drought or when tender new foliage is present. [Do not apply to evergreens during drought or when tender new foliage is present. Do not apply when temperature exceeds 90°F. Test on Arborvitae, Eugenia and Euonymus for varietal and drought sensitivity. Safer® Brand 3-In-1 Concentrate may result in the temporary removal of the glaucous bloom from spruces.]



MASTER LABEL-BACK PANEL (Page 4 of 6)

Vegetables Growing Outdoors: Mix one part concentrate to 15 parts water or 8 fl.oz. per gallon. [Mix 8 fl. oz. (16 Tbsp.) of concentrate per gallon of water.] Apply when insects [or Mites] first appear or when damage [first] occurs. Spray to wet all infested plant surfaces. [One gallon of spray covers approximately 850 sq. ft. of growing area.] Application rate will vary according to size and growth form of plants. For most pests, repeat application after several days to eliminate newly hatched individuals. Repeat at weekly to biweekly intervals up to three times. [Do not make more than 3 sequential applications over a two-week period.] Use up to the day before harvest. [May be used up to day of harvest.] [Note: Do not apply during heat of day or when temperature exceeds 90°F.]

Root and Tuber Vegetables: Including carrot, potato, radish and sugar beet to suppress aphids, and to control leafhoppers, plant bugs and whiteflies. Use up to day of harvest.

Bulb Vegetables: Including onion and garlic to suppress thrips. Use up to day of harvest.

Brassica (Cole) Leafy Vegetables: Including broccoli, Brussels sprouts, cabbage, Chinese cabbage (bok choy) and kale to control leafhoppers, plant bugs and whitefly and to suppress aphids. Use up to day of harvest.

Leafy Vegetables: Including lettuce, celery, and spinach to control whitefly and mites and to suppress aphids. Use up to day of harvest.

Legume Vegetables: Including beans, peas and soybeans to control aphids, grasshoppers, whiteflies and spider mites. Use up to day of harvest.

Fruiting Vegetables: Including tomatoes, peppers and eggplant to control spider mites and whitefly and to suppress aphids. Use up to day of harvest.

Cucurbit Vegetables: Including cucumber, summer squash and melon to control plant bugs and whitefly and to suppress aphids and mites. Use up to day of harvest. Always apply to cucumbers at night or during the coolest part of the day.

Herbs and Spices: Including basil, chives, dill, marjoram, and sage to control whitefly and to suppress aphids and mites. Use up to day of harvest.

Fruits and Nuts: [Mix 8 fl. oz. (16 Tbsp.) of concentrate per gallon of water.] Spray when insects first appear or to prevent damage. [Spray when insects first appear or when their population attains spray level.] Apply to achieve thorough coverage of infested foliage and/or branches. Repeat at weekly intervals as needed. Avoid spraying when blossoms are present. Use up to day of harvest.



MASTER LABEL-BACK PANEL (Page 5 of 6)

Citrus Fruits: Including lemons, sweet orange and grapefruit to control aphids, cottony cushion scale, black scale, red scale and mites. Use up to day of harvest. Note: Some marking of fruit may occur, especially when spray run-off occurs or when sooty mold is present.

Pome Fruits: Including apple and pear to control leafhoppers, scale crawlers, pear psylla, pear slug (*Tenthredinidae*) and to suppress aphids and mites. Use up to day of harvest. Note: Spray may cause localized marking of some varieties, particularly apple varieties such as Red and Golden Delicious, Gravenstein, and pear varieties such as d’Anjou, Comice and Asian.

Stone Fruits: Including cherry, peach and plums to control scale insects and suppress aphids and mites. Use up to day of harvest. Note: Spray may cause localized spotting of nectarines and remove waxbloom from plums.

Small Fruits and Berries: Including blackberry, coffee, cranberry, grape and strawberry to control leafhoppers, mealybugs, scales and whitefly and to suppress aphids and mites. Use up to day of harvest. Note: Do not spray grapes during the period between the start of blooming and 2 to 3 days post shatter.

Tree nuts: Including almonds, English walnuts and pecans to control scale crawlers and to suppress aphids and mites. Use up to day of harvest.


STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry area away from heat or open flame and inaccessible to children. Keep from freezing.

Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



12/13

MASTER LABEL-BACK PANEL (Page 6 of 6)


Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Distributed by:
Safer, Inc.,
A wholly owned subsidiary of Woodstream Corporation
69 North Locust Street
Lititz, PA 17543
www.saferbrand.com
(800) 800-1819 (717) 626-2125

EPA Reg. No. 59913-13
EPA Est. No. 63416-MN-01

© Copyright 2008 Woodstream Corporation

US PATENT # 5,093,124
Made in U.S.A.



MASTER LABEL- OPTIONAL CLAIMS (Page # 1 of 1)

[Additional - Optional Marketing/Advertising Claims]

- Patented formula is now even gentler on most plants
- Multipurpose spray contains 3 garden solutions in one!
- Home Lawn & Garden Solutions for Pest Control since 1976
- Effective
- Water-based
- Contains Insecticidal Soap
- Contains Insect Killing Soap
- Made with soaps derived from natural fats and plant oils and elemental sulfur
- Gentle on most plants
- Highly effective
- Multi-Purpose formula encompasses 3 solutions in 1!
- Patented formula reduces injury to most plants.
- All in one formula contains fungicide, miticide and insecticide.
- Fungicide, miticide and insecticide- all in one!
- All in one garden treatment
- Be Responsible!
- 3 garden solutions in one spray!
- Organic Gardening the Safer® Brand Way!
- Fungicide
- Controls Powdery Mildew, Black Spot and Rust
- Insecticide
- Controls Aphids, Mealybugs, Caterpillars & other insect pests.
- Miticide
- Controls Spider Mites, Red Mites & other mite pests.
- Controls all stages of mites.
- Controls all stages of mites including eggs.

