

59913-14

06/19/2012

1/14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY
AND POLLUTION PREVENTION

JUN 19 2012

Ana Rodriguez-Koster c/o
Safer, Inc.
69 North Locust Street
Lititz, PA 17543

Subject: Amendment to add an agricultural sublabel to the product labeling
EPA Registration No.: 59913-14
Primary Brand Name: Safer Brand End All RTU
Submission Date: May 30, 2012

Dear Ms. Rodriguez-Koster:

The label referred to above, submitted under FIFRA, as amended, is **acceptable**. Please submit one final printed copy for the above mentioned labels before releasing the products for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, stylized circular flourish.

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)


2/14

MASTER LABEL / COVER PAGE (Page 1 of 1)

Note: This master label bears directions for consumer and agricultural use with various use restrictions specific to the associated container sizes.

SAFER® BRAND END ALL RTU

Sublabel A: Consumer Use
Sublabel B: Agricultural Use



[Additional Brand Names]

Safer® Brand End All
Safer® Brand End All Insect Killer
End All Insect Killer

ACTIVE INGREDIENTS:	BY WT.
Potassium Salts of Fatty Acids.....	1.000%
Clarified Hydrophobic Extract of Neem Oil.....	0.900%
Pyrethrins.....	0.012%
OTHER INGREDIENTS:	98.088%
TOTAL	100.000%

Manufactured For:
Safer®, Inc., a wholly owned subsidiary of Woodstream Corporation
69 North Locust Street
Lititz PA 17543
1-800-800-1819 for information

EPA Reg. No. 59913-14
EPA Est. No. 63416-MN-01

All ® Property of Woodstream Corporation
© Copyright Woodstream Corporation, 2009

Lot Code: _____

3/14

MASTER LABEL SUBLABEL A – CONSUMER USE
(Outer Container Front Panel – Page 1 of 1)

SAFER® BRAND END ALL RTU

ACTIVE INGREDIENTS:	BY WT.
Potassium Salts of Fatty Acids.....	1.000%
Clarified Hydrophobic Extract of Neem Oil.....	0.900%
Pyrethrins.....	0.012%
OTHER INGREDIENTS:	<u>98.088%</u>
TOTAL	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION (See back [side] panel for additional precautionary statements and first aid.)

Net Contents: 1 pint (16 fl. oz.), 1 ½ pints (24 fl. oz.), 1 quart (32 fl. oz.),
2 quarts (64 fl. oz.), 128 fl. oz. (1 gallon)

4/14

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel – Page 1 of 3)

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

USER SAFETY RECOMENDATIONS	
Users Should:	<ul style="list-style-type: none">- Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID	
If in eyes:	<ul style="list-style-type: none">- Hold eye open and rinse slowly and gently with water for 15-20 minutes.- Remove contact lenses, if present, after first five minutes, then continue rinsing eye.- Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none">- Take off contaminated clothing.- Rinse skin immediately with plenty of water for 15-20 minutes.- Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.	

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

STORAGE AND DISPOSAL
PESTICIDE STORAGE: Store only in original container in a cool, dry area inaccessible to children and pets. Protect from freezing. If frozen, thaw and shake well. Keep container tightly closed to prevent evaporation.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: If Empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel – Page 2 of 3)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions:

Do not allow adults, children or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying. Do not wet plants to the point of runoff or drip. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall. Not for use in outdoor residential misting systems.

Application Instructions:

SHAKE WELL BEFORE USING. Apply when insects or first signs of their damage appear. Turn sprayer nozzle to one of the open positions. Hold sprayer 12 to 18 inches from the surface to be sprayed. Spray evenly, completely coating plant surfaces where insects are feeding or resting. Do not wet plants to the point of runoff or drip. Apply every 7 to 10 days when insects are present or as needed to prevent damage.

Vegetables and Herbs: Apply 32 oz. of product per 175 sq. ft. of plant surface area. [Bottle (32 oz.) will treat (cover) 175 sq. ft.] Use as directed above on asparagus, beans, broccoli, brussels sprouts, cabbage, kale, and oriental vegetables, herbs, lettuce, eggplant, peppers, tomatoes, potatoes, cucumbers, melons and squash to kill ASPARAGUS BEETLES, BEAN BEETLES, BLISTER BEETLES, COLORADO POTATO BEETLES, CUCUMBER BEETLES, FLEA BEETLES, CATERPILLARS (including CABBAGE LOOPERS, IMPORTED CABBAGEWORM, ARMYWORMS, HORNWORMS, CROSS-STRIPED CABBAGE WORMS, FIREWORMS, WEBWORMS, DIAMOND BACK MOTH LARVAE), LEAF HOPPERS, GREEN PEACHLEAF HOPPERS, PLANT BUGS, HARLEQUIN BUGS, LEAFTIERS, MEALYBUGS, STINK BUGS, PSYLLIDS (including TOMATO PSYLLIDS), APHIDS (including CABBAGE APHIDS) AND WHITEFLIES. Can be used up to day of harvest. **Use Restriction:** Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours.

Fruits and Nuts: Apply 32 oz. of product per 175 sq. ft. of plant surface area. [Bottle (32 oz.) will treat (cover) 175 sq. ft.] Use as directed above on apples, avocados, citrus (grapefruit, lemons, oranges, tangerines, limes), peaches, nectarines, apricots, pears, almonds, pecans, walnuts, kiwi fruit, blackberries, loganberries, raspberries, strawberries and grapes to kill JAPANESE BEETLES, FLEA BEETLES, WEEVIL ADULTS, CATERPILLARS (including NAVAL ORANGE WORM, BAGWORMS, LEAFTIERS, LEAF ROLLERS, CODLING MOTH, and TENT CATERPILLARS), APHIDS, LEAFHOPPERS, PSYLLIDS (including PEAR PSYLLIDS), SCALE CRAWLERS, and SAWFLY LARVAE. Can be used up to day of harvest. **Use Restriction:** Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours.

6/14

MASTER LABEL / SUBLABEL A – CONSUMER USE
(Outer Container Back Panel – Page 3 of 3)

Lawns and Turf Grass: Apply 32 oz. of product per 120 sq. ft. of treatment area. [Bottle (32 oz.) will treat (cover) 120 sq. ft.] Use as directed above on lawns and turf grass to kill CHINCH

BUGS, BILLBUGS, SOWBUGS, LAWN MOTH, SOD WEBWORM, ARMYWORMS, and other miscellaneous pests. **Use Restriction:** Do not apply more than 1 time per day.

Ornamental Trees and Shrubs: Apply 32 oz. of product per 120 sq. ft. of plant surface area. [Bottle (32 oz.) will treat (cover) 120 sq. ft.] Use as directed above on azaleas, camellias, cacti, dogwood, rhododendrons, evergreens, and broad-leaved shade trees to kill APHIDS (including CONIFER APHIDS), BEETLES (including ASIAN LADY BEETLES), CATERPILLARS (including GYPSY MOTH LARVAE, EASTERN AND FOREST TENT CATERPILLARS) SPIDER MITES, BOX ELDER BUGS, BOXWOOD PSYLLIDS, EARWIGS AND JAPANESE BEETLES. **Use Restriction:** Do not apply more than 1 time per day. **Important:** Do not use on Japanese maple, horse chestnut, or mountain ash.

Flowers: Apply 32 oz. of product per 120 sq. ft. of plant surface area. [Bottle (32 oz.) will treat (cover) 120 sq. ft.] Use as directed above on asters, carnations, chrysanthemums, geraniums, marigolds, petunias and roses to kill APHIDS (including ROSE APHIDS), BEETLES (including FLEA BEETLES and JAPANESE BEETLES), CATERPILLARS, PLANT BUGS, THRIPS, BILLBUGS, SOWBUGS and WHITEFLIES. **Use Restriction:** Do not apply more than 1 time per day. **Important:** Do not spray blooms or partially open flower buds. Do not use on bleeding heart or gardenias. Test on fuschias and impatiens for varietal sensitivity.

Houseplants: Apply 32 oz. of product per 120 sq. ft. of plant surface area. [Bottle (32 oz.) will treat (cover) 120 sq. ft.] Use as directed above on houseplants to kill APHIDS, CATERPILLARS, SPIDER MITES and WHITEFLIES. Repeat treatment at 7 to 10 day intervals or as needed. **Important:** Do not use on Crown of Thorns, jade plant, or delicate ferns. Test on begonias, fuschias and impatiens for varietal sensitivity.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:
Safer®, Inc., (A wholly owned subsidiary of Woodstream Corporation)
69 North Locust Street
Lititz PA 17543
1-800-800-1812 for information

7/14

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Front Panel – Page 1 of 1)

SAFER® BRAND END ALL RTU

ACTIVE INGREDIENTS:	BY WT.
Potassium Salts of Fatty Acids.....	1.000%
Clarified Hydrophobic Extract of Neem Oil.....	0.900%
Pyrethrins.....	0.012%
OTHER INGREDIENTS:.....	98.088%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION (See back [side] panel for additional precautionary statements and first aid.)

Net Contents: 2.5 gallon (320 fl. oz.), 5 gallon (640 fl. oz.), 10 gallon (1,280 fl. oz.),
55 gallons (7,040 fl. oz.)

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel – Page 1 of 5)

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> - Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after first five minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.</p>	

PERSONAL PROTECTIVE EQUIPMENT (PPE)
<p>Mixers, loaders, applicators, and other handlers must wear:</p> <ul style="list-style-type: none"> • Long-sleeved shirt; • Long pants; and, • Shoes and socks <p>Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product. Do not reuse them.</p>

USER SAFETY RECOMENDATIONS	
Users Should:	<ul style="list-style-type: none"> - Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. - Remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. - Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. This product is highly toxic to bees exposed to direct treatment on blooming crops weeds.

9/14

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel – Page 2 of 5)

[For rigid non-refillable containers]

STORAGE AND DISPOSAL

Do not contaminate water, feed or foodstuffs by storage or disposal.

Pesticide Storage: Store only in original container; in a dry place; inaccessible to children and pets. Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose of in sanitary landfill or by incineration, if allowed by state and local authorities. If burned, stay out of smoke.

[For refillable rigid containers larger than 5 gallons]

STORAGE AND DISPOSAL

Do not contaminate water, feed or foodstuffs by storage or disposal.

Pesticide Storage: Store only in original container; in a dry place; inaccessible to children and pets. Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Do not apply through any type of irrigation system.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box

10/14

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel – Page 3 of 5)

Agricultural Use Requirements [continued]

Only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and involves contact with anything that has been treated such as plants, soil, or water, is:

- Coveralls
- Chemical resistant gloves (made of any waterproof material)
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for Agricultural Pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow people (or pets) to enter the treated area until sprays have dried.

Use Restrictions:

Do not allow adults, children or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying. Do not wet plants to the point of runoff or drip. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall. Not for use in outdoor residential misting systems.

Application Instructions:

SHAKE WELL BEFORE USING. Apply when insects or first signs of their damage appear. Turn sprayer nozzle to one of the open positions. Hold sprayer 12 to 18 inches from the surface to be sprayed. Spray evenly, completely coating plant surfaces where insects are feeding or resting. Do not wet plants to the point of runoff or drip. Apply every 7 to 10 days when insects are present or as needed to prevent damage.

VEGETABLES AND HERBS: Apply 1 gallon of product per 700 sq. ft. of plant surface area. [62.23 gallons per acre] Use as directed above on asparagus, beans, broccoli, brussels sprouts, cabbage, kale, and oriental vegetables, herbs, lettuce, eggplant, peppers, tomatoes, potatoes, cucumbers, melons and squash to kill ASPARAGUS BEETLES, BEAN BEETLES, BLISTER BEETLES, COLORADO POTATO BEETLES, CUCUMBER BEETLES, FLEA BEETLES, CATERpillars (including CABBAGE LOOPERS, IMPORTED CABBAGEWORM, ARMYWORMS, HORNWORMS, CROSS-STRIPED CABBAGE WORMS, FIREWORMS, WEBWORMS, DIAMOND BACK MOTH LARVAE), LEAF HOPPERS, GREEN PEACHLEAF HOPPERS, PLANT BUGS, HARLEQUIN BUGS, LEAFTIERS, MEALYBUGS,

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel – Page 4 of 5)

STINK BUGS, PSYLLIDS (including TOMATO PSYLLIDS), APHIDS (including CABBAGE APHIDS) AND WHITEFLIES. Can be used up to day of harvest.

Use Restriction: Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours.

FRUITS AND NUTS: Apply 1 gallon of product per 700 sq. ft. of plant surface area. [62.23 gallons per acre] Use as directed above on apples, avocados, citrus (grapefruit, lemons, oranges, tangerines, limes), peaches, nectarines, apricots, pears, almonds, pecans, walnuts, kiwi fruit, blackberries, loganberries, raspberries, strawberries and grapes to kill JAPANESE BEETLES, FLEA BEETLES, WEEVIL ADULTS, CATERPILLARS (including NAVAL ORANGE WORM, BAGWORMS, LEAFTIERS, LEAF ROLLERS, CODLING MOTH, and TENT CATERPILLARS), APHIDS, LEAFHOPPERS, PSYLLIDS (including PEAR PSYLLIDS), SCALE CRAWLERS, and SAWFLY LARVAE. Can be used up to day of harvest.

Use Restriction: Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours.

LAWNS AND TURF GRASS: Apply 1 gallon of product per 480 sq. ft. of treatment area. [90.75 gallons per acre] Use as directed above on lawns and turf grass to kill CHINCH BUGS, BILLBUGS, SOWBUGS, LAWN MOTH, SOD WEBWORM, ARMYWORMS, and other miscellaneous pests.

Use Restriction: Do not apply more than 1 time per day.

ORNAMENTAL TREES AND SHRUBS: Apply 1 gallon of product per 480 sq. ft. of treatment area. [90.75 gallons per acre] Use as directed above on azaleas, camellias, cacti, dogwood, rhododendrons, evergreens, and broad-leaved shade trees to kill APHIDS (including CONIFER APHIDS), BEETLES (including ASIAN LADY BEETLES), CATERPILLARS (including GYPSY MOTH LARVAE, EASTERN AND FOREST TENT CATERPILLARS) SPIDER MITES, BOX ELDER BUGS, BOXWOOD PSYLLIDS, EARWIGS AND JAPANESE BEETLES.

Use Restriction: Do not apply more than 1 time per day.

Important: Do not use on Japanese maple, horse chestnut, or mountain ash.

FLOWERS: Apply 1 gallon of product per 480 sq. ft. of treatment area. [90.75 gallons per acre] Use as directed above on asters, carnations, chrysanthemums, geraniums, marigolds, petunias and roses to kill APHIDS (including ROSE APHIDS), BEETLES (including FLEA BEETLES and JAPANESE BEETLES), CATERPILLARS, PLANT BUGS, THRIPS, BILLBUGS, SOWBUGS and WHITEFLIES.

Use Restriction: Do not apply more than 1 time per day.

12/14

MASTER LABEL / SUBLABEL B – AGRICULTURAL USE
(Outer Container Back Panel – Page 5 of 5)

Important: Do not spray blooms or partially open flower buds. Do not use on bleeding heart or gardenias. Test on fuschias and impatiens for varietal sensitivity.

HOUSEPLANTS: Apply 1 gallon of product per 480 sq. ft. of treatment area. [90.75 gallons per acre] Use as directed above on houseplants to kill APHIDS, CATERPILLARS, SPIDER MITES and WHITEFLIES. Repeat treatment at 7 to 10 day intervals or as needed.

Important: Do not use on Crown of Thorns, jade plant, or delicate ferns. Test on begonias, fuschias and impatiens for varietal sensitivity.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:

Safer®, Inc., (A wholly owned subsidiary of Woodstream Corporation)
69 North Locust Street
Lititz PA 17543
1-800-800-1812 for information

EPA Reg. No 59913-14
EPA Est. No 63416-MN-01

All ® Property of Woodstream Corporation
© Copyright Woodstream Corporation, 2009

MASTER LABEL- OPTIONAL CLAIMS – ALL USES (Page # 1 of 2)

[Additional - Optional Marketing/Advertising Claims]

- Effective on hard and soft bodied insects (see back panel for listed insects)
- Kills aphids, whiteflies, scales, [(spider) (red) mites, mealybugs, thrips] and other listed pests.
- For use on houseplants, flowers, herbs, ornamentals, shrubs, vegetables grown in and around homes and home greenhouses and other interior plantings.
- For use in and around homes and home greenhouses and other interior plantings.
- WATER-BASED
- Kills bugs (insects) through contact.
- Easy to use
- Use up to day of harvest
- Kills Japanese Beetles on Contact
- Broad spectrum
- Indoor and Outdoor
- Made with botanical pyrethrins from *Chrysanthemum* flowers.
- Broad-spectrum insect killer.
- Kills: Beetles, Caterpillars, Aphids, Whiteflies, Sawflies, Scale Insects, Spider Mites, Mealybugs, Thrips, Ants (excluding fire, harvester, carpenter and pharaoh ants), Billbugs, Chinch Bugs, Japanese Beetles, Sod Webworms, Sowbugs, Earwigs and other listed pests.
- For use on houseplants, flowers, herbs, berries, fruits, vegetables, shade trees, evergreens, ornamentals, cacti and succulents, and lawns, grown in and around the home and in home greenhouses and other interior plantings. Use up to day of harvest.
- Contains Insect Killing Soap & Botanical Pyrethrins
- Contains PyGanic™
- This product contains [PyGanic™ LOGO].
- PyGanic is a registered trademark of McLaughlin Gormley King Company
- Made with Pyrethrins From *Chrysanthemum* flowers
- Contains Pyrethrins From *Chrysanthemum* flowers
- Kills Listed Insects (Through Contact)
- Kills all stages of Insect growth – egg to adult
- Kills (insect) eggs, larvae and adults
- Formulated for use on Ornamentals and Edible plants
- Use on Flowers, Shrubs, Fruits and Vegetables
- Water Based Formula
- Kills Insects – Eggs to Adults
- Always Shake Well Before Using!
- Kills 35 insects
- Kills 35 different insects
- Patent Pending
- Kills 45 different insects
- Kills 45 common plant pests (insects)

14/14

MASTER LABEL- OPTIONAL CLAIMS – ALL USES (Page # 2 of 2)

[Additional - Optional Marketing/Advertising Claims] – continued

- Kills [insects including]: Beetles, Caterpillars, Aphids, Whiteflies, Sawflies, Scale Insects, Spider Mites, Mealybugs, Thrips, Ants (excluding fire, harvester, carpenter and pharaoh ants), Billbugs, Chinch Bugs, Japanese Beetles, Sod Webworms, Sowbugs, Earwigs and other listed pests (see back panel).
- For use on: houseplants, flowers, herbs, berries, fruits, vegetables, shade trees, evergreens, ornamentals, cacti and succulents, and lawns, grown in and around the home and in home greenhouses and other interior plantings. Use up to day of harvest.
- Kills Aphids, Mealybugs, Mites, Whiteflies, and other listed pests (*see back panel*) on ornamental plants, fruits and vegetables grown in and around the home.
- For use in and around the home
- For use around the home and home greenhouses only
- For Indoor and Outdoor Uses
- Shake Well
- Ready-To-Use [Spray]
- For Organic Gardening -[optional logo]
- For Organic Lawn Care -[optional logo]
- OMRI® Listed- Organic Materials Review Institute -[optional logo]