

59913-14

( 09/21/2012 )

1/15

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D C 20460-0001



OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

SEP 21 2012

Mr Chad L Mateer  
Safer Inc  
69 N Locust Street  
Lititz, PA 17543-0327

Subject Amended Reregistration Label  
Product Name Safer Brand End All RTU  
EPA Registration Number 59913-14  
EPA Decision Number(s) 411683

Dear Mr Mateer

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Pyrethrins RED(s), and has concluded that your submission is acceptable

NOTE This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below Any previously dated CSFs are superseded


- Basic CSF, dated [May 28, 2010]
- Alternate CSF #1, dated -0-]

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e)

If you have any questions about this letter, please contact Dan Daniel at (703)305-5409 or via e-mail at *daniel.dani@epa.gov*

Sincerely,



 Richard J. Gebken  
Product Manager (10)  
Insecticide Branch  
Registration Division (7504P)

*Enclosures*    *Label stamped "Accepted," dated*  
*Acute Toxicity Review, dated (March 30, 2012)*  
*Product Chemistry Review, dated (March 30, 2012)*

EPA Reg No 59913 14  
Re submission due to Agency letter dated September 14 2012 for Pyrethrin RED  
September 20 2012  
Page 1 of 13

**MASTER LABEL / COVER PAGE (Page 1 of 1)**

**Note** This master label bears directions for consumer and agricultural use with various use restrictions specific to the associated container sizes

# SAFER® BRAND END ALL RTU

**Sublabel A** Consumer Use  
**Sublabel B** Agricultural Use

**[Additional Brand Names]**

Safer® Brand End All  
Safer® Brand End All Insect Killer  
End All Insect Killer

<b>ACTIVE INGREDIENTS</b>	<b>BY WT</b>
Potassium Salts of Fatty Acids	1 000%
Clarified Hydrophobic Extract of Neem Oil	0 900%
Pyrethrins	0 012%
<b>OTHER INGREDIENTS</b>	<u>98 088%</u>
<b>TOTAL</b>	<b>100 000%</b>

**Manufactured For**  
Safer®, Inc , a wholly owned subsidiary of Woodstream Corporation  
69 North Locust Street  
Lititz PA 17543  
1-800-800 1819 for information

EPA Reg No 59913-14  
EPA Est No 63416-MN-01

All ® Property of Woodstream Corporation  
© Copyright Woodstream Corporation, 2009

Lot Code \_\_\_\_\_

**ACCEPTED**  
**SEP 21 2012**

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for the  
pesticide registered under

EPA Reg No 59913-14

EPA Reg No 59913 14  
Re submission due to Agency letter dated September 14 2012 for Pyrethrin RED  
September 20 2012  
Page 2 of 13

---

**MASTER LABEL SUBLABEL A – CONSUMER USE**  
*(Outer Container Front Panel – Page 1 of 1)*

# SAFER® BRAND END ALL RTU

<b>ACTIVE INGREDIENTS</b>	<b>BY WT</b>
Potassium Salts of Fatty Acids	1 000%
Clarified Hydrophobic Extract of Neem Oil	0 900%
Pyrethrins	0 012%
<b>OTHER INGREDIENTS</b>	<u>98 088%</u>
<b>TOTAL</b>	<b>100 000%</b>

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION** (See back [side] panel for additional precautionary statements and first aid )

**Net Contents** 1 pint (16 fl oz ), 1 ½ pints (24 fl oz ), 1 quart (32 fl oz ),  
2 quarts (64 fl oz ), 128 fl oz (1 gallon)

**MASTER LABEL / SUBLABEL A – CONSUMER USE**  
**(Outer Container Back Panel – Page 1 of 3)**

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

**CAUTION** Causes moderate eye irritation Avoid contact with eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet

<b>USER SAFETY RECOMENDATIONS</b>	
<b>Users Should</b>	Wash hands with plenty of soap and water before eating, drinking chewing gum, using tobacco or using the toilet  Remove clothing immediately if pesticide gets inside Then wash thoroughly and put on clean clothing

<b>FIRST AID</b>	
<b>If in eyes</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes  - Remove contact lenses if present, after first five minutes then continue rinsing eye Call a poison control center or doctor for treatment advice
<b>If on skin or clothing</b>	- Take off contaminated clothing  Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment For emergency information call the <b>National Pesticides Information Center</b> at 1-800-858-7378, 6 30 AM to 4 30 PM Pacific time (PT), seven days a week During other times, call the poison control center 1-800-222-1222	

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms including fish and invertebrates To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area This product is highly toxic to bees exposed to direct treatment on blooming corps or weeds Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area

<b>STORAGE AND DISPOSAL</b>
<b>PESTICIDE STORAGE</b> Store only in original container in a cool dry area inaccessible to children and pets Protect from freezing If frozen thaw and shake well Keep container tightly closed to prevent evaporation
<b>PESTICIDE DISPOSAL AND CONTAINER HANDLING</b> <b>If Empty</b> Non-refillable container Do not reuse or refill this container Place in trash or offer for recycling if available <b>If Partly Filled</b> Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

---

**MASTER LABEL / SUBLABEL A – CONSUMER USE**  
**(Outer Container Back Panel – Page 2 of 3)**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**Use Restrictions**

Do not allow adults children or pets to enter the treated area until sprays have dried Do not apply this product in a way that will contact adults, children, or pets either directly or through drift Remove pets, birds, and cover fish aquariums before spraying Do not wet plants to the point of runoff or drip Do not apply directly to or near water, storm drains or drainage ditches Do not apply when windy To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall Do not make applications during rain Not for use in outdoor residential misting systems

**Application Instructions**

SHAKE WELL BEFORE USING Apply when insects or first signs of their damage appear Turn sprayer nozzle to one of the open positions Hold sprayer 12 to 18 inches from the surface to be sprayed Spray evenly completely coating plant surfaces where insects are feeding or resting Do not wet plants to the point of runoff or drip Apply every 7 to 10 days when insects are present or as needed to prevent damage

**Vegetables and Herbs** Apply 32 oz of product per 175 sq ft of plant surface area [Bottle (32 oz ) will treat (cover) 175 sq ft ] Use as directed above on asparagus, beans, broccoli brussels sprouts, cabbage, kale, and oriental vegetables, herbs, lettuce, eggplant, peppers, tomatoes, potatoes cucumbers, melons and squash to kill ASPARAGUS BEETLES BEAN BEETLES BLISTER BEETLES, COLORADO POTATO BEETLES, CUCUMBER BEETLES, FLEA BEETLES, CATERPILLARS (including CABBAGE LOOPERS, IMPORTED CABBAGEWORM, ARMYWORMS, HORNWORMS, CROSS-STRIPED CABBAGE WORMS, FIREWORMS, WEBWORMS, DIAMOND BACK MOTH LARVAE), LEAF HOPPERS, GREEN PEACHLEAF HOPPERS, PLANT BUGS, HARLEQUIN BUGS, LEAFTIERS, MEALYBUGS STINK BUGS, PSYLLIDS (including TOMATO PSYLLIDS), APHIDS (including CABBAGE APHIDS) AND WHITEFLIES Can be used up to day of harvest **Use Restriction** Do not apply more than 10 times per season Do not reapply within 3 days except under extreme pest pressure In case of extreme pest pressure, do not reapply within 24 hours

**Fruits and Nuts** Apply 32 oz of product per 175 sq ft of plant surface area [Bottle (32 oz ) will treat (cover) 175 sq ft ] Use as directed above on apples, avocados, citrus (grapefruit, lemons, oranges, tangerines, limes), peaches, nectarines, apricots, pears, almonds, pecans, walnuts, kiwi fruit, blackberries, loganberries, raspberries, strawberries and grapes to kill JAPANESE BEETLES, FLEA BEETLES, WEEVIL ADULTS, CATERPILLARS (including NAVAL ORANGE WORM, BAGWORMS, LEAFTIERS, LEAF ROLLERS CODLING MOTH, and TENT CATERPILLARS), APHIDS, LEAFHOPPERS PSYLLIDS (including PEAR PSYLLIDS) SCALE CRAWLERS and SAWFLY LARVAE Can be used up to day of harvest **Use Restriction** Do not apply more than 10 times per season Do not reapply within 3 days except under extreme pest pressure In case of extreme pest pressure, do not reapply within 24 hours

**MASTER LABEL / SUBLABEL A – CONSUMER USE**  
**(Outer Container Back Panel – Page 3 of 3)**

**Lawns and Turf Grass** Apply 32 oz of product per 120 sq ft of treatment area [Bottle (32 oz) will treat (cover) 120 sq ft] Use as directed above on lawns and turf grass to kill CHINCH

BUGS, BILLBUGS, SOWBUGS, LAWN MOTH, SOD WEBWORM, ARMYWORMS, and other miscellaneous pests **Use Restriction** Do not apply more than 1 time per day

**Ornamental Trees and Shrubs** Apply 32 oz of product per 120 sq ft of plant surface area [Bottle (32 oz) will treat (cover) 120 sq ft] Use as directed above on azaleas, camellias, cacti, dogwood, rhododendrons, evergreens, and broad-leaved shade trees to kill APHIDS (including CONIFER APHIDS) BEETLES (including ASIAN LADY BEETLES) CATERPILLARS (including GYPSY MOTH LARVAE, EASTERN AND FOREST TENT CATERPILLARS) SPIDER MITES, BOX ELDER BUGS BOXWOOD PSYLLIDS, EARWIGS AND JAPANESE BEETLES **Use Restriction** Do not apply more than 1 time per day **Important** Do not use on Japanese maple horse chestnut, or mountain ash

**Flowers** Apply 32 oz of product per 120 sq ft of plant surface area [Bottle (32 oz) will treat (cover) 120 sq ft] Use as directed above on asters, carnations, chrysanthemums, geraniums, marigolds petunias and roses to kill APHIDS (including ROSE APHIDS), BEETLES (including FLEA BEETLES and JAPANESE BEETLES), CATERPILLARS, PLANT BUGS, THRIPS, BILLBUGS, SOWBUGS and WHITEFLIES **Use Restriction** Do not apply more than 1 time per day **Important** Do not spray blooms or partially open flower buds Do not use on bleeding heart or gardenias Test on fuschias and impatiens for varietal sensitivity

**Houseplants** Apply 32 oz of product per 120 sq ft of plant surface area [Bottle (32 oz) will treat (cover) 120 sq ft] Use as directed above on houseplants to kill APHIDS, CATERPILLARS, SPIDER MITES and WHITEFLIES Repeat treatment at 7 to 10 day intervals or as needed **Important** Do not use on Crown of Thorns, jade plant, or delicate ferns Test on begonias, fuschias and impatiens for varietal sensitivity

**Note** Seller warrants that this product complies with the specifications expressed in this label To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price To the extent consistent with applicable law, Seller shall have no liability for consequential damages

Manufactured For  
Safer®, Inc , (A wholly owned subsidiary of Woodstream Corporation)  
69 North Locust Street  
Lititz PA 17543  
1-800 800 1812 for information

EPA Reg No 59913 14  
Re submission due to Agency letter dated September 14 2012 for Pyrethrin RED  
September 20, 2012  
Page 6 of 13

---

**MASTER LABEL / SUBLABEL B – AGRICULTURAL USE**  
*(Outer Container Front Panel – Page 1 of 1)*

# SAFER® BRAND END ALL RTU

®

<b>ACTIVE INGREDIENTS</b>	<b>BY WT</b>
Potassium Salts of Fatty Acids	1 000%
Clarified Hydrophobic Extract of Neem Oil	0 900%
Pyrethrins	0 012%
<b>OTHER INGREDIENTS</b>	<u>98 088%</u>
<b>TOTAL</b>	100 000%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** (See back [side] panel for additional precautionary statements and first aid )

**Net Contents** 2.5 gallon (320 fl oz), 5 gallon (640 fl oz), 10 gallon (1 280 fl oz),  
55 gallons (7 040 fl oz)



**MASTER LABEL / SUBLABEL B – AGRICULTURAL USE**  
**(Outer Container Back Panel – Page 1 of 5)**

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

**CAUTION** Causes moderate eye irritation Avoid contact with eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet

<b>FIRST AID</b>	
<b>If in eyes</b>	- Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after first five minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
<b>If on skin or clothing</b>	- Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment For emergency information call the <b>National Pesticides Information Center</b> at 1-800-858 7378 6 30 AM to 4 30 PM Pacific time (PT), seven days a week During other times, call the poison control center 1 800 222-1222	

<b>PERSONAL PROTECTIVE EQUIPMENT (PPE)</b>
<p><b>Mixers, loaders, applicators, and other handlers must wear</b></p> <ul style="list-style-type: none"> <li>• Long-sleeved shirt</li> <li>• Long pants, and,</li> <li>• Shoes and socks</li> </ul> <p>Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product Do not reuse them</p>

<b>USER SAFETY RECOMENDATIONS</b>	
<b>Users Should</b>	- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet  Remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing  Remove PPE immediately after handling this product As soon as possible, wash thoroughly and change into clean clothing

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and invertebrates Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas This product may contaminate water through runoff This product has a potential for runoff for several weeks after application Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches gutters or surface waters Applying this product in

**MASTER LABEL / SUBLABEL B – AGRICULTURAL USE**  
**(Outer Container Back Panel – Page 2 of 5)**

calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area

*[For rigid non-refillable containers]*

**STORAGE AND DISPOSAL**

Do not contaminate water, feed or foodstuffs by storage or disposal

**Pesticide Storage** Store only in original container, in a dry place, inaccessible to children and pets Keep container tightly sealed when not in use

**Pesticide Disposal** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

**Container Handling** Non-refillable container Do not reuse or refill this container Offer for recycling if available or puncture and dispose of in sanitary landfill or by incineration, if allowed by state and local authorities If burned, stay out of smoke

*[For refillable rigid containers larger than 5 gallons]*

**STORAGE AND DISPOSAL**

Do not contaminate water, feed or foodstuffs by storage or disposal

**Pesticide Storage** Store only in original container, in a dry place, inaccessible to children and pets Keep container tightly sealed when not in use

**Pesticide Disposal** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

**Container Handling** Refillable container Refill this container with pesticide only Do not reuse this container for any other purpose Cleaning the container before final disposal is the responsibility of the person disposing of the container Cleaning before refilling is the responsibility of the refiller To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank Fill the container about 10% full with water and, if possible, spray all sides while adding water Agitate vigorously or recirculate water with the pump for two minutes Pour or pump rinsate into application equipment or rinsate collection system Repeat this rinsing procedure two more times

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Read all Directions for Use carefully before applying

Do not apply this product in a way that will contact workers or other persons either directly or through drift Only protected handlers may be in the area during application For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation

Do not apply through any type of irrigation system

**MASTER LABEL / SUBLABEL B – AGRICULTURAL USE**  
**(Outer Container Back Panel – Page 3 of 5)**

**Agricultural Use Requirements**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170 This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses, and handlers of agricultural pesticides It contains requirements for training decontamination, notification, and emergency assistance It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval The requirements in this box

**Agricultural Use Requirements [continued]**

Only apply to uses of this product that are covered by the Worker Protection Standard

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and involves contact with anything that has been treated such as plants, soil, or water, is

- Coveralls
- Chemical resistant gloves (made of any waterproof material)
- Shoes plus socks

**Non-Agricultural Use Requirements**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for Agricultural Pesticides (40 CFR Part 170) The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses

Do not enter or allow people (or pets) to enter the treated area until sprays have dried

**Use Restrictions**

Do not allow adults children or pets to enter the treated area until sprays have dried Do not apply this product in a way that will contact adults, children, or pets either directly or through drift Remove pets, birds, and cover fish aquariums before spraying Do not wet plants to the point of runoff or drip Do not apply directly to or near water, storm drains, or drainage ditches Do not apply when windy To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall Do not make applications during rain Not for use in outdoor residential misting systems

**Application Instructions**

SHAKE WELL BEFORE USING Apply when insects or first signs of their damage appear Turn sprayer nozzle to one of the open positions Hold sprayer 12 to 18 inches from the surface to be sprayed Spray evenly, completely coating plant surfaces where insects are feeding or resting Do not wet plants to the point of runoff or drip Apply every 7 to 10 days when insects are present or as needed to prevent damage

---

**MASTER LABEL / SUBLABEL B – AGRICULTURAL USE**  
**(Outer Container Back Panel – Page 4 of 5)**

**VEGETABLES AND HERBS** Apply 1 gallon of product per 700 sq ft of plant surface area [62.23 gallons per acre] Use as directed above on asparagus, beans, broccoli, brussels sprouts, cabbage, kale, and oriental vegetables, herbs, lettuce, eggplant, peppers, tomatoes, potatoes, cucumbers, melons and squash to kill ASPARAGUS BEETLES, BEAN BEETLES, BLISTER BEETLES, COLORADO POTATO BEETLES, CUCUMBER BEETLES, FLEA BEETLES, CATERPILLARS (including CABBAGE LOOPERS, IMPORTED CABBAGEWORM, ARMYWORMS, HORNWORMS, CROSS-STRIPED CABBAGE WORMS, FIREWORMS, WEBWORMS, DIAMOND BACK MOTH LARVAE), LEAF HOPPERS, GREEN PEACHLEAF HOPPERS, PLANT BUGS, HARLEQUIN BUGS, LEAFTIERS, MEALYBUGS, STINK BUGS, PSYLLIDS (including TOMATO PSYLLIDS), APHIDS (including CABBAGE APHIDS) AND WHITEFLIES. Can be used up to day of harvest.

**Use Restriction** Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours.

**FRUITS AND NUTS** Apply 1 gallon of product per 700 sq ft of plant surface area [62.23 gallons per acre] Use as directed above on apples, avocados, citrus (grapefruit, lemons, oranges, tangerines, limes), peaches, nectarines, apricots, pears, almonds, pecans, walnuts, kiwi fruit, blackberries, loganberries, raspberries, strawberries and grapes to kill JAPANESE BEETLES, FLEA BEETLES, WEEVIL ADULTS, CATERPILLARS (including NAVAL ORANGE WORM, BAGWORMS, LEAFTIERS, LEAF ROLLERS, CODLING MOTH, and TENT CATERPILLARS), APHIDS, LEAFHOPPERS, PSYLLIDS (including PEAR PSYLLIDS), SCALE CRAWLERS, and SAWFLY LARVAE. Can be used up to day of harvest.

**Use Restriction** Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours.

**LAWNS AND TURF GRASS** Apply 1 gallon of product per 480 sq ft of treatment area [90.75 gallons per acre] Use as directed above on lawns and turf grass to kill CHINCH BUGS, BILLBUGS, SOWBUGS, LAWN MOTH, SOD WEBWORM, ARMYWORMS, and other miscellaneous pests.

**Use Restriction** Do not apply more than 1 time per day.

**ORNAMENTAL TREES AND SHRUBS** Apply 1 gallon of product per 480 sq ft of treatment area [90.75 gallons per acre] Use as directed above on azaleas, camellias, cacti, dogwood, rhododendrons, evergreens, and broad-leaved shade trees to kill APHIDS (including CONIFER APHIDS), BEETLES (including ASIAN LADY BEETLES), CATERPILLARS (including GYPSY MOTH LARVAE, EASTERN AND FOREST TENT CATERPILLARS), SPIDER MITES, BOX ELDER BUGS, BOXWOOD PSYLLIDS, EARWIGS AND JAPANESE BEETLES.

**Use Restriction** Do not apply more than 1 time per day.

EPA Reg No 59913 14  
Re submission due to Agency letter dated September 14 2012 for Pyrethrin RED  
September 20, 2012  
Page 11 of 13

---

**MASTER LABEL / SUBLABEL B – AGRICULTURAL USE**  
**(Outer Container Back Panel – Page 5 of 5)**

**Important** Do not use on Japanese maple horse chestnut, or mountain ash

**FLOWERS** Apply 1 gallon of product per 480 sq ft of treatment area [90 75 gallons per acre]  
Use as directed above on asters, carnations, chrysanthemums, geraniums marigolds, petunias and roses to kill APHIDS (including ROSE APHIDS) BEETLES (including FLEA BEETLES and JAPANESE BEETLES), CATERPILLARS, PLANT BUGS THRIPS, BILLBUGS, SOWBUGS and WHITEFLIES

**Use Restriction** Do not apply more than 1 time per day

**Important** Do not spray blooms or partially open flower buds Do not use on bleeding heart or gardenias Test on fuschias and impatiens for varietal sensitivity

**HOUSEPLANTS** Apply 1 gallon of product per 480 sq ft of treatment area [90 75 gallons per acre] Use as directed above on houseplants to kill APHIDS, CATERPILLARS, SPIDER MITES and WHITEFLIES Repeat treatment at 7 to 10 day intervals or as needed

**Important** Do not use on Crown of Thorns jade plant, or delicate ferns Test on begonias, fuschias and impatiens for varietal sensitivity

**Note** Seller warrants that this product complies with the specifications expressed in this label To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose To the extent consistent with applicable law, Seller’s liability or default, breach or failure under this label shall be limited to the amount of the purchase price To the extent consistent with applicable law, Seller shall have no liability for consequential damages

**Manufactured For**  
Safer®, Inc , (A wholly owned subsidiary of Woodstream Corporation)  
69 North Locust Street  
Lititz PA 17543  
1-800-800 1812 for information

EPA Reg No 59913-14  
EPA Est No 63416-MN 01

All ® Property of Woodstream Corporation  
© Copyright Woodstream Corporation, 2009

**MASTER LABEL- OPTIONAL CLAIMS – ALL USES (Page # 1 of 2)**

**[Additional - Optional Marketing/Advertising Claims]**

- Effective on hard and soft bodied insects (see back panel for listed insects)
- Kills aphids, whiteflies, scales [(spider) (red) mites, mealybugs, thrips] and other listed pests
- For use on houseplants flowers herbs ornamentals, shrubs vegetables grown in and around homes and home greenhouses and other interior plantings
- For use in and around homes and home greenhouses and other interior plantings
- WATER-BASED
- Kills bugs (insects) through contact
- Easy to use
- Use up to day of harvest
- Kills Japanese Beetles on Contact
- Broad spectrum
- Indoor and Outdoor
- Made with botanical pyrethrins from *Chrysanthemum* flowers
- Broad-spectrum insect killer
- Kills Beetles, Caterpillars, Aphids, Whiteflies, Sawflies Scale Insects, Spider Mites, Mealybugs, Thrips, Ants (excluding fire, harvester, carpenter and pharaoh ants), Billbugs, Chinch Bugs, Japanese Beetles, Sod Webworms, Sowbugs, Earwigs and other listed pests
- For use on houseplants, flowers, herbs, berries fruits, vegetables shade trees, evergreens, ornamentals cacti and succulents and lawns grown in and around the home and in home greenhouses and other interior plantings Use up to day of harvest
- Contains Insect Killing Soap & Botanical Pyrethrins
- Contains PyGanic™
- This product contains [PyGanic™ LOGO]
- PyGanic is a registered trademark of McLaughlin Gormley King Company
- Made with Pyrethrins From *Chrysanthemum* flowers
- Contains Pyrethrins From *Chrysanthemum* flowers
- Kills Listed Insects (Through Contact)
- Kills all stages of Insect growth – egg to adult
- Kills (insect) eggs, larvae and adults
- Formulated for use on Ornamentals and Edible plants
- Use on Flowers, Shrubs, Fruits and Vegetables
- Water Based Formula
- Kills Insects – Eggs to Adults
- Always Shake Well Before Using!
- Kills insects
- Kills 35 different insects
- Patent Pending
- Kills 45 different insects
- Kills 45 common plant pests (insects)

---

**MASTER LABEL- OPTIONAL CLAIMS – ALL USES (Page # 2 of 2)**

**[Additional - Optional Marketing/Advertising Claims] – continued**

- Kills [insects including] Beetles Caterpillars, Aphids, Whiteflies, Sawflies, Scale Insects, Spider Mites, Mealybugs, Thrips, Ants (excluding fire, harvester, carpenter and pharaoh ants), Billbugs, Chinch Bugs, Japanese Beetles, Sod Webworms, Sowbugs, Earwigs and other listed pests (see back panel)
- For use on houseplants, flowers, herbs, berries fruits, vegetables, shade trees, evergreens, ornamentals, cacti and succulents, and lawns grown in and around the home and in home greenhouses and other interior plantings Use up to day of harvest
- Kills Aphids, Mealybugs, Mites, Whiteflies and other listed pests (*see back panel*) on ornamental plants, fruits and vegetables grown in and around the home
- For use in and around the home
- For use around the home and home greenhouses only
- For Indoor and Outdoor Uses
- Shake Well
- Ready To Use [Spray]
- For Organic Gardening -[optional logo]
- For Organic Lawn Care [optional logo]
- OMRI® Listed- Organic Materials Review Institute [optional logo]