


Revised label for
SUPER-IQ* Insecticide Coating APT

Front panel



SUPER-IQ*
Insecticide All Purpose Transparent Coating APT
Interior-Exterior
Flat Finish/Semi-gloss Finish

Net Content: 1 gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side panel for additional precautionary statements

SUPER-IQ* APT is an insecticide protective coating designed for use on walls, ceilings, woodwork, wallpaper, paneling, tiles and non-food contact surfaces in buildings such as offices, hotels, motels, theaters, sports arenas, factories, restaurants, domestic domiciles, and for use on farms, ranches and in dairy barns. It will control flies, mosquitoes, wasps, spiders, cockroaches, ants, moths, clover mites and gnats.


Active ingredient: Chlorpyrifos [O-O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]
Inert ingredients:

	0.90%
	99.10%
Total:	<u>100.00%</u>

EPA Reg. No. 59920-1
EPA Est. No. 01990-MO-03

A Quality Product of
BioDyne Americas Corporation
Mercer Island, Washington, U. S. A.

Product of U. S. A.



Back or side panel

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Do not allow children or pets to contact treated surfaces until coating has dried. May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors while coating is wet. Avoid contact with skin, eyes, and clothing. Do not apply to surfaces on which food will be prepared or served or in which animal feed will be served such as mangers and troughs.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is antidote of choice.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink plenty of water. Call a physician or poison control center. If inhaled: As with any freshly painted surface, get plenty of fresh air. If in eyes: Flush with plenty of water. If irritation persists, get medical advice. If on skin: Wash with plenty of water and soap.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as recommended on this label.

DIRECTIONS FOR USE

It is a violation of FEDERAL law to use this product in a manner inconsistent with its labeling.

MIX WELL BEFORE APPLICATION. Apply SUPER-IQ* APT only on clean and dry surfaces. Provide adequate ventilation of areas during application and while coating is drying. Product may be applied with brush, roller or spray. It dries quickly and gives a beautiful finish. It is odorless when dried. Dried coat may be washed with water or water and mild non-alkaline detergents. Each gallon covers approximately 450 to 500 square feet of surface. For best results, use without dilution and apply two coats.

USE IN DOMESTIC DOMICILES: Apply to interior and exterior of window casings and thresholds. Coat a band of SUPER-IQ* APT to baseboards and corners of walls. Band cabinets at base and corners where they join the walls. Coat underside and 3 sides of shelves and drawers. Do not coat surfaces where food may make contact.

USE IN FOOD AREAS: When using this product in establishments where food is stored, processed, prepared, or served such as, but not limited to, groceries, food stores, bakeries, bars, restaurants, cafeterias, grain mills, and canneries, apply this product only as a spot treatment and/or crack and crevice treatment. Do not apply on surfaces where food may come in contact or where food may be prepared or processed. Broadcast spraying of this product is prohibited.

TREATMENT OF MANHOLES (For control of cockroaches): Apply product on underside of manhole lids and manhole walls. Product may be applied via coarse spray using conventional airless spray equipment or by coat with suitable brush. Persons applying product in manhole must wear chemical resistant gloves, a respirator approved by NIOSH for organic chemical vapors, goggles and long-sleeved clothing. Apply no more than 48 ounces (3 pints) of product in each manhole. Do not discharge spray or unused material directly into the sewer system. Do not apply product within 36 hours of predicted heavy rainfall. Consult manufacturer on best method of application.

STORAGE AND DISPOSAL

Keep container tightly closed and store in a cool, dark place, preferably in a locked storage area.

Product Disposal: Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

Container Disposal: Do not reuse empty can. Wrap container and put in trash.