

FOR INDUSTRIAL USE ONLY

This product is used for the protection against wood rotting when applied according to the directions given below, it is also a good fungicide for use on the cellulosic products listed below.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WOOD PRESERVATION:

Fence posts, poles, foundation timbers and heavy wooden members should to free of bark, dry, and well seasoned and immersed in the p duct for a period of 12 to 48 hours to be a good wood preserver.

Lumber intended to be in contact with the soil should be dipped for a minimum of 5 minutes per inch of thickness. tumber not intended to be in contact with the soil may be treated as above, or it can be treated by the brush or spray method giving two or more coats of the product. All cutting, framing and boring should be completed prior to treatment.

FOR BURLAP, DUCK, ROPE, NETS, TEXTILES: Spray or brush the solution onto rope or fabric to the point of runoff, allowing several minutes for absorption. Let dry. Another method is to dip the fabric or rope into the solution for several minutes, then squeeze out remaining liquid and let dry.

Do not use any item treater with this product until the solvents have volatilized from them and they are thoroughly "dry".

STORAGE AND DISPOSAL

STORAGE: Store this product in its originally labeled container in a locked storage area located in a cool place. This product will not freeze but may become cloudy at colder temperatures. Keep container and freshly treated treated articles away from high temperature areas, sparks, fire or open flame. Do not store avove 100 Fa.Do not mix this product with other pesticides. Prevent cross contamination of this product with fertilizers, food and feed. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL. Do not conteminate vater, fond or feed by acorage or disposal. Mastes resulting from the ure of this product may be dispused of on site or at an approved waste disposal facility

COMINITATION DISPOSAL, Leighte eince (or egivalent). Then offer for recycling or reconditioning, or puncture and dispuse of in a sanirary landfill, or by other procedures approved be state and local



COPPER TREAT 120 READY TO USE COPPER NAPHTHENATE PRESERVATIVE

A preservative for cellulosic products such as wood, burlap, duck and other textile products. Meets Federal Specification TT-W-572B.

ACCEPTED

OCT 26 1984

KEEP OUT OF REACH OF CHILD Remickles and Redenticade Act.

Under the Federal Insecticide. nistered under 104 Hoz. Ito. 453.282

See side panel for first aid and additional precautionary statements.

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR US-ING. IF SUCH TERMS ARE NOT AC-CEPTABLE, RETURN AT ONCE UNOPENED.

EPA Reg. No. 453-282 EPA Est. 453-MO-1

ACTIVE INGREDIENTS: Copper Naphthenate* 21.6% INERT INGREDIENTS 78.4% This product contains painted in Contains a maintain of 68 gm/gal. (77 F) of 100.0%

Copper naphthenate as copper or 0.15 pound or 2 14% metal copper as copper naphthenate

Koppers Company, Inc. Wood Treating Chemicals Dept. 5137 Southwest Avenue, St. Louis, Missouri 63110

NET CONTENTS

U.S. GALLONS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND **DOMESTIC ANIMALS)**

WARNING

HARMFUL IT SWALLOWED, INHALED OR ABSORBED THROUGH SKIN, MAY CAUSE EVE AND SKIN IRRITATION, COMBUSTIRE. Avoid contact with eyes, skin, or clothing Use of goggles and protective clothing (rubber gloves) when dipping and an approved respirator when spraying is recommended. Avoid breathing of vapors, mist or substantially caturated atmosphere. Use only in well ventilated areas. Keep containers closed when not in use. Do not take internally. FIRST AID: For skin confact, wash thoroughly with soap and water. Remove contaminated clothing and

shoes. Wash clothes bef \ n reuse. In case of eye contact, flush immediately with plenty of water for 15 minutes and get medical attention. If swallowed, CALL A PHYSICIAN IM-MEDIATELY.

DO NOT induce vomiting. If inhaled, remove to fresh aire

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife Do not apply directly to any body of water or w Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to domestic animals. Treated sawdust and other wood wastes should be disposed of properly and should not come in contact with domestic animals or be used as mulch where it will come in contact with useful living riants. Care should be taken to prevent drip or spray from contacting ornamental shrubs, trees, grass and other

desirable vegetation. Vapors may cause injury it adequate ventilation is not insured. Do not use this product indoors, or any other confined areas, where the vapors may concentrate or migrate indoors and cause injury to plant or

PHYSICAL OR CHEMICAL HAZARDS: COMBUSTI-BLE. DO NOT use, pour, spill or store near heat or

IN CASE OF FIRE: Use dry chemicals, foam, water fog or CO. Cool closed containers with water.

print or recovering the LEBERTY

Into commany contrasts that this proposes combines to the six mean description as the specific of introducing his facilities are provided by a contrast of the proposes in the specific of the description in the street of the second six many contrasts of the description of the second six many contrasts of the second six many contr

FPL 1110 HO 19407

FOR INDUSTRIAL USE ONLY

This product is used for the protection against wood rotting fungi when applied according to the directions given below. It is also a good fungicide for use on the cellulosic products listed below.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WOOD PRESERVATION:

Fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry, and well seasoned and immersed in the product for a period of 12 to 48 hours to be a good wood preserver.

Lumber intended to be in contact with the soil should be dipped for a minimum of 5 minutes per inch of thickness. Lumber not intended to be in contact with the soil may be treated as above, or it can be treated by the brush or spray method giving two or more coats of the product. All cutting, traming and boring should be completed prior to treatment.

FOR RURLAP, DUCK, ROPE, NETS, TEXTILES: Spray or brush the solution onto rope or labric to the point of runoff, allowing reveral minutes for absorption. Let dry. Another method is to dip the fabric or rope into the solution for several minutes then squeeze out remaining liquid and let dry.

Do not use any item treated with this product until the solvents have volatilized from them and they are thoroughly "dry".


STORAGE AND DISPOSAL

STORAGE: Store this product in its originally labeled container in a locked storage area located in a cool place. This product will not freeze but may become cloudy at colder temperatures. Keep container and freshly treated articles away from high temperature areas, sparks, fire or open flame. Do not store above 100° F. Do not mix this product with other pesticides. Prevent cross contamination of this product with fertilizers, food and feed. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple ruse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

KOPPERS



NOT REVIEWED

In Accordance with PR Notice 82-2.

Deser on Frank habiling Dated

10/26/34

COPPER TREAT 120 READY 10 USE

COPPER NAPHTHENATE PRESERVATIVE

A preservative for cellulosic products such as wood, burlap, duck and other textile products.

Meets Federal Specification TT-W-572B.

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for first aid and additional precautionary statements.

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR US ING. IF SUCH TERMS ARE NOT AC-CEPTABLE, RETURN AT ONCE UNOPENED.

EPA Reg. No. 453-282 EPA Est. 453-MO-1

ACTIVE INGREDIENTS:

Copper Naphthenate*	21.6%
:NERT INGREDIENTS	78.4%
TOTAL	. 100.0%

This product contains petroleum distillate (mineral spirits)

*Contains a minimum of 68 gm/gal. (77 ° F.) of Copper naphthenate as copper or 0.15 pound or 2.14% metal copper as copper naphthenate

Koppers Company, Inc.
Wood Treating Chemicals Dept.
5137 Southwest Avenue, St. Louis, Missouri 63110

NET CONTENTS

U.S. GALLONS

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS (AND DOMESTIC AN-IMALS)

WARNING

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. MAY CAUSE EYE AND SKIN IRRITATION. COMBUSTIBLE.

Avoid contact with eyes, skin, or clothing. Use of goggles and protective clothing (rubber gloves) when dipping or brushing and an approved respirator when spraying is recommended. Avoid breathing of vapors, mist or substantially saturated atmosphere. Use only in well ventilated areas. Keep containers closed when not in use. Do not take internally.

FIRST AID: For skin contact, wash thoroughly with soap and water. Remove contaminated ciothing and shoes, Wash clothes before reuse.

In case of eye contact, flush immediately with plenty of water for 15 minutes and get medical attention.

If swallowed: CALL A PHYSICIAN IMMEDIATELY, DO NOT induce vomiting.

If inhaled: remove to fresh air.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Do not apply directly to any body of water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to domestic animals. Treated sawdust and other wood wastes should be disposed of properly and should not come in contact with domestic animals or be used as mulch where it will come in contact with useful living plants. Care should be taken to prevent drip or spray from contacting ornamental shrubs, trees, grass and other desirable vegetation.

Vapors may cause injury if adequate ventilation is not insured. Do not use this product indoors, or any other confined areas, where the vapors may concentrate or migrate indoors and cause injury to plant or animal life.

PHYSICAL OR CHEMICAL HAZARDS: COMBUSTIBLE. DO NOT use, pour, spill or store near heat or open flame.

IN CASE OF FIRE: Use dry chemicals, foam, water fog or CO₂. Cool closed containers with water.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical description on the label and is reasonably fit for the pulposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling of this material not in strict accordance with the directions given herewith which are beyond the control of the seller, such as for example incompatibility with other products and the manner of its use of application. NO OTHER EXPRESSED OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE. The exclusive remedy of the buyer, and the limit of liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user of buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

FPL 1110 R01 8407

