UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

December 28, 2000

Mr. Alan Ross KOP-COAT 3020 William Pitt Way Pittsburgh, PA 15238

Subject: Timbertreat 4WT

EPA Reg. No. 60061-82

Submission dated Dec 12, 2000

Dear Mr. Ross:

The revised product labeling referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable provided you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

- 1) In the Restricted Use Pesticide box remove the phrase "Toxic to fish and aquatic organisms".
- 2) The statement: "Contains xylene range aromatic solvent" must be added immediately below the ingredient statement as a footnote to the inert ingredients.

Submit one copy of the revised final printed label before releasing the product for shipment. A stamped copy of the label is enclosed for your records. If you have questions, please contact me on (703) 308-6742 or electronically at moneilly dennis@EPA.gov.

Sincerely,

Dennis McNeilly, Chemist

Insecticide-Rodenticide Branch

Registration Division (7505C)

FOR INDUSTRIAL USE ONLY.

RESIDENTIAL USE OF THIS PRODUCT IS NOT PERMITTED

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its

TREATMENT OF PRECONSTRUCTION LUMBER AND LOGS

General information: Timbertreat® 4WT insecticide can be diluted with water or suitable base oil. To prepare the mixture, dilute Timbertreat® 4WT as shown in the following dilution chart:

DILUTION CHART

DILUTION CHART		
Gallons Of Mixture Desired	Gallons of Timbertreat® 4WT To Use	
	0.5 % Mixture	1.0% Mixture
Oil or Water Based	T	
Mixture		
50	1/2	1
100	1	2
250	2 1/2	5
500	5	10
1,000	10	20

Directions for Application

To protect unseasoned or seasoned lumber and logs from wood destroying insects, such as termites, carpenter ants and beetles (ambrosia, powder-post, old house borers and others), totally treat the wood with up to 1.0% dilution of chlorovides. This dilution can be applied by spraying, brushing, dipping, or pressure treatment. Monitoring of the treating morture may be necessary to insure that the desired level of chlorovritos is maintained. Wear protective clothing such as long sleeved shirt, long legged pants, hat, rubber gloves and footwear impervious to aromatic solvents, i.e. neoprene or nitrile butadiene rubber, during preparation of solution, treatment, and when handling freshly treated wet wood. Following treatment, wood can be safely handled when dry.

- 1. Dip Treatment: Rates of 0.5% to 1.0% are recommended for dip treatments to insure adequate retentions. The wood should be totally submersed in the dilution until thoroughly wet and then allowed to dry in a suitable location. Dipping solutions to which Timbertreat® 4WT has been added should be agitated before use if left unused for long periods of time. Sediment, debris, and other deposits should be periodically cleaned from tank
- 2. Pressure Treatment: Rates of 0.25% to 0.5% are recommended for adequate penetration and retention. After the pressure is released and the system drained, the wood should be placed in a suitable location for drying.
- 3. Spray Treatment or Brush Treatment: Rates of 0.5% to 1.0% are recommended for spray and brush treatments. The wood, including back and ends. should be sprayed or brushed thoroughly with the treatment mixture, NOTICE

Read and understand the entire label before using. Use only according to label directions.

ORGANOPHOSPHORUS PESTICIDES, LIQUID, TOXIC, FLAMMABLE N.O.S. (CHLORPYRIFOS) UN3017 RQ (CHLORPYRIFOS)



NET CONTENTS U.S. GALLONS (LITERS)

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms

For sale to and use only by certified applicators, or persons under their direct supervision and only for those uses covered by the certified applicators certification.

ACCEPTED COP-CO4T with COMMENTS In EPA Letter Date imbertreat R 4 WT DEC 2 8 2000 imbertreat 4 WT

Under the Federal Insection Under the receral inicide Act, Fungicide, and Redenticide Act, Fungicide, and Redenticide Wood Treatment Concentrate as amended, for HS-ective ide Wood Treatment Concentrate registered under For Control of Wood- Infesting Insects in Lumber and Logs

KEEP OUT OF REACH OF CHILDREN **AVISO** WARNING

See side panel for additional precautionary statements.

EPA Est. 67517-MO-1

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED. EPA Reg. No. 60061-82

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le hava sido explicada ampliamente.

ACTIVE INGREDIENT(S):

Chlorpyrifos [0, 0-diethyl 0-(3,5,6 trichloro -2 pyridyl) phosphorothioatel 44.90% **INERT INGREDIENTS** 55.10% 100.00% TOTAL

Contains 4 pounds of chlorovrifos per gallon.

	FIRST AID
IF IN EYES:	Flush with pleasy of Water. Call a physician.
IF SWALLOWED:	 Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person Call a physician.
IF ON SEIN!	Wash with plenty of soap and water Get medical attention if irritation persists.
JE INHATED:	 Move person to fresh air. Call a poison control center or doctor for further treatment advice.
	Medical Emergencies: 1-800-548-0489

NOTE TO PHYSICIAN: Chicroyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red_c;ood cell collinesterasetiests may indicate significance of exposure (baseline data are useful). Atropine only by injection is the creferable analytie. Oximes, such as 2-PAM/pt/copam, may be therapeutic if used early; however use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Kop-Coat, Inc.

Protection Products Division 5137 Southwest Avenue, St. Louis, Missouri 63110

72-2200

PRE HAZARDS TO

May be fatal if swallowed substantial but temporar Do not get in eyes, on s concentrate in a ventilat sleeved shirt, long legged to aromatic solvents, i.e thoroughly with soap and Remove contaminated clo feedstuffs, and water supp PHYSI

COMBUSTIBLE - Do not cut or weld container.

This pesticide is toxic to aquatic organisms. Do no water is present, or to inte and runoff from treated a adjacent aquatic sites. Co by cleaning of equipment of

Do not contaminate water. Storage: Store in origina cross-contamination with o 100°F for extended period formation of crystals. If pi to redissolve crystals. If immediately or dispose of p Pesticide Disposal: Pestic pesticide, spray mixture, wastes cannot be dispose your State Pesticide or 8 Waste representative at the Container Disposal: Triple reconditioning, or punctu incineration, or, if allowed b

WARRANTY LIMITATIONS material conforms to the cher purposes referred to in the understanding that the buyer in strict accordance with the o the seller, such as for example use of application. NO OTHE CR MERCHANTABILITY I the limit of liability of this injuries or damages resulting purchase price paid by the us buyer and all users are deem not be varied by any verbal or

PPD11575R011100