


Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

 EPA	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 193360
	Application for Pesticide:		
	(A)		

Section I

1. Company/Product Number 60061-89	2. EPA Product Manager Cynthia Giles-Parker	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Woodlife Milltreat Type F - VM&P	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) Kop-Coat, Inc. 436 Seventh Avenue Pittsburgh, PA 15219 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of minor label changes per PR Notice 95-2

"This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Section III


1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	
	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	<input type="checkbox"/> Plastic	
				<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input type="checkbox"/> Other (Specify)	
* Certification must be submitted.					
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container 5 gal., 55 gal., bulk		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other (_____)			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name ALAN S. ROSS	Title VICE PRESIDENT	Telephone No. (Include Area Code) (412) 826-3337

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title VICE PRESIDENT	6. Date Application Received (Stamped)
4. Typed Name ALAN S. ROSS	5. Date August 30, 1995	

3
2
DIRECTIONS FOR USE

Apply this product only as specified on the label. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product can be used for all above ground applications. Do not use this product where any portion of the treated wood will be below ground. Sealers are necessary if frequent or prolonged dermal contact is expected. Do not use on wood that will be in contact with food, feed or potable water. Due to the presence of petroleum distillates in this product, do not use where dairy cattle or livestock can come into contact with treated wood. Applying paints and stains often results in splashing or dripping. Cover desirable plants and shrubs to protect against possible injury. Cut and machine wood prior to treatment if possible. If not, liberally apply two coats of preservative to all joints, cracks, holes or other openings. For best results and uniformity of appearance, retreat once every three years.

USES: Woodlife® Milltreat Type F-VM&P provides a protective, decorative finish for millwork, siding, fences, decks, patios and other wood products.

COVERAGE: 100 to 150 sq. ft./gal. depending on the porosity of the wood.

PREPARATION:

1. For best results, all cutting, gluing and sanding should be done before applying Woodlife® Milltreat Type F-VM&P. Wood must be clean, dry and free from foreign material. This product can be used on unfinished new wood or unfinished weathered wood.
2. Stains and paints should be stripped for best results. Do not use steel wool. If mildew is present, remove by washing with a 50% dilution of household bleach followed by water. If extractive bleeding has occurred, scrub with a diluted solution of oxalic acid (1/4 lb. per gallon of water) and then wash at once with clear water. Always wear rubber gloves, protective clothing and goggles when using bleach and oxalic acid.
3. Allow surface to dry before applying.

APPLICATION

1. Stir well before using. No thinning is required. The temperature of the wood and the Woodlife® Milltreat Type F-VM&P should be 40°F or above.
2. This product may be applied only by dipping, roller or brush. Do not spray. When roller coating, use a brush to finish edges and grooves. Be sure to brush thoroughly so that all surfaces are completely wetted and covered. Coat side and end grain of wood with consecutive coats until thirst for solution has been filled. If two coats are desired, be sure to apply second coat before the first coat has dried.

Any surface cut after treatment should be retreated.

DRYING TIME: A minimum of 24 - 48 hours depending on conditions and method of application. On humid days, longer drying time may be required.

CLEAN UP: Use mineral spirits to remove wet Woodlife® Milltreat Type F-VM&P from all surfaces, brushes and rollers.

KOP-COAT

WOODLIFE® Milltreat Type F VM&P

PRODUCT INFORMATION

Woodlife®-Milltreat Type F-VM&P is a blend of chemicals especially formulated to provide an effective water repellent and a proven wood preservative.

Woodlife®-Milltreat Type F-VM&P penetrates into wood and controls the growth of decay (brown or white rot), staining fungi and surface mold (like black, brown or other colored mildew). It is effective against the effects of moisture and reduces dimensional change that can cause swelling, warping, checking, and splitting. No unpleasant odor. Will not crack, blister or peel.

KEEP OUT OF THE REACH OF CHILDREN

WARNING!

See side panel for additional precautionary statements.

READ WARRANTY ON SIDE PANEL BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

EPA Reg. No. 60061-89
EPA Est. No. 1409-OH-1

ACTIVE INGREDIENTS
3-Iodo-2-Propynyl
Butyl Carbamate.....
INERT INGREDIENTS
TOTAL.....
Contains Petroleum Distillate

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Promptly drink a large quantity of milk, egg whites or gelatin solution; if not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately.

IF ON SKIN: Wash with plenty of soap and water. If irritation persists, get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine is antidotal.

Manufactured for:

Kop-Coat, Inc.

Protection Products Division

5137 Southwest Avenue, St. Louis, MO 63110

314/772-2200

NET CONTENTS

U.S. GALLONS

KOP-COAT

WOODLIFE® Milltreat Type F VM&P

PRODUCT INFORMATION

Woodlife®-Milltreat Type F-VM&P is a blend of chemicals especially formulated to provide the protection of an effective water repellent and a proven wood preservative.

Woodlife®-Milltreat Type F-VM&P penetrates into wood and controls the growth of decay fungi (like brown or white rot), staining fungi and surface mold (like black, brown or other colored mildew). It stabilizes wood against the effects of moisture and reduces dimensional change that can cause swelling, warping and splitting. No unpleasant odor. Will not crack, blister or peel.

KEEP OUT OF THE REACH OF CHILDREN

WARNING!

See side panel for additional precautionary statements.

READ WARRANTY ON SIDE PANEL BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

EPA Reg. No. 60061-89
EPA Est. No. 1409-OH-1

ACTIVE INGREDIENT:

3-Iodo-2-Propynyl
Butyl Carbamate..... 0.50%
INERT INGREDIENTS 99.50%
TOTAL 100.00%

Contains Petroleum Distillates

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Promptly drink a large quantity of milk, egg whites or gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately.

IF ON SKIN: Wash with plenty of soap and water. If irritation persists, get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine only by injection is antidotal.

Manufactured for:

Kop-Coat, Inc.

Protection Products Division

5137 Southwest Avenue, St. Louis, MO 63110

314/772-2200

NET CONTENTS

U.S. GALLONS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING! CONTAINS PETROLEUM DISTILLATES.

Use only with adequate ventilation. Avoid prolonged breathing of vapor or spray mist. Harmful if swallowed. Causes substantial, but temporary eye injury. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling, and rubber gloves and protective clothing when handling freshly treated lumber. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STORAGE AND DISPOSAL

STORAGE: Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

FLAMMABLE: DO NOT use, pour or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

WARRANTY: We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

For Product Emergencies: 1-800-548-0489.

PPD 1312 0695