PM-22		Reg #	= 6								19	
(A)	United States E Office of Pe Was	leting form. invironmental Prote asticide Programs (shington, DC 2046 cation for Pe	(H7505(50	gency C)		Reg	istra endn	tion	DPP Iden		ber	
-	· · · · · · · · · · · · · · · · · · ·	Section 1							L			
1. Company/Product Numb 600	ar 61-90		2. EF Cyr	A Product Ma hthia Gil	inager .es-I	Parke	r	3. P	roposed Cl	assificatio	n ,	
4. Company/Product(Name) Woodlife L Water Based 5-1 Concentrate				PM# Restricted							ricted	
5. Name and Address of Applicant (Include ZIP Code) Kop-Coat, Inc. 436 Seventh Avenue Pittsburgh, PA 15219				6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No								
Check if this	is a new address		Prod	uct Name	:						-	
		Section II										
Amendment - Explain below Resubmission in response to Agency letter dated				Final printed labels in response to								
X Notification - Explain below.				"Me Too" Application. Other - explain below.								
		1	terms of FIFRA	I further und PR Notice 95 and I may be s 14 of FIFRA."	-2 and subject	40 CFF	R 152.40	6, this pr	oduct may	be in viola	tion of	
1. Material This Product W Child-Resistant Packaging	III Be Packaged In:	Water	Soluble	Packaging		12. Tv	ne of C	ontainer				
Yes*	Yes X No	Yes X				_X	Metal Plastic Glass Paper					
* Certification must be submitted.	Unit Package wgt. o		ige wgt.		ainer			Other (S				
3. Location of Net Contents	1	Size(s) of Retail Co al., 55 gal	•		5. L	_] On	Labei	el Direct	tions ipanying pr	oduct		
6. Manner In Which Label Is		Lithograph X Paper glued Stenciled		Oth	er ()		
		Section IV										
1. Contact Point (Complete Name	items directly below for io	Title	ridual to	be contacted	, if nec	æssary,			e No. (Incl	the second s	Code)	
ALAN S. ROSS			CE PRESIDENT					(412) 826-3387				
I certify that the statement I acknowledge that any kr both under applicable law	s I have made on this for nowingly false or mislead								6. Date A Receiv (Sti		र २ म ६ ट क र र क	
2. Signature	Poss	3. Title VICF	ਜਰਧ ਹ	SIDENT		·			÷	4 4 1 1	К. 16 Ф. 4 6 г. а.	
4. Typed Name ALAN S. ROSS	- Juni	5. Date		30, 1995					ن ق 5	ι		
PA Form 8570-1 (Rev. 12-5	10) Previous editions	are obsolete.		White - EP	A File	Сору	(ongin	al)	Yellow -	Applican	n copy	

BEFORE USING, DILUTE BY ADDING 5 PARTS OF WATER TO 1 PART CONCENTRATE

DIRECTIONS FOR USE (After Dilution)

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DESCRIPTION: Waterborne Milltreat 5:1 Concentrate is a clear, penetrating, paintable, water repellent preservative for wood. It protects against decay fungi (such as brown or white rot), staining fungi (such as blue stain), surface mold (such as black, brown or other colored mildew) and dimensional change.

PRODUCT USES: Millwork, shingles, siding, plywood, hardboard, flakeboard, structural lumber (above ground use only). DO NOT USE ON WOOD WHICH WILL COME IN CONTACT WITH FCOD. DO NOT USE ON WGOD WHICH WILL COME IN CONTINUOUS CONTACT WITH THE SKIN UNLESS THE WOOD IS SEALED WITH PAINT, VARNISH OR SHELLAC AFTER TREATMENT. Keep container closed when not in use.

RETENTION: 3 minute immersion – 5 to 10 gallons per MBF, 30 minute immersion – 10 to 15 gallons per MBF. Brush application – 150 sq. ft. per gallon, but varies by species and condition of the substrate.

PREPARATION: Machine, cut, glue and sand wood as desired before treating. Do not use over previously finished or stained wood without stripping off old finish. Do not use steel wool. Wood must be clean and dry.

APPLICATION: Treating solution, wood and surrounding air must be above 40°F (4.4°C). Apply by immersion, roller coater, flood spray or brush. Any surface cut after first treatment should be retreated.

IMMERSION: Millwork or other items to be painted – 3 minutes. Treatment should be in accordance with Industrial Standard IS-4. Use only on items for above ground exposure.

FINISHING: Before glazing, painting or varnishing, treatment should be completely dry and odor free. Allow 4 to 8 hours under average temperature and humidity conditions. Can be heat-dried for plant production. Use a sealer such as shellac before using lacquers.

CLEAN UP: Use water and detergent to clean immersion tanks, spray equipment and surrounding area. Mineral spirits or paint thinner may be required to remove dried Waterborne Miltreat 5:1 Concentrate.



KEEP OUT OF REACH OF CHILDREN

CAUTION!

See side panel for additional precautionary statements.

READ WARRANTY ON SIDE PANEL BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

EPA Reg. No. 60061-90

EPA Est. No. 1409-OH-1

ACTIVE INGREDIENT: 3-lodo-2-Propynyl Butyl Carbamate...... INERT INGREDIENTS TOTAL Contains Petroleum Distillates

U.S. GALL

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Promptly drink a large quantity of milk, egg whites or gelatin s these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. If irritation persists, get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to medical attention.

IF IN EYES: Flush with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atro injection is antidotal.

Manufactured for:

Kop-Coat, Inc. Protection Products Division 5137 Southwest Avenue, St. Louis, MO 63110 314/772-2200

NET CONTENTS

e٩ 573 Y \mathbb{N} PARTS OF

tion) ct in a manner

rate is a clear. vood. It protects ning fungi (such or other colored

od, hardboard, DO NOT USE D. DO NOT USE FACT WITH THE VARNISH OR hen not in use.

MBF, 30 minute on - 150 sg. ft. bstrate.

desired before d wood without must be clean

ing air must be flood spray or reated.

d – 3 minutes. ndard IS-4. Use

ment should be under averhige driad for plant louers.

on tanks, spray

thinner may be ntrate.

Waterborne Milltreat 5:1 **CONCENTRATE**

KEEP OUT OF REACH OF CHILDREN

CAUTION!

See side panel for additional precautionary statements.

READ WARBANTY ON SIDE PANEL BEFORE **BUYING OR USING. IF SUCH TERMS ARE NOT** ACCEPTABLE, RETURN AT ONCE UNOPENED.

:69-s-f

EPA Reg. No. 60061-90 EPA Est. No. 1409-OH-1

ACTIVE INGREDIENT: 3-lodo-2-Propynyl Butyl Carbamate..... 3.09% INERT INGREDIENTS 96.91% TOTAL 100.00%

Contains Petroleum Distillates

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Promptly drink a large quantity of milk, egg whites or gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. If irritation persists, get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, alropine only by Injection is antidotal.

Manufactured for:

Kop-Coat, Inc. **Protection Products Division** 5137 Southwest Avenue, St. Louis, MO 63110 314/772-2200 NET.CONTENTS **U.S. GALLONS**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION! CONTAINS PETROLEUM DISTILLATES

Use only with adequate ventilation. Avoid breathing of vapor or spray mist. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eves, on skin or on clothing. Wear googles and rubber gloves when handling, and rubber gloves, long sleeved shirt and pants when handling freshly treated lumber. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before re-use.

STORAGE AND DISPOSAL

STORAGE: Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law, If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT use or store near heat or open flame. In case of fire, use water soray, foam, carbon dioxide or dry chemical.

WARRANTY: We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

For Product Emergencies: 1-800-548-0489.

PPD 1332 0695