



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

60061-93

Date of Issuance:

NOV 21 1996

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Term of Issuance:

Conditional

(under FIFRA, as amended)

Name of Pesticide Product:

Double Diamond
Sapstain Control
Chemical

Name and Address of Registrant (include ZIP Code):

Kop-Coat, Inc.
3020 William Pitt Way
Pittsburgh, Pennsylvania 15238

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c) (5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the changes to the label that are listed below before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 60061-93.
 - b. In the "HAZARDS TO HUMANS AND DOMESTIC ANIMALS" section, change the sentence that reads

"Wear rust or pesticide respirator approved by MSHA or OSHA."

to

"Wear mask or pesticide respirator approved by MSHA or OSHA."

Signature of Approving Official:

/s/

Date:

NOV 21 1996

293
D

3. Submit one copy of your final printed label before you release this product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions about this letter, please contact John Bazuin at (703)305-7381.

Sincerely yours,

Philip V. Errico
Acting Product Manager (22)
Fungicide-Herbicide Branch
Registration Division (7505C)

Attachments: Product label, stamped "Accepted with Comments"
A-79 Enclosure

5
29
5

FOR INDUSTRIAL USE ONLY
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DILUTE BEFORE USING

Wear synthetic gloves or plastic coated gloves in handling solutions and freshly treated lumber.

For the best results lumber should be treated immediately after it is sawn. A delay in treatment of 24 hours or more permits stain, mold and decay growth to start which requires a heavier treatment to achieve control of surface growth. Delayed application and log borer infection result in normal stain often under a bright surface.

Freshly dipped or sprayed lumber should be protected from rain washing. Dip tanks and trio sprayers must be roofed, paved and drained to prevent dilution and loss of the anti-stain solution. Anti-stain treatment concentrations must be geared to achieve protection of the thickest or most valuable item being treated. The concentration of the ready-to-use anti-stain solution must be adjusted to accommodate seasonal changes in the exposure and species being treated. Dip tanks and spray equipment must be properly maintained.

MIXING INSTRUCTIONS — Mix one gallon of this product per 20 to 150 gallons of water to protect against sapstaining organisms during protracted storage periods. Lumber and logs should be totally immersed or sprayed so as to ensure all surfaces are treated. Put about 1/3 of the water to be used in the mixing tank. Add the correct amount of this product and rinse container into the tank. Add the balance of water needed and mix thoroughly in a dipping process. The agitation resulting from the movement of the wood will be sufficient to ensure a good mix. On standing unused for a period, re-mix thoroughly before use. When using proportioning pumps for mixing, this product should be maintained at temperatures higher than 50° F to prevent inaccurate mixing due to viscosity changes. Minor proportioning rate changes can be affected by changing the setting on the pump dial.

NOTE: With normal dip or spray application long term control of decay cannot be achieved. This product is intended to provide decay, mold and blue stain control during storage. Such control would not likely extend to the use site.

STORAGE AND DISPOSAL

STORAGE: Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed, by state and local authorities, by burning. If burned, stay out of smoke.



Double Diamond Sapstain Control Chemical

U.S. Patent No. 4,950,685 and Foreign Patents

ACTIVE INGREDIENTS

Didecyl Dimethyl Ammonium Chloride	31.74%
3-Iodo-2-Propynyl Butyl Carbamate.....	3.75%
5-Chloro-2-Methyl-4-Isothiazolin-3-One	0.06%
2-Methyl-4-Isothiazolin-3-One	0.02%
INERT INGREDIENTS	64.23%
TOTAL.....	100.00%

Aids in the control of blue stain, mold and decay of freshly cut lumber when properly used. Effective on softwoods including Douglas fir, White fir, Spruce, Hemlock, and Pines including both the Southern and Western Yellow Pines, Eastern and Western White Pines and many of the hardwoods.

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for first-aid and additional precautionary statements.

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

EPA Reg. No. 60061-G
EPA Est. 60061-MO-1

LIMIT OF WARRANTY AND LIABILITY

We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes for which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

Kop-Coat, Inc.
Protection Products Division
5137 Southwest Avenue, St. Louis, MO 63110
314/772-2200

NET CONTENTS

U.S. GALLONS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. MAY BE FATAL IF SWALLOWED OR INHALED.

Do not get into eye, on skin, or clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wear rust or pesticide respirator approved by MSHA or OSHA. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse. Prolonged and frequently repeated skin contact may cause allergic reactions in some individuals.

STATEMENTS OF PRACTICAL TREATMENT:

- If in Eyes: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes.
- If on Skin: Wash promptly with plenty of soap and water. Get medical attention.
- If Swallowed: Call physician or poison control center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

Note to Physician: Probable mucosal damage may necessitate gastric lavage.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

This product is toxic to domestic animals. Treated sawdust and other wood wastes should be disposed of properly and should not come in contact with domestic animals or be used as mulch where it will come in contact with useful living plants. Care should be taken to prevent drip or spray from contacting ornamental shrubs, trees, grass and other desirable vegetation.

Vapors may cause injury if adequate ventilation is not insured. Do not use this product indoors, or in any other confined areas where the vapors may concentrate or migrate indoors and cause injury to plant or animal life.

PHYSICAL OR CHEMICAL HAZARDS; COMBUSTIBLE. DO NOT use, pour, spill or store near heat or open flame.

IN CASE OF FIRE: Use dry chemicals, foam, water fog or CO₂. Cool closed containers with water.

For Product Emergencies: 1-800-548-0489

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
In EPA Letter Dated

NOV 21 1996
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

60061-93