



060061-00097-061599

Printed: 15:39:40 Tuesday, 20 Jul, 1999 # 11 / 3586

Systems Integration Group, Inc.



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Antimicrobials Division (7510C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:  
60061-97

Date of Issuance:  
JUN 15 1999

Term of Issuance:

Name of Pesticide Product:  
Woodlife® F Clear

NOTICE OF PESTICIDE:  
       Registration  
  X   Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Kop-Coat, Inc,  
436 Seventh Avenue  
Pittsburgh, PA 15219

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Make the following labeling changes before you release the product for shipment:

1. Revise the Precautionary Statements" to read:  
  
Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
2. Under the "Statement of Practical Treatment" revise the "If Swallowed" and "If on Skin" to read:  
  
"If Swallowed": Call a physician or Poison Control Center. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

4. Signature of Approving Official:

Adam Heyward, PM 34

Date:

JUN 15 1999

2014

"If on Skin": Wash with plenty of soap and water. Get medical attention, if irritation persists.

- 3. The proposed label should contain a Note to Physician: This product may pose an aspiration pneumonia hazard. Contains petroleum distillate.
- 4. The "Precautionary Statements" including the "Hazards to Humans and Domestic Animals" text under the "Precautionary Statements" be moved to the front panel.
- 5. Change the heading "Product Information" to read "General Information" and place it directly under the Storage and Disposal box.
- 6. Change the heading "Application" to read "Application Instructions".
- 7. Revised the "Environmental Hazards" statement to read:

This pesticide is toxic to fish and aquatic organisms. "Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA".

- 8. The subject product label does not contain risk mitigation labeling requirement as specified in the RED.

The PPE must be revised to read: "Applicators and other handlers (including those handling freshly protected lumber) must wear:

- long sleeved shirt and long pants,
- chemical-resistant gloves
- shoes plus socks."

Note: For glove statement use statement established for IPBC through the instruction in Supplement 3 of PR Notice 93-7

- 9. The Application Restrictions must be added to the label.

- 10. The User Safety Requirements must be added to the label.

"Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry".

- 11. The User Safety Recommendations must be added to the label.

"User should remove clothing immediately if pesticide get inside. Then wash thoroughly and put on clean clothing." User should remove personnel protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

FOR INDUSTRIAL USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Apply this product only as specified on the label. Apply this product in a well ventilated area to wood intended only for exterior use. (Note to User: Keep container closed when not in use!)

USES: Millwork, shingles, siding, plywood, hardboard, flakeboard, structural lumber, fences and other exterior wood products. Keep contents and freshly treated articles away from food and living plants. DO NOT USE ON WOOD WHICH WILL COME IN CONTACT WITH FOOD. Do not use on wood which will come into continuous with the skin unless the wood is sealed with paint, varnish or shellac after application. Keep container closed when not in use.

RETENTION: 3 minute immersion - 5 to 10 gallons per MBF (i.e., 1,000 board feet). Brush application - 150 sq. ft. per gallon but varies with species and condition of the substrate.

PREPARATION: Machine, cut, glue and sand wood as desired before treating. Do not use over previously finished or stained wood without stripping off old finish. Do not use steel wool. Wood must be clean and dry.

APPLICATION: Treating solution, wood and surrounding air must be above 40°F (4.4°C). Apply by immersion, vacuum, roller coater, flood spray or brush. Do not use high pressure spray. Any surface cut after first treatment should be retreated.

IMMERSION: Millwork or other items to be painted - 3 minutes. Treatment should be in accordance with Industrial Standard IS-4. Use only on items for above ground exposure.

FINISHING: Before glazing, painting or varnishing, treatment should be completely dry and odor free. Allow 24 to 48 hours under average temperature and humidity conditions. Can be heat-dried for plant production. Use a sealer such as shellac before using lacquers.

CLEAN UP: Use mineral spirits to clean immersion tanks, spray equipment and surrounding area. Mineral spirits or paint thinner may be used to remove dried Woodlife®.

NOTICE: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

# WOODLIFE® F CLEAR

## PRODUCT INFORMATION

Woodlife® F Clear Wood Preservative is a blend of chemicals with the protection of an effective water repellent wood preservative.

Woodlife® F Clear Wood Preservative penetrates into wood and controls the growth of decay fungi (like brown or white rot), staining fungi and surface mold (like black, brown or other colored mildew). It stabilizes wood against the effects of moisture and reduces dimensional change that can cause swelling, warping and splitting. No unpleasant odor. Will not crack, blister or peel.

Woodlife® F is a clear penetrating non-swelling paintable water repellent for natural wood surfaces. Is ready to use, colorless when dry. Completes the total protection of above ground pressure-treated wood from water damage and mildew.

Ideal for: All natural wood surfaces, unfinished new or unfinished weathered wood, and pressure-treated wood.

KEEP OUT OF THE REACH OF CHILDREN

## CAUTION

See side panel for additional precautionary statements.

READ WARRANTY ON SIDE PANEL BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED

EPA Reg. No. 60061-97  
EPA Est. No. 60061-MO-1

ACTIVE INGREDIENT:  
3-Iodo-2-Propynyl  
Butyl Carbamate.....0.50%  
OTHER INGREDIENTS\*.....99.50%  
TOTAL.....100.00%

\*Contains Petroleum Distillates.

## FIRST AID:

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

Manufactured by:

Kop-Coat, Inc. ACCEPTED  
Protection Products Division with COMMENTS  
5137 Southwest Avenue, St. Louis, MO 63110 EPA Letter Dated:  
314/772-2200 JUN 15 1999

NET CONTENTS

Under the U.S. GALLONS side.  
Fungicide, Insecticide and Molluscicide Act as  
Component of the Pesticide  
Registered under EPA Reg. No.

60061-97

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling. Wear goggles and rubber gloves when handling and rubber gloves and protective clothing when handling freshly treated lumber.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

#### PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

For Medical Emergencies: 1-800-548-0489.

PPD 1362 R01 0198

An RPM Company

IPBC RED LABEL 02/04/98

404h