

PM 31

60061-98

8-20-99

1 of 4

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg.  
Number:

60061-98

Date of Issuance:

AUG 20 1999

## NOTICE OF PESTICIDE:

  x   Registration  
       Reregistration

(under FIFRA, as amended)

Term of Issuance:

CONDITIONAL

Name of Pesticide Product:

NP-2 Sapstain Control  
Chemical

Name and Address of Registrant (include ZIP Code):

Kop-Coat, Inc.  
436 Seventh Avenue  
Pittsburgh, PA 15219-1818

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

a. Add the phrase EPA Registration Number "EPA Reg. No. 60061-98".

Signature of Approving Official:

PHE

Velma Noble  
Regulatory Management Branch 1  
Antimicrobial Division (7510C)

Date:

AUG 20 1999

EPA Form 9570-6

## CONCURRENCES

SYMBOL	7510C						
SURNAME	J. F. Smith	D. H. E.					
DATE	8/20/99	8/20/99					

204

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

b. Revise the "Precautionary Statements" to read exactly as follows:

"CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Harmful if absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wear goggles or face shield. For handling activities during [insert applicable terms based on direction for use: airblast mistpower, pressure greater than 40 p.s.i. with fine droplets, smoke, mist, fog, aerosol or direct overhead] exposures, wear either a respirator with an organic vapor (OV) cartridge, or a canister with any N, P, R, or HE prefilter. For all other exposures, wear a dust/mist/filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, P, R, or HE prefilter. Wear protective clothing and rubber gloves. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse."

c. Revise the "Statement of Practical Treatment" to read exactly as follows:

"IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call poison control center or doctor for treatment advice."

You may retain your "Note to Physician."

d. Based on your use sites and container size your label must always include the following statement under the heading "Environmental Hazards":

"This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System

CONCURRENCES							
SYMBOL	NPDES	permit	and	the	permitting	authority	has been notified in
SURNAME							
DATE							

3 of 4

writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

Delete all other statements in the "Environmental Hazards" section of your label. Retain the "Physical or Chemical Hazards" as well as the "In case of Fire" and "Warranty" statements.

e. Revise the "Storage and Disposal" section so that it is formatted exactly as follows:

**Storage and Disposal**

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage.....

Pesticide Disposal.....

Container Disposal.....

Revise the "CONTAINER DISPOSAL" statement as follows:  
"Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.  
Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke."

f. Place the phone number for "Product Emergencies" in close proximity to the "Statement of Practical Treatment".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the final printed label prior to the release of the product for shipment. If you have any questions concerning this letter, please contact Zenobia Jones at (703) 308-6198.

Sincerely,

*DN*

Velma Noble  
Product Manager 31  
Regulatory Management Branch 1

CONCURRENCES: Probial Division (7510C)

SYMBOL	Enclosure (stamped label)						
SURNAME	610C:T.Lantz:8/20/99:60061-98						
DATE							

FOR INDUSTRIAL USE ONLY

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### DILUTE BEFORE USING

Wear synthetic rubber gloves or plastic coated gloves in handling solutions and freshly treated lumber.

For the best results lumber should be treated immediately after it is sawn. A delay in treatment of 24 hours or more permits stain, mold and decay growth to start which requires a heavier treatment to achieve control of surface growth. Delayed application and log borne infection result in internal stain often under a bright surface. Lumber and logs should be totally immersed or sprayed so as to ensure all surfaces are treated.

Freshly dipped or sprayed lumber should be protected from rain washing. Dip tanks and drip aprons must be roofed, paved and drained to prevent dilution and loss of the anti-stain solution. Anti-stain treatment concentrations must be geared to achieve protection of the thickest or most valuable item being treated. The concentration of the ready-to-use anti-stain solution must be adjusted to accommodate seasonal changes in the exposure and species being treated. Dip tanks and spray equipment must be properly maintained.

**MIXING INSTRUCTIONS** - For high pressure spray applications: Thoroughly mix one gallon of NP-2 Concentrate per 25 to 30 gallons of water. For dip applications: Thoroughly mix one gallon of NP-2 Concentrate per 40 to 300 gallons of water. In all cases, dilution levels will depend upon application methods, lumber species and conditions of lumber storage. Mills should conduct tests to determine treatment requirements for their individual needs. Contact Kop-Coat for further information. When using proportioning pumps for mixing, this product should be maintained at temperatures above 50 degrees F to prevent inaccurate mixing due to viscosity changes. Minor proportioning rate changes can be affected by changing the setting on the pump dial.

**NOTE:** With normal dip or spray application long term control of decay cannot be achieved. This product is intended to provide decay, mold and blue stain control during storage. Such control would not likely extend to the use site.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

**DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

# KOP-COAT

## NP-2 Sapstain Control Chemical

U.S. Patent No. 4,950,685 and Foreign Patents

Aids in the control of blue stain, mold and decay of freshly cut lumber when properly used. Effective on softwoods including Douglas fir, White fir, Spruce, Hemlock, the Pines including both the Southern and Western Yellow Pines, Eastern and Western White Pines and many of the hardwoods.

KEEP OUT OF REACH OF CHILDREN

# DANGER.

See side panel for additional precautionary statements.

READ WARRANTY ON SIDE PANEL  
BEFORE BUYING OR USING. IF SUCH  
SUCH TERMS ARE NOT ACCEPTABLE,  
RETURN AT ONCE UNOPENED.

EPA Reg. No. 60061-*Q-I*  
EPA Est. 60061-MO-1

#### ACTIVE INGREDIENTS

Didecyl dimethyl	
Ammonium Chloride....	70.48%
3-Iodo-2-Propynyl	
Butyl Carbamate.....	4.76%
INERT INGREDIENTS..	24.76%
TOTAL.....	100.00%

#### STATEMENTS OF PRACTICAL TREATMENT

IF IN EYES: Flush immediately with plenty of water. Get medical attention.

IF ON SKIN: Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate use of gastric lavage.

Kop-Coat, Inc.  
Protection Products Division  
5137 Southwest Avenue, St. Louis, MO 63110  
314/772-2200

NET CONTENTS

U.S. GALLONS

PRECAUTION

HAZARDS TO

CORROSIVE CA  
MAY BE FATA  
ABSORBED THR

Do not get in eyes,  
approved by the Mi  
Occupational Safety  
shield, or safety glas  
with soap and water  
contaminated clothin

ENVIRONMEN

This product is toxic  
surface water is pres  
contaminate water by

This product is toxic  
should be disposed  
or be used as mulch  
should be taken to pr  
and other desirable v

Vapors may cause in  
indoors or in any ot  
indoors and cause inj

PHYSICAL OR CHE  
spill or store near heat

IN CASE OF FIRE  
containers with water

WARRANTY: We  
and to be of good ma  
goods within the des  
purposes which goods  
in this contract are fir  
of the general purpose

For Product Emerg

Under t  
Fungicid  
amende  
registre