

FOR INDUSTRIAL USE ONLY

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DILUTE BEFORE USING:

Mix one gallon of Woodtreat®-10 with 50 to 2,000 gallons of aqueous treating solution depending on the application system, type of lumber and performance required. Use this product ONLY in combination with Kop-Coat's sapstain control products. For specific recommendations, contact Kop-Coat Technical Service. Wear synthetic gloves or plastic coated gloves when handling solutions and freshly treated lumber.

DESCRIPTION:

This product may ONLY be used as an end-use additive to Kop-Coat Sapstain Control Products to boost performance against targeted fungi that discolor or degrade freshly cut lumber and other similar wood products.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by the State and local authorities.

- RPM -

PPD 12673 R03 0600

KOP-COAT

WOODTREAT®-10 SAPSTAIN CONTROL BOOSTER CONCENTRATE

FOR USE IN COMBINATION WITH
KOP-COAT SAPSTAIN CONTROL PRODUCTS

End-use additive to Kop-Coat Sapstain Control Products to boost performance against targeted fungi that discolors or degrades freshly cut lumber and similar wood products.

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

ACTIVE INGREDIENT:
PROPICONAZOLE:
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl] methyl]-1H-1,2,4 triazole 10.00%
OTHER INGREDIENTS 90.00%
TOTAL 100.00%

EPA Registration No. 60061-102
EPA Est. No. 60061-MO-1

LIMIT OF WARRANTY AND LIABILITY

We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes for which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

Propiconazole is a product of Janssen Pharmaceutica, N.V., Beerse, Belgium.

Kop-Coat, Inc.
Protection Products Division
5137 Southwest Avenue, St. Louis, MO 63110
314-772-2200

NET CONTENTS

U.S. GALLONS

NOV 30 2000

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, Enforcement for the Registration of this Product
60061-102

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Wear splash goggles, rubber or neoprene gloves and appropriate protective clothing when handling. Wear a mask or pesticide respirator jointly approved by NIOSH/MSHA.

FIRST AID	
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on Skin	Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled	Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage.	
MEDICAL EMERGENCIES: 800-548-0489	

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permit authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your local State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use, pour, spill or store near heat or open flame.

IN CASE OF FIRE: Use dry chemicals, foam, water fog or CO₂. Cool closed containers with water.

60061-102

11/30/2000

1/1