9/6/2000

Page 133



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

<u>x</u> Registration
Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

60061-

103

SEP - 6 2000

Term of Issuance: Until Reregistration

Name of Pesticide Product:

Woodlife® 111

Name and Address of Registrant (include ZIP Code):

Kop-Coat, Inc. 1850 Koppers Building Pittsburgh, PA 15219-1818

Rocks Changes
Le Public Communication Commun

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregisteration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Add the phrase, "EPA Registration No.60061-103" to your label before you release your product for shipment.

Signature of Approving Official:

Date:

SEP - 6 2000

Adam Heyward, Product Manager (34) Regulatory Management Branch II Antimicrobials Division (7510W)

EPA Form 8570-6

page 2 EPA Reg. No.60061-103

- 3. Revise the **FIRST AID** and other precautionary labeling in accordance with the enclosed PR-Notice 2000-3
- 4. The following "Note to Physician" statement must be add directly below the First Aid section

"Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage."

5. Submit five (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Adam Heyward

Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7501C)

Enclosure

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This preservative is recognized as effective for aboveground use, and not recommended for ground contact. Woodlife 11108 is intended for use on new lumber, plywood, particleboard, waterboard, millwork and similar types of wood products.

This clear oil solution has been disveloped for the protection of wood against fungus growths which cause rot and stain. It also contains water repellents to aid in the control of shrinking, swelling, end checking, grain raising and warping.

For best results, this product should be applied so as to effect maximum penetration into the wood and heavy absorption especially at joints and wherever end grain exists. A three minute immersion period is recommended for millwork. For other open tank treatments, complete immersion of the wood in the solution is generally recommended for five minutes per inch of thickness. For the control of dimensional changes, shrinkage and swelling, the treatment of the end grain is most important since the moisture pickup there is a hundred to a thousand times greater than at the flat or edge grain surface for many species of wood.

Where open tank treating is impractical, two heavy brush applications of this product should be applied, cutting out and memoving all unsound wood two feet beyond any visible evidence of decay. All wood should be normally dry and the framing or cutting completed before application of this product.

**ESTIMATED COVERAGE:** 5 to 10 gallons per thousand board feet for open tank treatment. 200 square feet per gallon for brush application.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticides or Environmental Control Agency, or the Hazardous waste representative at the nearest EPA Regional Office for guidance.

**PESTICIDE STORAGE:** Store this product in its originally labeled container in a storage area located in a cool place. Keep container and freshly treated articles away from high temperature areas, sparks, fire or open flame.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



FOR INDUSTRIAL USE ONLY

# **WOODLIFE® 111**

## WATER REPELLENT WOOD PRESERVATIVE

Preserves Wood • Stops Rot and Decay
Prevents Fungi and Molds on Wood • Clear • Paintable

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See side panel for additional precautionary statements.

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED

EPA Reg. No. 60061-EPA Est. No. 60061-MO-1

SEP - 6 2000

THE PRESENT IN T

This product contains petroleum distillates (mineral spirits). See side panel for first aid and additional precautionary statements.

Under the Federal Insection

Fungation and Romanita Control

annual of the analysis of the Control

Total of the Analysis of the Control

Kop-Coat, Inc.

Protection Products Division 5137 Southwest Avenue, St. Louis, Missouri 63110 314/772/2200

NET CONTENTS

U.S. GALLONS ( LITERS)

PRECAL

HAZARDS TO HU

Harmful if swallowed, inhaled or absorbreathing vapor or spray mist. Avoid c soap and water after handling. Remogoggles and protective clothing and c freshly treated lumber.

IF SWALLOWED: Call a doctor or get anything by mouth to an unconscious pe IF INHALED: Remove victim to fresh mouth-to-mouth. Get medical attention. IF IN EYES: Flush eyes with water for 1! IF ON SKIN: Wash with plenty of soap a

## ENVIRO

This product is toxic to fish and aquat product into lakes, streams, ponds, estuthe requirements of a National Pollutant permitting authority has been notified incontaining this product to sewer systems plant authority. For guidance contact your

## PHYSICAL O

COMBUSTIBLE. Do not use, or store nea IN CASE OF FIRE: Use dry chemicals, water.

## LIMIT OF WA

This company warrants that this material reasonably fit for the purposes referred to the understanding that the buyer assum accordance with the directions given her for example, incompatibility with other (OTHER EXPRESSED OR IMPLIED WITH MADE. The exclusive remedy of the buyer left for any and all losses, injuries or shall be the purchase price paid by the buyer and all users are deemed to have a by any verbal or written agreement.

**MEDICAL EMERGENCIES: 8** 

