

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUN 2 7 2002

Ms. Kim Treloar Product Registration Specialist Kop-Coat Inc. 436 Seventh Avenue Pittsburgh, PA 15219-1818

Subject:

Label Amendment

Woodlife® II Stain and Wood Preservative

EPA Registration No. 60061-105 Application Dated April 16, 2002

Dear Ms. Treloar:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with comment.

Proposed Amendment

• Removing the phrase under the Application Instructions section. "This product must be applied outdoors to wood intended only for exterior use".

Label Comments

Revise the Storage and Disposal Section subheadings to read:

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal

Pesticide Storage: Do not store...from food.

Pesticide Disposal: Residential Users -Do not reuse container. Securely...in trash. Commercial Users - Wastes resulting...facility.

Container Disposal: Triple rinse...stay out of smoke.

2/3

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed label before you release the product for shipment bearing the amended label.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6422 or Renae Whitaker at (703) 308-7003.

Sincerely,

Adam Heyward

Product Manager 34

Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Residential Users: Do not apply this product in a way that will contact any person or pet.

Commercial Users: Do not apply this product in a way that will contact workers or other persons.

DO NOT USE ON WOOD WHICH WILL COME IN CONTACT WITH FOOD.

DO NOT USE ON WOOD WHICH WILL COME IN CONTINUOUS CONTACT WITH SKIN UNLESS THE WOOD IS SEALED WITH PAINT, VARNISH OR SHELLAC AFTER TREATMENT.

Apply this product only as specified on the label.

Keep container closed when not in use.

Wear goggles, rubber gioves and protective clothing when applying or handling treated lumber.

Use only in a well ventilated area.

Keep contents and freshly treated articles away from food and living plants.

GENERAL INFORMATION:

Product information: Reduces swelling and shrinking. Protects against mildew, decay, rot and stain. Odorless when dry. Easy water clean up. Dries in 48 hours. Will not crack, peel or blister. Can be painted, stained or finished. [Low VOC/VOS water based formula.] [Colorless when dry.] [Finishes cover easier...last longer.]

Uses: A water repellent preservative for use on plywood, hard board, flake board, dimensional lumber, manufactured wood items and siding. Use where a degree of dimensional stabilization, preservative qualities and paintability are required for above ground application.

Preparation: All custing, gluing and sanding should be done before applying WOODLIFE® II Stain and Wood Preservative. Wood must be clean, dry and free from foreign material. Do not use over previously finished or stained wood without stripping off old finish. Do not use steel wool.

APPLICATION INSTRUCTIONS:

Application:

- Stir well before using.
- Temperature of lumber and WOODLIFE® II Stain and Wood Preservative should be 40°F (4.4°C) or above.
- Treating may be done by roller coating, brushing to refusal or flood spraying.
- Flood wood with solution until puddles remain on the surface.
- 5. Coat side and end grain with 3 or more consecutive coats to give full protection.
- Any surface cut after first treatment should be retreated.
- Protect vegetation from overspray.

By following these application directions, effective control can be obtained against decay fungi (like brown or white rot), staining fungi (like blue stain), surface mold (like black, brown or other colored mildew) and dimensional change.

Coverage: 150 sq. ft. (14 sq. m.) -250 sq. ft. (23 sq. m.) per gallon brush or roller application.

Drying Time: A minimum of 48 hours air drying is required before finishing, depending on conditions and method of application. On humid days, longer time may be required.

Thinning: No thinning is required.

Clean Up: Use water to remove WOODLIFE® II Stain and Wood Preservative from all surfaces, brushes and rollers. Mineral spirits or Derusto® Minute-Solv® Thinner No. 5 may be required to remove dried product from glass and other areas.

LOW VOCIVOS WATER-BASED FORMULA

Volatile Organic Compounds (VOC) do not exceed 350 grams per liter, less water and less exempt solvent. This product contains a maximum of 2.92 pounds of VOS per gallion of coating.

LIMITED WARRANTY

Buyer assumes all risks of use, handling and storage of product not in strict accordance with label directions. No express warranties are given. Should defect occur, seller's sole liability is to replace product or refund purchase price. ANY IMPLIED WARRANTY OF MERCHANTABLITY-OP FITNESS FOR PARTICULAR USE IS LIMITED TO ONE YEAR FROM DATE OF PURCHASE. LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGE OR LOSS IS SPECIFICALLY EXCLUDED AT ALL TIMES. If used for other than personal, family or household purposes, any implied warranty MERCHANTABILITY OR FITNESS FOR PARTICULAR USE is excluded.



WOODLIFE® II Stain and Wood Preservative

[Water Repellent]
[With Water Repellent]
[For Pressure-Treated and Untreated Wood]
[3-way Protection in One Coat]

Mildew protection

Penetrating preservative protection against decay fungi

Water-repellent surface protection

Clear

Paintable and Stainable

Keep Out Of Reach Of Children CAUTION

See [back][side] panel for additional Precautionary Statements.

Read "limit of warranty and liability" before buying or using. If such terms are not acceptable, return at once unopened.

EPA Reg. No. **60061-105** EPA Est. No. 60061-MO-1 Active Ingredient:
3-lodo-2-Propynyl
Butyl Carbamate..... 0.5%
Inert Ingredients...... 99.5%
Total 100.0%

Kop-Coat, Inc.
Protection Products Division
5137 Southwest Avenue, St. Louis, MO 63110
314/772-2200

NET CONTENTS

ACCEPTED
ONE UNITAGEO DE L'ANTE L'ANT

JUN 27 2002

Under the Federal Insecticide, local sewage the EPA. Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 60061-105

PRECAUTION HAZARDS TO HUMA

PPE FOR C

Applicators and other handlers must wear:

. long-sleeved shirt and long pants . shoes a

 chemical resistant gloves (such as barrier lar Follow manufacturers' instructions for cleaning washables, use detergent and hot water. Kee

USER SAFETY R

Residential Users should:

- remove clothing immediately if pesticide gets ins Commercial Users should:
- wash hands before eating, drinking, chewing g
- · remove clothing immediately if pesticide gets ins
- remove personal protective equipment immediagloves before removing. As soon as possible w

IF IN EYES:	Hold eye open and rinse slo Remove contact lenses, if p Call a poison control center
IF SWALLOWED:	Call poison control center or Have person sip a glass of v Do not induce vomiting unle Do not give anything by mou
IF ON SKIN OR ON CLOTHING:	Take off contaminated cloth Rinse skin immediately with Call a poison control center
IF INHALED:	Move person to fresh air. If person is not breathing, capreferably mouth-to-mouth if Call a poison control center.
	ner or label with you when calling toll free: 1-800-548-0489.

STORAGI

Probable mucosal damage may

Do not contaminate water, food, or feed by stora; STORAGE: Do not store near excessive heat. It DISPOSAL: Residential Users- Do not reuse co of newspaper and discard in trash. Commercial this product may disposed of on site or at an appro (or equivalent). Then offer for recycling or recon or incineration, or, if allowed by state and local as

ENVIRONMENTAL HAZARDS

NOTE TO

PHYSICIAN:

This pesticide is toxic to fish. Do not apply dire is present or to intertidal areas below the mea disposing of equipment washwaters or rinsate streams, ponds, estuaries, oceans or other water Pollution Discharge Elimination System (NPDE: writing prior to discharge. Do not discharge this local sewage treatment plant authority. For guid the EPA.