



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

60061-107

Date of Issuance:

JUL 25 2000

Term of Issuance:

Conditional

Name of Pesticide Product:

Woodtreat XL Sapstain Control
Chemical

NOTICE OF PESTICIDE:

 Registration Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Kop-Coat, Inc.
436 Seventh Avenue
Pittsburgh, PA 15219

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.


Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 60061-107".
 - b. Based on a occupational exposure assessment for formulation for 57227-03 which was cited as substantially similar, you will need to include the statement "*Personal Protection must be worn by all handlers*" in bold under the "Directions for Use".
 - c. This product is Toxicity Category I for primary skin irritation. Since this product causes skin burns, the exposed individual must seek medical attention. Therefore, you must delete the phrase, "if effects persists", from the "IF ON SKIN" instructions.

On April 11, 2000, The Agency published PR Notice 2000-3, First Aid Statements for Pesticide Product Labels. You will need to revise your "Statements of Practical Treatment" accordingly. It is the Agency's goal to have all the product labels revised by October 1, 2001.

Signature of Approving Official:

Velma Noble 
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510C)

Date:

JUL 25 2000

Page 2
EPA Reg. No. 60061-107

- d. Under the "Precautionary Statements", you must add the term, "Corrosive," after the signal word, DANGER, in this section.
 - e. Storage and Disposal Recommendations (Refer to Label Manual Chapter 13 or PR Notice 83-3)
 - The statement, "Do not contaminate water, food, or feed by storage and disposal," must be placed separately immediately below the heading and before the storage instructions not under "Disposal".
 - The heading, "Disposal" must be revised to read "Pesticide Disposal."
 - Under Container Disposal, you must delete "or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke" and replace with "or by other procedures approved by state and local authorities."
3. The product chemistry data in MRID Nos. 451045-01 and 451045-02 satisfies product chemistry guideline series 830.1550 through 830.7950. The data are in compliance with 40 CFR Part 158.155 through 158.190.

The Confidential Statement of Formula dated 4/17/00 is acceptable. It is in compliance with PR Notice 91-2 and in agreement with the proposed label.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Submit (1) copy of the final printed label prior to the release of the product for shipment. If you have any questions regarding this letter, please contact Jacqueline Campbell at (703) 308-6416.

Sincerely,



Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510C)

FOR INDUSTRIAL USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DILUTE BEFORE USING

Wear synthetic rubber gloves or plastic coated gloves when handling solutions and freshly treated lumber.

For best results lumber should be treated immediately after it is sawn. A delay in treatment of 24 hours or more permits stain, mold and decay growth to start which requires a heavier treatment to achieve control of surface growth. Delayed application and log borne infection result in internal stain often under a bright surface. Lumber and logs should be totally immersed or sprayed so as to ensure all surfaces are treated.

Freshly dipped or sprayed lumber should be protected from rain washing. Dip tanks and drip aprons must be roofed, paved and drained to prevent dilution and loss of the anti-stain solution. Anti-stain treatment concentrations must be geared to achieve protection of the thickest or most valuable item being treated. The concentration of the ready-to-use anti-stain solution must be adjusted to accommodate seasonal changes in the exposure and species being treated. Dip tanks and spray equipment must be properly maintained.

MIXING INSTRUCTIONS:

For high pressure spray applications: Thoroughly mix one gallon of Woodtreat® XL Concentrate per 25 to 100 gallons of water. For dip applications: Thoroughly mix one gallon of Woodtreat® XL Concentrate per 50 to 200 gallons of water. In all cases, dilution levels will depend upon application methods, lumber species and conditions of lumber storage. Mills should conduct tests to determine treatment requirements for their individual needs. Contact Kop-Coat, Inc. for further information. When using proportioning pumps for mixing, this product should be maintained at temperatures above 50° F to prevent inaccurate mixing due to viscosity changes. Minor proportioning rate changes can be affected by changing the setting on the pump dial.

NOTE: With normal dip or spray application long term control of decay cannot be achieved. This product is intended to provide decay, mold and blue stain control during storage. Such control would not likely extend to the use site.

LIMIT OF WARRANTY AND LIABILITY

We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes for which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.



Woodtreat® XL Sapstain Control Chemical

Aids in the control of blue stain, mold and decay of freshly cut lumber when properly used. Effective on softwoods including Douglas fir, White fir, Spruce, Hemlock, the Pines including both the Southern and Western Yellow Pines, Eastern and Western White Pines and many of the hardwoods.

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary statements.

READ WARRANTY ON SIDE PANEL BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

EPA Reg. No. 60061- EPA Est. No. 60061-MO-1

ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium Chloride 46.25%, Propiconazole 5.00%, methyl-1H-1,2,4-triazole 48.75%, INERT INGREDIENTS 100.0%

STATEMENTS OF PRACTICAL TREATMENT

- IF ON SKIN: Wash with plenty of soap and water. Get medical attention if effects persist. IF SWALLOWED: Call a physician or Poison control Center. IF INHALED: Remove victim to fresh air. IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of caustic lavage.

Kop-Coat, Inc. Protection Products Division 5137 Southwest Avenue St. Louis, MO 63110 (314) 772-2200

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

NET CONTENTS

U.S. GALLONS

60061-107

PRECAU

HAZARDS TO HU

DANGER: Causes irrever fatal if swallowed. Harm spray mist. Harmful if al

Do not get in eyes, on s (goggles, face shield, or s rubber gloves. Wash th and before eating, drinkin clothing and wash clothing

ENVIR

This product is toxic to fis product into lakes, stream unless in accordance wi Discharge Elimination S authority has been notif discharge effluent contain previously notifying the l guidance contact your S EPA.

STO

STORAGE: Store in a c place. Keep containers cl

DISPOSAL: Do not conta disposal. Pesticide waste of excess pesticide, spray law. If these wastes cann instructions, contact yo Agency, or the Hazardou Regional Office for guidan

CONTAINER DISPOSAL: recycling or reconditioning landfill, or by incineration, burning. If burned, stay ou

PHYSICAL

COMBUSTIBLE. Do not flame.

IN CASE OF FIRE: Use c closed container with water

MEDICAL EMERGENCIES

ACCEPTED with COMMENTS in EPA Letter Dated:

JUL 25 2000