

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number:
60061-114

Date of Issuance:
February 18, 2004

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
Woodtreat® P

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

**Kop-Coat, Inc.
436 Seventh Avenue
Pittsburgh, PA 15219**

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.


This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration Number 60061-114"

Signature of Approving Official:


**Adam Heyward
Product Manager Team-34
Regulatory Management Branch II
Antimicrobials Division (7510C)**

Date:

February 18, 2004

213

3. Submit three (3) copies of the revised final printed label bearing the revisions prior to releasing this product for sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Adam Heyward
Product Manager 34
Regulatory Branch II
Antimicrobials Division (7510C)

Enclosure

**FOR INDUSTRIAL USE ONLY
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LUMBER TREATMENT:

Woodtreat® P Sapstain Control Chemical is used to control sapstain, mold and decay on green or freshly cut lumber and other wood products such as composites, veneers, or other similar products intended for manufacturing of composites. For best results lumber should be treated immediately after it is sawn or cut. A delay in treatment of 24 hours or more permits stain, mold and decay growth to start which requires a heavier treatment to achieve control of surface growth. Delayed application and log borne infection result in internal stain often under a bright surface. Lumber and logs should be totally immersed or sprayed so as to ensure all surfaces are treated.

Freshly dipped or sprayed lumber should be protected from rain-washing. Dip tanks and drip aprons must be roofed, paved, and drained to prevent dilution and loss of the anti-stain solution. Dip tanks and spray equipment must be properly maintained.

MIXING INSTRUCTIONS:

For bulk dip tanks and conventional spray systems prepare a 1% dilution by mixing 1 gallon Woodtreat® P Sapstain Control Chemical in 100 gallons of water. Agitate vigorously until completely dispersed. For low volume spray systems prepare a 5% dilution by mixing 1 gallon of Woodtreat® P Sapstain Control Chemical in 20 gallons of water. Complete surface coverage is essential with all application types. If staining should occur, increase concentration to 2 gallons of product per 100 gallons of water (2% dilution) for dip and conventional spray systems or 2 gallons product per 20 gallons water (10% dilution) for low volume spray systems. In all cases, dilution levels will depend upon application methods, lumber species, and conditions of lumber storage. Mills should conduct tests to determine treatment requirements for their individual needs. Contact Kop-Coat, Inc. for recommendations and further information.

NOTE: With normal dip or spray application long-term control of decay cannot be achieved. This product is intended to provide decay, mold, and blue stain control during storage. Such control would not likely extend to the use site.

LIMIT OF WARRANTY AND LIABILITY

We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to be fit for the normal purposes for which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

KOP-COAT

**PRECAUTIONS
HAZARDS TO HUMANS**

Woodtreat® P

Sapstain Control Chemical

Aids in the control of blue stain, mold and decay of freshly cut lumber and wood products during storage and transit. Effective on softwoods including Douglas fir, White fir, Spruce, Hemlock, the Pines including both the Southern and Western Yellow Pines, Eastern and Western White Pines and many of the hardwoods.

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary statements.

READ WARRANTY ON SIDE PANEL BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

INGREDIENTS:

Propiconazole: 1-((2-(2,4-Dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl)methyl)-1H-1,2,4-triazole.....4.50%
INERT INGREDIENTS.....95.50%
TOTAL.....100.0%

EPA Reg. No. 60061-
EPA Est. No. 60061-MO-1

FIRST AID	
IF ON SKIN or CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advise.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advise Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advise.
IF IN EYES:	<ul style="list-style-type: none"> Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 min., then continue rinsing eye. Call a poison control center or doctor for treatment advise
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	
MEDICAL EMERGENCIES: 800-548-0489	

**Kop-Coat, Inc.
Protection Products Division
5137 Southwest Avenue
St. Louis, MO 63110
(314) 772-2200**

DANGER: Corrosive. Causes severe skin burns and eye damage. Harmful if swallowed, absorbed or inhaled.

Do not get in eyes, on skin or on clothing. Wear eye protection and rubber gloves. Wash thoroughly with water after use. Do not use or store near food, feed, or drinking water. Remove contaminated clothing or using tobacco. Remove contaminated clothing and shoes.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into streams, ponds, estuaries, oceans, or other water bodies. Do not discharge into National Pollutant Discharge Elimination System (NPDES) or municipal sewer systems without previously notifying the appropriate authority. For guidance contact your State Water Board.

STORAGE: Do not contaminate water.

PESTICIDE STORAGE: Store in a cool, dry place. Containers closed when not in use.

PESTICIDE DISPOSAL: Pesticide waste, including pesticide, spray mixture, or rinsate is not to be disposed of by use according to label instructions. Contact your local Control Agency, or the Hazardous Waste Agency for guidance.

CONTAINER DISPOSAL: Triple rinse and reuse. Empty containers should be punctured and disposed of in a sanitary manner. Do not reuse. Contact local authorities.

PHYSICAL HAZARD: **COMBUSTIBLE.** Do not use, pour, or spray near open flame.

IN CASE OF FIRE: Use dry chemical extinguisher. Do not use water. Container with water.

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

FEB 18 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 60061-MO-1

NET CONTENTS

U.S. GALLONS