

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D.C. 20460

NOTICE OF PESTICIDE:

x Registration Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

1391a2c5:

60061-124

Term of Issuance:

Conditional

Name of Pesticide Product:

VALVTECH MARINE PREMIUM DIESEL WITH BIOGUARD A

Name and Address of Registrant (include ZIP Code):

Kop-Coat, Inc. 1850 Koppers Building Pittsburgh, PA 15219

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
 - 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Revise the "EPA Registration Number to read, "EPA Reg. No. 60061-124".

Signature of Approving Official:

Marshall Swindell
Product Manager Team-33

Marshall S. Senny Jan

Regulatory Management Branch I Antimicrobials Division (7510P)

SEP 25 2007

Page 2 EPA Registration No. 60061-124

- b. Delete the phrase Exceeds "Superior" cleanliness rating" in the descriptor section of the label. This phrase is a comparison claim and is not permitted under FIFRA.
- c. Please note that the "Storage Stability and Corrosion Characteristics studies must be submitted within one (1) year from the date of this Notice of Registration.
- 3. Submit two (2) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the "accepted" label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Martha L. Seny / Aor Marshall Swindell

Product Manager 33

Regulatory Management Branch I Antimicrobials Division (7510P)

Enclosure

ValvTect Marine Additive

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

HYDROCARBON FLUIDS

ValvTect Marine Premium Diesel with BioGuard additive is a highly effective multifunctional premium diesel fuel additive containing BioGuard micro biocide to prevent bacterial growth in distillate fuels (ultra low sulfur, low sulfur and high sulfur diesel fuels). Add ValvTect Marine Premium Diesel with BioGuard additive to storage tanks at a rate of one gallon to 3000Gallons (333 ppm) of fuel. SEE TECHNICAL DATA SHEET FOR MORE INFORMATION OR CALL 1 - 8 0 0 - 7 2 8 - 8 2 5 8

DOSAGE RATE

Treatment may be performed by splash blending or intermittent metering. To facilitate mixing by splash blending, add ValvTect Marine Premium Diesel with BioGuard additive to the fuel transport or storage tank prior to adding fuel. Storage tank should have a 20% heel of fuel and be free of excess water and /or sludge.

ACTIVE INGREDIENTS

4-(2-Nitrobutyl) morpholine	36% by wt
4, 4' - (2- Ethyl - 2- nitrotrimethylene)	•
dimorpholine	2% by wt
Inert Ingredients	62% by wt
Total	•

E.P.A. Registration No. 60061, XXX 12 4 E.P.A. Est.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
HARMFUL IF SWALLOWED OR INHALED.

Causes eye and moderate skin irritation. May cause allergic skin reactions. Avoid breathing vapors or mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet. Wear safety glasses and chemical-resistant gloves. Remove and wash contaminated clothing before reuse.

KOP-COAT VALVTECT PETROLEUM PRODUCTS DIVISION NORTHBROOK, IL. 60062 800-728-8258

DSP100SM55 0507

STABILIZES FUEL & PREVENTS SLUDGE

- INCREASES CETANE NUMBER
- CLEANS UP INJECTOR DEPOSITS
- **LUBRICATES PUMPS & INJECTORS**
- **CONTAINS BIOGUARD BIOCIDE**
- PREVENTS RUST & CORROSION
- DISPERSES WATER • CONTAINS NO ALCOHOL
- PREVENTS BACTERIA GROWTH

This product contains less than 15 ppm sulfur

FIRST AID	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
if Swallowed	 Immediately call poison control center or doctor for treatment advice. Have person rinse mouth thoroughly with water. Have person drink 8-10 oz of water to dilute material in stornach Do not induce vorniting unless told to do so by the poison control center or doctor.
If on Skin	 Take off contaminated clothing, shoes, and leather goods Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then gives artificial respiration, preferably mouth-to-mouth if possible.
HOT LINE NUMBI	ER In case of emergency call toll free: 1-800-548-0489.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia and probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System(NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Pesticide Disposal: Pesticide wastes are actually hazardous. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of by use according to Label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and toed authorities.

Notice: Seller warrants that the product conforms to its chemical description ac contained on this label and is reasonably fit for the purposes stated on this Label (except uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration) when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

55 GALLONS/208L

ACCEPTED with COMMENTS EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

1677-124 60061-124

