

60061-126

2-19-2008

1/3

U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Antimicrobials Division (7510C)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460



## NOTICE OF PESTICIDE:

☒ Registration  
☐ Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

60061-126

Date of Issuance:

February 19,  
2008

Term of Issuance:

Unconditional

Name of Pesticide Product:

KOP-Coat Workhorse™ IPD

Name and Address of Registrant (include ZIP Code):

Kop-Coat, Inc.  
3020 William Pitt Way  
Pittsburgh, PA 15238

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section
2. Make the labeling changes listed below before you release the product for shipment:

Revise the "EPA Registration Number to read, "EPA Reg No. 60061-126."

Signature of Approving Official:

  
Adam Heyward  
Product Manager Team-34  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

Date:

February 19, 2008

3. The Agency is moving away from review of paper submitted registration applications to electronic review of applications. Therefore, we need your help to make this an efficient and convenient process for both you and the Antimicrobials Division. Accordingly, we are asking you to submit future labeling amendments for this product via the electronic labeling process. Refer to the following website for guidance on electronic submissions, including label:

[http://www.epa.gov/oppfead1/eds/esr\\_guidance.htm#overallsub](http://www.epa.gov/oppfead1/eds/esr_guidance.htm#overallsub). If you have questions concerning electronic labeling, a list of contacts is available at the following site: <http://www.epa.gov/oppfead1/eds/edsgoals.htm#contacts>.

4. Submit three (3) copies of the final printed label prior to releasing this product for sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Adam Heyward  
Product Manager 34  
Regulatory Branch II  
Antimicrobials Division (7510P)

Enclosure: (Stamped Labeling)

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### GENERAL PRECAUTIONS AND RESTRICTIONS:

##### FOR INDUSTRIAL USE ONLY

##### DILUTE BEFORE USING

Do not apply this product in a way that will contact workers or other persons.

Wear synthetic rubber gloves or plastic coated gloves in handling solutions and freshly treated lumber.

Treated sawdust and other wood wastes should be disposed of properly and should not be used as mulch where it will come into contact with useful living plants. Care should be taken to prevent drip or spray from contacting ornamental shrubs, trees, grass, and other desirable vegetation.

#### GENERAL INFORMATION:

**Description:** WORKHORSE™ IPD Sapstain and Mold Control Product is a liquid concentrate containing an effective combination of fungicides for the control of sap stain and surface staining fungi that cause discoloration and staining of freshly sawn lumber. WORKHORSE™ IPD Sapstain and Mold Control Product is an aqueous solution which may be applied to dimensional lumber, logs, plywood and particle board to prevent surface mold growth.

**Dilution Ratio:** WORKHORSE™ IPD Sapstain and Mold Control Product is dilutable with water. For lumber in dip systems, use 1 gallon of Concentrate per 50 gallons to 500 gallons of water to protect against staining organisms. For spray systems use 1 gallon of concentrate per 5 to 150 gallons of water. Contact Kop-Coat, Inc. for recommendations and further information.

**APPLICATION INSTRUCTIONS:** WORKHORSE™ IPD Sapstain and Mold Control Product Application: Flood spray or dip the freshly sawn clean lumber to be treated in WORKHORSE™ IPD Sapstain and Mold Control Product solution within 24 hours after cutting. A dip of 15 seconds or more is sufficient. If not treated within 24 hours, stain may occur.

Lumber should be totally immersed or sprayed to insure treatment. Tanks should be covered by a roof to prevent the addition of rain water and consequent dilution of the solution. Vats and spray equipment should be cleaned regularly to remove sawdust and other debris. Freshly treated lumber should not be exposed to water. Store in protected area from rain and stack properly for best results.

**Clean Up:** Use water to clean immersion tanks, spray equipment and surrounding area. Soapy water may be required to remove WORKHORSE™ IPD Sapstain and Mold Control Product from floors and equipment.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### PHYSICAL OR CHEMICAL HAZARDS:

**COMBUSTIBLE.** DO NOT use, pour, spill, or store near heat or open flame.

**IN CASE OF FIRE:** Use dry chemicals, foam, water fog, or CO<sub>2</sub>. Cool closed containers with water.

# KOP-COAT

## WORKHORSE™ IPD Sapstain and Mold Control Product

U.S. Patent Number 6,375,727 and 7,056,919 additional Patents Pending

Aids in the control of blue stain, mold and decay of freshly cut lumber, dry lumber and other wood based products when properly used. Effective on softwoods including Douglas fir, White fir, Spruce, Hemlock, the Pines including both the Southern and Western Yellow Pines, Eastern and Western White Pines and many of the hardwoods.

### KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

See side panel for additional precautionary statements.

Read Warranty On Side  
Panel Before Buying Or  
Using. If Such Terms Are  
Not Acceptable, Return At  
Once Unopened.

EPA Reg. No. 60061-XXX  
EPA Est. No. 60061-MO-1

#### ACTIVE INGREDIENTS

Diodomethyl-para-Tolyl sulfone.....	0.30%
Propiconazole.....	1.10%
3-Iodo-2-Propynyl	
Butyl Carbamate.....	1.10%
OTHER INGREDIENTS.....	97.50%
<b>TOTAL.....</b>	<b>100.00%</b>

#### FIRST AID

IF IN EYES:	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
IF SWALLOWED:	<ul style="list-style-type: none"><li>• Call poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
IF ON SKIN OR ON CLOTHING:	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
IF INHALED:	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency call toll free: 1-800-548-0489.	
NOTE TO PHYSICIAN:	Probable mucosal damage may contraindicate the use of gastric lavage.

Kop-Coat, Inc.  
Protection Products Division  
5137 Southwest Avenue, St. Louis, MO 63110  
314/772-2200

NET CONTENTS

U.S. GALLONS

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

**CORROSIVE.** Causes Irreversible Eye Damage and Skin Burns. Harmful if swallowed, inhaled or if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or spray mist. Wear protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

1. Coveralls over long-sleeved shirt and long pants
2. chemical-resistant footwear plus socks
3. Goggles or face shield
4. chemical-resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber and viton)
5. Respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter
6. Follow manufacturers' instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Keep and wash PPE separately from other laundry.

#### USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly.


#### ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Do not apply directly to any body of water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other water unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**WARRANTY:** We warrant this material to comply with our published specifications and to be of good merchantable quality and such as will regularly pass in the trade for goods within the description; and further warrant such goods to be fit for the normal purposes which goods are used. We assume no responsibility that the goods concerned in this contract are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

APM

PPD R00 0807



a/c